





















Unit and Rough Opening Sizing.....	1.3
Grille Profiles	1.38
6/8 Lip Lite Grille Locations.....	1.39
8/0 Lip Lite Grille Locations.....	1.47
6/8 Flush-Glazed Grille Locations.....	1.55
8/0 Flush-Glazed Grille Locations.....	1.73
Transom Grille Locations	1.89

Unit and Rough Opening Sizing

French - 7/8" Astragal - 6/6, 6/8, 7/0, 8/0

French - Inswing - Astragal

French Inswing Astragal							
Brickmould Dim.	52 11/16"	60 11/16"	64 11/16"	68 11/16"	72 11/16"	76 11/16"	
Rough Opening	50 15/16"	58 15/16"	62 15/16"	66 15/16"	70 15/16"	74 15/16"	
Unit Dimension	50 3/16"	58 3/16"	62 3/16"	66 3/16"	70 3/16"	74 3/16"	
80 1/2" 82 7/8" 86 7/8" 98 7/8"	6/6 6/8 7/0 8/0						
		4/0	4/8	5/0	5/4	5/8	6/0
							
		4/0	4/8	5/0	5/4	5/8	6/0
							
	4/0	4/8	5/0	5/4	5/8	6/0	
							
	4/0	4/8	5/0	5/4	5/8	6/0	
	Unit Dim.						
	Rough Opening						
	Brickmould Dim.						

Unit and Rough Opening Sizing

Double - Wide Mullion - 6/6, 6/8, 7/0, 8/0

Double - Inswing - Wide Mullion

Brickmould Dim.		53 1/2"	61 1/2"	65 1/2"	69 1/2"	73 1/2"	77 1/2"		
Rough Opening		51 3/4"	59 3/4"	63 3/4"	67 3/4"	71 3/4"	75 3/4"		
Unit Dimension		51"	59"	63"	67"	71"	75"		
80 1/2"	79 1/4"	6/6							
			4/0	4/8	5/0	5/4	5/8	6/0	
			6/8						
				4/0	4/8	5/0	5/4	5/8	6/0
7/0									
	4/0	4/8		5/0	5/4	5/8	6/0		
	8/0								
		4/0	4/8	5/0	5/4	5/8	6/0		
		51"	59"	63"	67"	71"	75"	Unit Dim.	
		51 3/4"	59 3/4"	63 3/4"	67 3/4"	71 3/4"	75 3/4"	Rough Opening	
		54"	62"	66"	70"	74"	78"	Brickmould Dim.	


Double - Outswing - Wide Mullion

Hand Designations


(Viewed from the exterior)

F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing



Outswing



Unit and Rough Opening Sizing

Triple - Wide Mullion - 6/6, 6/8, 7/0, 8/0

Triple - Inswing - Wide Mullion

Brickmould Dim.		79"	91"	97"	103"	109"	115"	
Rough Opening		77 1/4"	89 1/4"	95 1/4"	101 1/4"	107 1/4"	113 1/4"	
Unit Dimension		76 1/2"	88 1/2"	94 1/2"	100 1/2"	106 1/2"	112 1/2"	
80 1/2"	79 1/4"							80 1/8"
82 7/8"	81 5/8"							82 7/16"
86 7/8"	85 5/8"							86 7/16"
98 7/8"	97 5/8"							98 7/16"


Triple - Outswing - Wide Mullion

Hand Designations


(Viewed from the exterior)

F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing



Outswing



Single with 1 Sidelite - Inswing - Continuous Standard Mullion

Single with 1 Sidelite - Outswing - Continuous Standard Mullion

F	Fixed Panel
L	Left Hand
R	Right Hand
















LF RF FL FR

LF RF FL FR

Unit and Rough Opening Sizing

Single - Continuous with 2-10" Sidelites - Standard Mullion - 6/6, 6/8, 7/0, 8/0

Single with 2 Sidelites - Inswing - Continuous Standard Mullion

Brickmould Dim.															
Rough Opening															
Unit Dimension															
Unit Dimension															
80 1/2" 79 3/4" 79 1/4"	6/6							78 5/8"	78 1/16"	79 1/8"					
		2/4	2/6	2/8	2/10	3/0	3/6								
		82 7/8" 82" 81 5/8"	6/8										80 15/16"	80 3/8"	81 7/16"
				2/4	2/6	2/8	2/10				3/0	3/6			
86 7/8" 86" 85 5/8"	7/0									84 15/16"	84 3/8"	85 7/16"			
				2/4	2/6	2/8	2/10	3/0	3/6						
		98 7/8" 98" 97 5/8"	8/0										96 15/16"	96 3/8"	97 7/16"
				2/4	2/6	2/8	2/10	3/0	3/6						
Unit Dim.						Composite									
Rough Opening						Aluminum									
Brickmould Dim.						Aluminum									
51 1/2"						53 1/2"				55 1/2"					
52 1/4"						54 1/4"				56 1/4"					
54 1/2"						56 1/2"				58 1/2"					
57 1/2"						59 1/2"				60 1/2"					
60 1/4"						62 1/2"				64 1/2"					
66 1/4"						68 1/2"				70 1/2"					

Single with 2 Sidelites - Outswing - Continuous Standard Mullion

Hand Designations


(Viewed from the exterior)

F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing




FLF




FRF

Outswing



FLF



FRF

Single with 14" Sidelite - Boxed or Continuous Wide Mullion - 6/6, 6/8, 7/0, 8/0

Single with 1 Sidelite - Inswing - Boxed or Continuous Wide Mullion

Brickmould Dim.			Rough Opening						Unit Dimension					
			47 1/2"	49 1/2"	51 1/2"	53 1/2"	55 1/2"	61 1/2"						
			45 3/4"	47 3/4"	49 3/4"	51 3/4"	53 3/4"	59 3/4"						
			45"	47"	49"	51"	53"	59"						
			</											

Single with 1 Sidelite - Outswing - Boxed or Continuous Wide Mullion

For Spread Mullion Configurations (3/0 only):


Add the total spread amount to width listed. For example, the unit size of a 3/0 unit with one 14" sidelite and one mullion spread 3/4" would be: 53" unit size + 3/4" spread = 53 3/4"

Units can be spread 0" to 3" in 1/4" increments.


Spread mullion only available in 3/0 inswing.

Hand Designations (Viewed from the exterior)	
F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing



Outswing



Unit and Rough Opening Sizing

Single with 2-14" Sidelites - Boxed or Continuous Wide Mullion - 6/6, 6/8, 7/0, 8/0

Single with 2 Sidelites - Inswing - Boxed or Continuous Wide Mullion

Brickmould Dim.	63"	65"	67"	69"	71"	77"	
Rough Opening	61 1/4"	63 1/4"	65 1/4"	67 1/4"	69 1/4"	75 1/4"	
Unit Dimension	60 1/2"	62 1/2"	64 1/2"	66 1/2"	68 1/2"	74 1/2"	
80 1/2"							79 9/16"
79 3/4"							80 1/8"
79 1/4"							78 9/16"
	6/6						
	2/4	2/6	2/8	2/10	3/0	3/6	
82 7/8"							81 7/8"
82"							82 7/16"
81 5/8"							80 7/8"
	6/8						
	2/4	2/6	2/8	2/10	3/0	3/6	
86 7/8"							85 7/8"
86"							86 7/16"
85 5/8"							84 7/8"
	7/0						
	2/4	2/6	2/8	2/10	3/0	3/6	
98 7/8"							97 7/8"
98"							98 7/16"
97 5/8"							96 7/8"
	8/0						
	2/4	2/6	2/8	2/10	3/0	3/6	
	60 1/2"	62 1/2"	64 1/2"	66 1/2"	68 1/2"	74 1/2"	Unit Dim.
	61 1/4"	63 1/4"	65 1/4"	67 1/4"	69 1/4"	75 1/4"	Rough Opening
	63 1/2"	65 1/2"	67 1/2"	69 1/2"	71 1/2"	77 1/2"	Brickmould Dim.
							78 5/8"
							78 1/16"
							79 1/8"
							80 1/16"
							80 3/8"
							81 7/16"
							84 3/8"
							84 15/16"
							96 15/16"
							96 3/8"
							97 7/16"
							98 7/16"
							97 7/8"
							Composite
							Aluminum
							Aluminum
							Composite
							Aluminum
							Composite
							Aluminum
							Composite

Single with 2 Sidelites - Outswing - Boxed or Continuous Wide Mullion

For Spread Mullion Configurations (3/0 only):

Add the total spread amount to width listed. For example, the unit size of a 3/0 unit with two 14" sidelites and two mullions spread 3/4" each would be: 68 1/2" unit size + 3/4" spread + 3/4" spread = 70"
Units can be spread 0" to 3" per mullion in 1/4" increments. (0" to 6" per unit in 1/2" increments).
Spread mullion only available in 3/0 inswing.

Hand Designations


(Viewed from the exterior)

F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing




FLF



FRF

Outswing



OLF



ORF

Sidelite - 6/6, 6/8, 7/0, 8/0

Sidelite - Inswing

Rough Opening		*	*	*
Unit Dimension		11 1/2"	13 1/2"	15 1/2"
79 3/4" 79 1/4" 82" 86" 98"	6/6	 10"	 12"	 14"
	6/8	 10"	 12"	 14"
	7/0	 10"	 12"	 14"
	8/0	 10"	 12"	 14"
		11 1/2"	13 1/2"	15 1/2"
		*	*	*
		Unit Dim.		
		Rough Opening		
		Sidelite - Outswing		
		78 9/16" 80 7/8" 84 7/8" 96 7/8" 78 1/16" 80 3/8" 84 3/8" 96 3/8" 79 1/8" 81 7/16" 85 7/16" 97 7/16" 78 5/8" 80 15/16" 84 15/16" 96 15/16" Aluminum Composite Aluminum Composite Aluminum Composite Aluminum Composite		

*Add actual unit dimension to door rough opening width for total rough opening width.

Hand Designations	
(Viewed from the exterior)	
F	Fixed Panel

Inswing



F

Outswing



F

Unit and Rough Opening Sizing

Single with 12" Venting Sidelite - Wide Mullion - 6/6, 6/8 Single with Venting Sidelite - Wide Mullion


Brickmould Dim.		53 3/4"
Rough Opening		52"
Unit Dimension		51 1/4"
80 1/2"	6/6	
79 3/4"	3/0	
82 7/8"	6/8	
82"	3/0	
81 5/8"		

*Outswing not available.

Hand Designations (Viewed from the exterior)

L	Left Hand
R	Right Hand
S	Vented Sidelite (hinged off jamb)

Inswing




SL



SR



LS



RS

Single with 14" Venting Sidelite - Wide Mullion - 6/6, 6/8, 8/0
Single with Venting Sidelite - Wide Mullion

Brickmould Dim.		55 3/4"
Rough Opening		54"
Unit Dimension		53 1/4"
80 1/2"	79 3/4"	79 1/4"
		6/6
		3/0
82 7/8"	82"	81 5/8"
		6/8
		3/0
98 7/8"	98"	97 5/8"
		8/0
		3/0

*Outswing not available.

Hand Designations	
(Viewed from the exterior)	
L	Left Hand
R	Right Hand
S	Vented Sidelite (hinged off jamb)


Inswing



SL



SR



LS



RS

Unit and Rough Opening Sizing


Single with 2-12" Venting Sidelites - Wide Mullion - 6/6, 6/8 Single with Venting Sidelites - Wide Mullion

Brickmould Dim.		67 7/16"
Rough Opening		65 11/16"
Unit Dimension		64 15/16"
80 1/2"	79 3/4"	79 1/4"
6/6		
82 7/8"	82"	81 5/8"
6/8		

*Outswing not available.

Hand Designations	
(Viewed from the exterior)	
L	Left Hand
R	Right Hand
S	Sidelite




Inswing



Single with 2-14" Venting Sidelites - Wide Mullion - 6/6, 6/8, 8/0

Single with Venting Sidelites - Wide Mullion


Brickmould Dim.	71 7/16"
Rough Opening	69 11/16"
Unit Dimension	68 15/16"

80 1/2"	79 3/4"	79 1/4"	6/6		3/0
82 7/8"	82"	81 5/8"	6/8		3/0
98 7/8"	98"	97 5/8"	8/0		3/0

*Outswing not available.

Hand Designations	
(Viewed from the exterior)	
L	Left Hand
R	Right Hand
S	Sidelite

Inswing





Unit and Rough Opening Sizing

French with 2-12" Venting Sidelites - Wide Mullion - 6/6, 6/8

French with Venting Sidelites - Wide Mullion

Brickmould Dim.	100 1/8"	104 1/8"
Rough Opening	98 3/8"	102 3/8"
Unit Dimension	97 5/8"	101 5/8"

80 1/2"	6/6	
79 3/4"		
79 1/4"		
82 7/8"	6/8	
82"		
81 5/8"		


*Outswing not available.

Hand Designations


(Viewed from the exterior)

L	Left Hand
R	Right Hand
A	Astragal
S	Sidelite

Inswing



SLAS



SARS

French with 2-14" Venting Sidelites - Wide Mullion - 6/6, 6/8, 8/0

French with Venting Sidelites - Wide Mullion


Brickmould Dim.	104 1/8"	108 1/8"
Rough Opening	102 3/8"	106 3/8"
Unit Dimension	101 5/8"	105 5/8"

80 1/2"	79 3/4"	79 1/4"	6/6	5/8	6/0
82 7/8"	82"	81 5/8"	6/8	5/8	6/0
98 7/8"	98"	97 5/8"	8/0	5/8	6/0


*Outswing not available.

Hand Designations	
(Viewed from the exterior)	
L	Left Hand
R	Right Hand
A	Astragal
S	Sidelite

Inswing



SLAS



SARS





Unit and Rough Opening Sizing

Single Transoms

Unit Dimension	37 5/8"	13 1/2"	15 1/2"
13 15/32"			
	3/0	12"	14"

*Add actual unit dimension to door rough opening height for total rough opening height.

Double - Standard Continuous Mullion Transoms

Unit Dimension	62 13/16"	66 13/16"	70 13/16"	74 13/16"
13 15/32"				
	5/0	5/4	5/8	6/0
13 5/8"				
	5/0	5/4	5/8	6/0

*Add actual unit dimension to door rough opening height for total rough opening height.

Single with 2 Sidelites - Boxed Transoms

Unit Dimension	64 21/32"	68 21/32"
13 15/32"		
	3/0 w/ 2-12" SL	3/0 w/ 2-14" SL
13 5/8"		
	3/0 w/ 2-12" SL	3/0 w/ 2-14" SL

*Add actual unit dimension to door rough opening height for total rough opening height.


Single with 2 Sidelites - Continuous Transoms

Unit Dimension	63 21/32"	67 21/32"
13 15/32"		
	3/0 w/ 2-12" SL	3/0 w/ 2-14" SL
13 5/8"		
	3/0 w/ 2-12" SL	3/0 w/ 2-14" SL

*Add actual unit dimension to door rough opening height for total rough opening height.

Single - 90 min. Fire Doors with Adjusta-Fit 2 Frames - 6/8, 7/0



Single

Masonry R.O.		27 1/4"	31 1/4"	33 1/4"	35 1/4"	37 1/4"	39 1/4"	45 1/4"					
Drywall R.O.		25"	29"	31"	33"	35"	37"	43"					
Unit Dimension		27 1/4"	31 1/4"	33 1/4"	35 1/4"	37 1/4"	39 1/4"	45 1/4"					
82 11/32"	81 1/4"	82 11/32"	6/8								81 7/32"		
				2/0	2/4	2/6	2/8	2/10	3/0	3/6			
86 11/32"	85 1/4"	86 11/32"	7/0								85 7/32"		
				2/0	2/4	2/6	2/8	2/10	3/0	3/6			
Inswing	Inswing	Inswing									No Sill	Public Access	
											No Sill	Public Access	
											Public Access	Public Access	
											Public Access	Public Access	
											Unit Dim.	Drywall R.O.	Masonry R.O.
				27 1/4"	31 1/4"	33 1/4"	35 1/4"	37 1/4"	39 1/4"	45 1/4"			
				25"	29"	31"	33"	35"	37"	43"			
				27 1/4"	31 1/4"	33 1/4"	35 1/4"	37 1/4"	39 1/4"	45 1/4"			

Unit and Rough Opening Sizing

Hinged Clear Opening Heights


Door Panel Height	Composite Clear Opening Height Inswing	Basic Fixed Clear Opening Height Inswing	Aluminum Clear Opening Height Outswing	Composite Clear Opening Height Outswing
6/6	76-3/4"	76-9/16"	75-13/16"	75-7/8"
6/8	79-1/16"	78-15/16"	78-1/8"	78-1/4"
7/0	83-1/16"	82-15/16"	82-1/8"	82-1/4"
8/0	95-1/16"	94-15/16"	N/A	94-1/4"




Hinged Clear Opening Widths

Door Panel Width	Clear Opening Width		Clear Opening French w/ 7/8" Astragal	
	90°	Full	90°	Full
12" Venting Sidelite	9"	11-3/16"	n/a	n/a
14" Venting Sidelite	11"	13-3/16"	n/a	n/a
2/4	25-1/8"	26-15/16"	51"	55-11/16"
2/6	27-1/8"	28-15/16"	53"	57-11/16"
2/8	29-1/8"	30-15/16"	55"	59-11/16"
2/10	31-1/8"	32-15/16"	57"	61-11/16"
3/0	33-1/8"	34-15/16"	59"	63-11/16"
3/6	39-1/8"	40-15/16"	65"	69-11/16"


NOTE: To find the square footage of a clear opening, multiply the appropriate system height by the appropriate system width.




HORIZONTAL SECTION (Single)




HORIZONTAL SECTION (Double/Triple - Operable panel hinged off jamb or mullion)




HORIZONTAL SECTION (French) (Hinged off jamb or mullion)



**VERTICAL SECTION
INSWING - FIXED**
(shown with Stucco Brickmould option)




**VERTICAL SECTION
INSWING - SINGLE**




**VERTICAL SECTION
INSWING - DOUBLE w/ASTRAGAL
w/HINGED SCREEN**


Unit and Rough Opening Sizing




**VERTICAL SECTION
INSWING - FIXED**
(shown with Stucco Brickmould option)




**VERTICAL SECTION
INSWING - SINGLE**




**VERTICAL SECTION
INSWING - DOUBLE w/ASTRAGAL
w/HINGED SCREEN**




**VERTICAL SECTION
INSWING - DOUBLE/TRIPLE
w/TOP HUNG SCREEN**




**VERTICAL SECTION
INSWING - 6-9/16"
w/STANDARD SCREEN**




**VERTICAL SECTION
INSWING - VENTED SIDELITE
w/FIXED SCREEN**




**HORIZONTAL SECTION
INSWING - SINGLE
(L shown)**



**HORIZONTAL SECTION
INSWING - DOUBLE w/MULLION
(LF shown)**




**HORIZONTAL SECTION
INSWING - DOUBLE w/ASTRAGAL
w/HINGED SCREEN
(AR shown)**




**HORIZONTAL SECTION
INSWING - SINGLE WITH VENTED SIDELITE
AND FIXED SCREEN**


Unit and Rough Opening Sizing




**HORIZONTAL SECTION
INSWING -TRIPLE
(RFF shown)**




**HORIZONTAL SECTION
INSWING - TRIPLE
(FLF shown)**



**HORIZONTAL SECTION
INSWING - TRIPLE
(FFL shown)**




**VERTICAL SECTION
OUTSWING
THERMAL BREAK**




**HORIZONTAL SECTION
OUTSWING - DOUBLE w/ASTRAGAL
(RA shown)**


Unit and Rough Opening Sizing




**VERTICAL SECTION
OUTSWING - FIXED**




**VERTICAL SECTION
OUTSWING**




**VERTICAL SECTION
OUTSWING - 6-9/16"**




**HORIZONTAL SECTION
OUTSWING - FIXED**




**HORIZONTAL SECTION
OUTSWING - FIXED/FIXED**




HORIZONTAL SECTION







**HORIZONTAL SECTION
OUTSWING - SINGLE
(R shown)**




**HORIZONTAL SECTION
OUTSWING - DOUBLE w/MULLION
(LF shown)**



**HORIZONTAL SECTION
OUTSWING - TRIPLE
(LFF shown)**




**HORIZONTAL SECTION
OUTSWING - TRIPLE
(FRF shown)**




**HORIZONTAL SECTION
OUTSWING - TRIPLE
(FFR shown)**


Grille Profiles




Fixed Grille Section
(for 2080 and 2280 frames only)




Fixed Grille Section




SDL Colonial
Grille Section




SDL Flat 1-1/8"
Grille Section




SDL Flat 3-1/2"
Grille Section




Wood Grille Section
(Flush-Glazed)



GBG Grille Section
(Contour)




Classic-Craft American
Grille Section




Wood Grille Section
(Lip-Lite)




GBG Grille Section
(Flat)




Classic-Craft Canvas
Grille Section



Classic-Craft Shaker American
4-1/4" Divider Bar



Classic-Craft Shaker American
5-1/2" Divider Bar


GBG/SDL - Lip Lite - 6'8" Full Lite - 3W5H and 2W5H


Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	14-7/8"	11-9/16"	18-1/4"	17-7/8"	30-11/16"	43-1/2"	56-5/16"
2/8	22 x 64	15-7/8"	12-1/4"	19-9/16"	17-7/8"	30-11/16"	43-1/2"	56-5/16"
2/10	22 x 64	16-7/8"	13-1/4"	20-9/16"	17-7/8"	30-11/16"	43-1/2"	56-5/16"
3/0	22 x 64	17-7/8"	14-1/4"	21-9/16"	17-7/8"	30-11/16"	43-1/2"	56-5/16"

Wood Grilles - Lip Lite - 6'8" Full Lite - 3W5H and 2W5H


Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	14-7/8"	11-3/4"	18-1/16"	18-3/16"	30-13/16"	43-3/8"	56"
2/8	22 x 64	15-7/8"	12-3/8"	19-7/16"	18-3/16"	30-13/16"	43-3/8"	56"
2/10	22 x 64	16-7/8"	13-3/8"	20-7/16"	18-3/16"	30-13/16"	43-3/8"	56"
3/0	22 x 64	17-7/8"	14-3/8"	21-7/16"	18-3/16"	30-13/16"	43-3/8"	56"

Fixed Grilles - Lip Lite - 6'8" Full Lite - 3W5H and 2W5H

Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	14-7/8"	11-5/8"	18-3/16"	17-15/16"	30-11/16"	43-1/2"	56-1/4"
2/8	22 x 64	15-7/8"	12-1/4"	19-9/16"	17-15/16"	30-11/16"	43-1/2"	56-1/4"
2/10	22 x 64	16-7/8"	13-1/4"	20-9/16"	17-15/16"	30-11/16"	43-1/2"	56-1/4"
3/0	22 x 64	17-7/8"	14-1/4"	21-9/16"	17-15/16"	30-11/16"	43-1/2"	56-1/4"



GBG - Lip Lite - 6'8" Full Lite - 3W4H and 2W4H

Panel	Glass	A	B	C	D	E	F
2/6	20 x 64	14-7/8"	11-9/16"	18-1/4"	21-1/8"	37-1/8"	53-1/8"
2/8	22 x 64	15-7/8"	12-1/4"	19-9/16"	21-1/8"	37-1/8"	53-1/8"
2/10	22 x 64	16-7/8"	13-1/4"	20-9/16"	21-1/8"	37-1/8"	53-1/8"
3/0	22 x 64	17-7/8"	14-1/4"	21-9/16"	21-1/8"	37-1/8"	53-1/8"


GBG - Lip Lite - 6'8" Full Lite - 2W3H


Panel	Glass	A	B	C	D	E
2/6	20 x 64	14-7/8"	-	-	26-7/16"	47-3/4"
2/8	22 x 64	15-7/8"	-	-	26-7/16"	47-3/4"
2/10	22 x 64	16-7/8"	-	-	26-7/16"	47-3/4"
3/0	22 x 64	17-7/8"	-	-	26-7/16"	47-3/4"

All dimensions shown are to the center of the muntin.



GBG - Lip Lite - 6'8" Full Lite - 2W2H


Panel	Glass	A	B	C	D
2/6	20 x 64	14-7/8"	-	-	37-1/8"
2/8	22 x 64	15-7/8"	-	-	37-1/8"
2/10	22 x 64	16-7/8"	-	-	37-1/8"
3/0	22 x 64	17-7/8"	-	-	37-1/8"



GBG - Lip Lite - 6'8" Full Lite - 9 Lite Prairie


Panel	Glass	A	B	C	D
2/6	20 x 64	9-3/8"	20-7/16"	9-9/16"	64-5/8"
2/8	22 x 64	9-3/8"	22-7/16"	9-9/16"	64-5/8"
2/10	22 x 64	10-3/8"	23-7/16"	9-9/16"	64-5/8"
3/0	22 x 64	11-3/8"	24-7/16"	9-9/16"	64-5/8"

All dimensions shown are to the center of the muntin.


GBG/SDL - Lip Lite - 6'8" 3/4 Lite - 3W4H and 2W4H*

Panel	Glass	A	B	C	D	E	F
2/8	22 x 47	15-7/8"	12-1/4"	19-9/16"	16-7/8"	28-5/8"	40-3/8"
2/10	22 x 47	16-7/8"	13-1/4"	20-9/16"	16-7/8"	28-5/8"	40-3/8"
3/0	22 x 47	17-7/8"	14-1/4"	21-9/16"	16-7/8"	28-5/8"	40-3/8"


*SDL not available in 2W4H configuration.


GBG - Lip Lite - 6'8" 3/4 Lite - 2W3H

Panel	Glass	A	B	C	D	E
2/8	22 x 47	15-7/8"	-	-	20-3/4"	36-7/16"
2/10	22 x 47	16-7/8"	-	-	20-3/4"	36-7/16"
3/0	22 x 47	17-7/8"	-	-	20-3/4"	36-7/16"

GBG - Lip Lite - 6'8" 3/4 Lite - 2W2H


Panel	Glass	A	B	C	D
2/8	22 x 47	15-7/8"	-	-	28-5/8"
2/10	22 x 47	16-7/8"	-	-	28-5/8"
3/0	22 x 47	17-7/8"	-	-	28-5/8"


GBG - Lip Lite - 6'8" 3/4 Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/8	22 x 47	9-3/8"	22-7/16"	9-9/16"	47-5/8"
2/10	22 x 47	10-3/8"	23-7/16"	9-9/16"	47-5/8"
3/0	22 x 47	11-3/8"	24-7/16"	9-9/16"	47-5/8"

All dimensions shown are to the center of the muntin.

6/8 Lip Lite Grille Locations



GBG/SDL - Lip Lite - 6'8" Half Lite - 3W3H

Panel	Glass	A	B	C	D	E
*2/6	20 x 36	-	11-9/16"	18-1/4"	17-1/8"	29-1/8"
2/8	22 x 36	-	12-1/4"	19-9/16"	17-1/8"	29-1/8"
2/10	22 x 36	-	13-1/4"	20-9/16"	17-1/8"	29-1/8"
3/0	22 x 36	-	14-1/4"	21-9/16"	17-1/8"	29-1/8"


*SDL not available.

Wood Grilles - Lip Lite - 6'8" Half Lite - 3W3H

Panel	Glass	A	B	C	D	E
2/8	22 x 36	-	12-7/16"	19-3/8"	17-1/4"	28-15/16"
2/10	22 x 36	-	13-7/16"	20-3/8"	17-1/4"	28-15/16"
3/0	22 x 36	-	14-7/16"	21-3/8"	17-1/4"	28-15/16"


Fixed Grilles - Lip Lite - 6'8" Half Lite - 3W3H

Panel	Glass	A	B	C	D	E
2/6	20 x 36	-	11-9/16"	18-1/4"	17-3/16"	29-1/8"
2/8	22 x 36	-	12-11/16"	19-9/16"	17-1/8"	29-1/16"
2/10	22 x 36	-	13-11/16"	20-9/16"	17-1/8"	29-1/16"
3/0	22 x 36	-	14-11/16"	21-9/16"	17-1/8"	29-1/16"



GBG - Lip Lite - 6'8" Half Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/6	20 x 36	9-3/8"	20-7/16"	9-9/16"	36-11/16"
2/8	22 x 36	9-3/8"	22-7/16"	9-9/16"	36-5/8"
2/10	22 x 36	10-3/8"	23-7/16"	9-9/16"	36-5/8"
3/0	22 x 36	11-3/8"	24-7/16"	9-9/16"	36-5/8"



GBG/SDL - Lip Lite - 6'8" Half Lite Top and Bottom - 3W3H


Panel	Glass	A	B	C	D	E
2/8	22 x 36	-	12-1/4"	19-9/16"	28-1/8"	40-1/8"
2/10	22 x 36	-	13-1/4"	20-9/16"	28-1/8"	40-1/8"
3/0	22 x 36	-	14-1/4"	21-9/16"	28-1/8"	40-1/8"

Wood Grilles - Lip Lite - 6'8" Half Lite Top and Bottom - 3W3H

Panel	Glass	A	B	C	D	E
2/8	22 x 36	-	12-7/16"	19-3/8"	28-1/4"	39-15/16"
2/10	22 x 36	-	13-7/16"	20-3/8"	28-1/4"	39-15/16"
3/0	22 x 36	-	14-7/16"	21-3/8"	28-1/4"	39-15/16"

Fixed Grilles - Lip Lite - 6'8" Half Lite Top and Bottom - 3W3H


Panel	Glass	A	B	C	D	E
2/8	22 x 36	-	12-11/16"	19-9/16"	28-1/8"	40-1/16"
2/10	22 x 36	-	13-11/16"	20-9/16"	28-1/8"	40-1/16"
3/0	22 x 36	-	14-11/16"	21-9/16"	28-1/8"	40-1/16"



GBG - Lip Lite - 6'8" Half Lite Top and Bottom - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/8	22 x 36	9-3/8"	22-7/16"	20-9/16"	47-11/16"
2/10	22 x 36	10-3/8"	23-7/16"	20-9/16"	47-11/16"
3/0	22 x 36	11-3/8"	24-7/16"	20-9/16"	47-11/16"


All dimensions shown are to the center of the muntin.


GBG/SDL - Lip Lite - 6'8" Center Lite - 1W3H


Panel	Glass	A	B	C	D	E
2/8	8 x 36	-	-	-	22-7/8"	34-7/8"
2/10	8 x 36	-	-	-	22-7/8"	34-7/8"
3/0	8 x 36	-	-	-	22-7/8"	34-7/8"

Wood Grilles - Lip Lite - 6'8" Center Lite - 1W3H

Panel	Glass	A	B	C	D	E
2/8	8 x 36	-	-	-	23-1/16"	34-11/16"
2/10	8 x 36	-	-	-	23-1/16"	34-11/16"
3/0	8 x 36	-	-	-	23-1/16"	34-11/16"


GBG - Lip Lite - 6'8" Center Lite - 6 Lite Pairie

Panel	Glass	A	B	C	D
2/8	8 x 36	15-7/8"	-	15-5/16"	42-7/16"
2/10	8 x 36	16-7/8"	-	15-5/16"	42-7/16"
3/0	8 x 36	17-7/8"	-	15-5/16"	42-7/16"


GBG - Lip Lite - 6'8" Camber Top Lite - 3W2H


Panel	Glass	A	B	C	D
2/6	22 x 10	-	11-1/4"	18-9/16"	7-1/2"
2/8	22 x 10	-	12-1/4"	19-9/16"	7-1/2"
2/10	22 x 10	-	13-1/4"	20-9/16"	7-1/2"
3/0	22 x 10	-	14-1/4"	21-9/16"	7-1/2"

Fixed Grilles - Lip Lite - 6'8" Camber Top Lite - 3W2H

Panel	Glass	A	B	C	D
2/6	22 x 10	-	11-3/4"	18-9/16"	7-1/2"
2/8	22 x 10	-	12-3/4"	19-9/16"	7-1/2"
2/10	22 x 10	-	13-3/4"	20-9/16"	7-1/2"
3/0	22 x 10	-	14-3/4"	21-9/16"	7-1/2"

All dimensions shown are to the center of the muntin.

6/8 Lip Lite Grille Locations



SDL - Lip Lite - 6'8" Full Lite Sidelite - Craftsman 1W1H

Panel	Glass	A	B
12"	7 x 64	-	20-1/8"
14"	7 x 64	-	20-1/8"


SDL - Lip Lite - 6'8" Full Lite Sidelite - Craftsman 2W1H

Panel	Glass	A	B
12"	7 x 64	6"	20-1/8"
14"	7 x 64	7"	20-1/8"

SDL - Lip Lite - 6'8" Full Lite Sidelite - Craftsman 2W2H

Panel	Glass	A	B	C
12"	7 x 64	6"	12-13/16"	20-1/8"
14"	7 x 64	7"	12-13/16"	20-1/8"

All dimensions shown are to the center of the muntin.


GBG/SDL - Lip Lite - 6'8" Full Lite Sidelite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
12"	7 x 64	-	-	-	17-15/16"	30-3/4"	43-1/2"	56-5/16"
14"	7 x 64	-	-	-	17-15/16"	30-3/4"	43-1/2"	56-5/16"

Wood Grilles - Lip Lite - 6'8" Full Lite Sidelite - 1W5H

Panel Size	Glass	A	B	C	D	E	F	G
12"	7 x 64	-	-	-	18-1/4"	30-13/16"	43-7/16"	56"
14"	7 x 64	-	-	-	18-1/4"	30-13/16"	43-7/16"	56"

Fixed Grilles - Lip Lite - 6'8" Full Lite Sidelite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
12"	7 x 64	-	-	-	18"	30-3/4"	43-1/2"	56-1/4"
14"	7 x 64	-	-	-	18"	30-3/4"	43-1/2"	56-1/4"

GBG - Lip Lite - 6'8" Full Lite Sidelite - 1W4H

Panel	Glass	A	B	C	D	E	F
12"	7 x 64	-	-	-	21-1/8"	37-1/8"	53-1/8"
14"	7 x 64	-	-	-	21-1/8"	37-1/8"	53-1/8"

GBG - Lip Lite - 6'8" Full Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12"	7 x 64	-	-	-	26-7/16"	47-13/16"
14"	7 x 64	-	-	-	26-7/16"	47-13/16"

GBG - Lip Lite - 6'8" Full Lite Sidelite - 1W2H


Panel	Glass	A	B	C	D
12"	7 x 64	-	-	-	37-1/8"
14"	7 x 64	-	-	-	37-1/8"

GBG - Lip Lite - 6'8" Full Lite Sidelite - 6 Lite Prairie

Panel	Glass	A	B	C	D
12"	7 x 64	6"	-	9-9/16"	64-11/16"
14"	7 x 64	7"	-	9-9/16"	64-11/16"

All dimensions shown are to the center of the muntin.

6/8 Lip Lite Grille Locations



GBG/SDL - Lip Lite - 6'8" Half Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12"	8 x 36	-	-	-	17-1/8"	29-1/8"
14"	8 x 36	-	-	-	17-1/8"	29-1/8"

Wood Grilles - Lip Lite - 6'8" Half Lite Sidelite - 1W3H


Panel Size	Glass	A	B	C	D	E
12"	8 x 36	-	-	-	17-1/4"	28-15/16"
14"	8 x 36	-	-	-	17-1/4"	28-15/16"

Fixed Grilles - Lip Lite - 6'8" Half Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12"	8 x 36	-	-	-	17-1/8"	29-1/16"
14"	8 x 36	-	-	-	17-1/8"	29-1/16"

GBG - Lip Lite - 6'8" Half Lite Sidelite - 6 Lite Prairie

Panel	Glass	A	B	C	D
12"	8 x 36	6"	-	9-9/16"	36-11/16"
14"	8 x 36	7"	-	9-9/16"	36-11/16"




GBG/SDL - Lip Lite - 6'8" 3/4 Lite Sidelite - 1W4H

Panel	Glass	A	B	C	D	E	F
12"	8 x 47	-	-	-	16-13/16"	28-9/16"	40-1/4"
14"	8 x 47	-	-	-	16-13/16"	28-9/16"	40-1/4"

GBG - Lip Lite - 6'8" 3/4 Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12"	8 x 47	-	-	-	20-3/4"	36-3/8"
14"	8 x 47	-	-	-	20-3/4"	36-3/8"




GBG - Lip Lite - 6'8" 3/4 Lite Sidelite - 1W2H

Panel	Glass	A	B	C	D
12"	8 x 47	-	-	-	28-9/16"
14"	8 x 47	-	-	-	28-9/16"

GBG - Lip Lite - 6'8" 3/4 Lite Sidelite - 6 Lite Prairie

Panel	Glass	A	B	C	D
12"	8 x 47	6"	-	9-9/16"	47-11/16"
14"	8 x 47	7"	-	9-9/16"	47-11/16"


All dimensions shown are to the center of the muntin.


GBG - Lip Lite - 8'0" Full Lite - 3W6H and 2W6H

Panel	Glass	A	B	C	D	E	F	G	H
2/6	20 x 80	14-7/8"	11-9/16"	18-1/4"	19-1/2"	32-13/16"	46-3/16"	59-1/2"	72-13/16"
2/8	22 x 80	15-7/8"	12-1/4"	19-9/16"	19-1/2"	32-13/16"	46-3/16"	59-1/2"	72-13/16"
2/10	22 x 80	16-7/8"	13-1/4"	20-9/16"	19-1/2"	32-13/16"	46-3/16"	59-1/2"	72-13/16"
3/0	22 x 80	17-7/8"	14-1/4"	21-9/16"	19-1/2"	32-13/16"	46-3/16"	59-1/2"	72-13/16"

Fixed Grilles - Lip Lite - 8'0" Full Lite - 3W6H and 2W6H

Panel	Glass	A	B	C	D	E	F	G	H
2/6	20 x 80	14-7/8"	11-5/8"	18-3/16"	19-9/16"	32-7/8"	46-3/16"	59-7/16"	72-3/4"
2/8	22 x 80	15-7/8"	12-1/4"	19-9/16"	19-9/16"	32-7/8"	46-3/16"	59-7/16"	72-3/4"
2/10	22 x 80	16-7/8"	13-1/4"	20-9/16"	19-9/16"	32-7/8"	46-3/16"	59-7/16"	72-3/4"
3/0	22 x 80	17-7/8"	14-1/4"	21-9/16"	19-9/16"	32-7/8"	46-3/16"	59-7/16"	72-3/4"


GBG/SDL - Lip Lite - 8'0" 3/4 Lite - 3W5H and 2W5H


Panel	Glass	A	B	C	D	E	F	G
2/8	22 x 64	15-7/8"	12-1/4"	19-9/16"	18-15/16"	31-3/4"	44-9/16"	57-3/8"
2/10	22 x 64	16-7/8"	13-1/4"	20-9/16"	18-15/16"	31-3/4"	44-9/16"	57-3/8"
3/0	22 x 64	17-7/8"	14-1/4"	21-9/16"	18-15/16"	31-3/4"	44-9/16"	57-3/8"

Wood Grilles - Lip Lite - 8'0" 3/4 Lite - 3W5H and 2W5H

Panel	Glass	A	B	C	D	E	F	G
2/8	22 x 64	15-7/8"	12-3/8"	19-7/16"	19-1/4"	31-7/8"	44-7/16"	57-1/16"
2/10	22 x 64	16-7/8"	13-3/8"	20-7/16"	19-1/4"	31-7/8"	44-7/16"	57-1/16"
3/0	22 x 64	17-7/8"	14-3/8"	21-7/16"	19-1/4"	31-7/8"	44-7/16"	57-1/16"

Fixed Grilles - Lip Lite - 8'0" 3/4 Lite - 3W5H and 2W5H


Panel	Glass	A	B	C	D	E	F	G
2/8	22 x 64	15-7/8"	12-1/4"	19-9/16"	19"	31-3/4"	44-9/16"	57-5/16"
2/10	22 x 64	16-7/8"	13-1/4"	20-9/16"	19"	31-3/4"	44-9/16"	57-5/16"
3/0	22 x 64	17-7/8"	14-1/4"	21-9/16"	19"	31-3/4"	44-9/16"	57-5/16"


GBG - Lip Lite - 8'0" 3/4 Lite - 3W4H and 2W4H

Panel	Glass	A	B	C	D	E	F
2/8	22 x 64	15-7/8"	12-1/4"	19-9/16"	22-3/16"	38-3/16"	54-3/16"
2/10	22 x 64	16-7/8"	13-1/4"	20-9/16"	22-3/16"	38-3/16"	54-3/16"
3/0	22 x 64	17-7/8"	14-1/4"	21-9/16"	22-3/16"	38-3/16"	54-3/16"


All dimensions shown are to the center of the muntin.

8/0 Lip Lite Grille Locations




GBG - Lip Lite - 8'0" 3/4 Lite - 2W3H

Panel	Glass	A	B	C	D	E
2/8	22 x 64	15-7/8"	-	-	27-1/2"	48-13/16"
2/10	22 x 64	16-7/8"	-	-	27-1/2"	48-13/16"
3/0	22 x 64	17-7/8"	-	-	27-1/2"	48-13/16"



GBG - Lip Lite - 8'0" 3/4 Lite - 2W2H


Panel	Glass	A	B	C	D
2/8	22 x 64	15-7/8"	-	-	38-3/16"
2/10	22 x 64	16-7/8"	-	-	38-3/16"
3/0	22 x 64	17-7/8"	-	-	38-3/16"



GBG - Lip Lite - 8'0" 3/4 Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/8	22 x 64	9-3/8"	22-7/16"	10-5/8"	65-3/4"
2/10	22 x 64	10-3/8"	23-7/16"	10-5/8"	65-3/4"
3/0	22 x 64	11-3/8"	24-7/16"	10-5/8"	65-3/4"

All dimensions shown are to the center of the muntin.



GBG/SDL - Lip Lite - 8'0" Half Lite - 3W4H and 2W4H*

Panel	Glass	A	B	C	D	E	F
2/8	22 x 47	15-7/8"	12-1/4"	19-9/16"	17-15/16"	29-11/16"	41-7/16"
2/10	22 x 47	16-7/8"	13-1/4"	20-9/16"	17-15/16"	29-11/16"	41-7/16"
3/0	22 x 47	17-7/8"	14-1/4"	21-9/16"	17-15/16"	29-11/16"	41-7/16"

*SDL not available in 2W4H configuration.

Wood Grilles - Lip Lite - 8'0" Half Lite - 3W4H


Panel	Glass	A	B	C	D	E	F
2/8	22 x 47	-	12-3/8"	19-7/16"	18-1/8"	29-11/16"	41-3/16"
2/10	22 x 47	-	13-3/8"	20-7/16"	18-1/8"	29-11/16"	41-3/16"
3/0	22 x 47	-	14-3/8"	21-7/16"	18-1/8"	29-11/16"	41-3/16"


GBG - Lip Lite - 8'0" Half Lite - 2W3H

Panel	Glass	A	B	C	D	E
2/8	22 x 47	15-7/8"	-	-	21-13/16"	37-1/2"
2/10	22 x 47	16-7/8"	-	-	21-13/16"	37-1/2"
3/0	22 x 47	17-7/8"	-	-	21-13/16"	37-1/2"

GBG - Lip Lite - 8'0" Half Lite - 2W2H


Panel	Glass	A	B	C	D
2/8	22 x 47	15-7/8"	-	-	29-11/16"
2/10	22 x 47	16-7/8"	-	-	29-11/16"
3/0	22 x 47	17-7/8"	-	-	29-11/16"


GBG - Lip Lite - 8'0" Half Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/8	22 x 47	9-3/8"	22-7/16"	10-5/8"	48-3/4"
2/10	22 x 47	10-3/8"	23-7/16"	10-5/8"	48-3/4"
3/0	22 x 47	11-3/8"	24-7/16"	10-5/8"	48-3/4"

All dimensions shown are to the center of the muntin.

8/0 Lip Lite Grille Locations




GBG/SDL - Lip Lite - 8'0" Half Lite Top and Bottom - 3W4H and 2W4H*

Panel	Glass	A	B	C	D	E	F
2/8	22 x 47	15-7/8"	12-1/4"	19-9/16"	32-7/8"	44-5/8"	56-3/8"
2/10	22 x 47	16-7/8"	13-1/4"	20-9/16"	32-7/8"	44-5/8"	56-3/8"
3/0	22 x 47	17-7/8"	14-1/4"	21-9/16"	32-7/8"	44-5/8"	56-3/8"

*SDL not available in 2W4H configuration.

Wood Grilles - Lip Lite - 8'0" Half Lite Top and Bottom - 3W4H

Panel	Glass	A	B	C	D	E	F
2/8	22 x 47	-	12-3/8"	19-7/16"	33-1/16"	44-5/8"	56-3/16"
2/10	22 x 47	-	13-3/8"	20-7/16"	33-1/16"	44-5/8"	56-3/16"
3/0	22 x 47	-	14-3/8"	21-7/16"	33-1/16"	44-5/8"	56-3/16"




GBG - Lip Lite - 8'0" Half Lite Top and Bottom - 2W3H

Panel	Glass	A	B	C	D	E
2/8	22 x 47	15-7/8"	-	-	36-13/16"	52-7/16"
2/10	22 x 47	16-7/8"	-	-	36-13/16"	52-7/16"
3/0	22 x 47	17-7/8"	-	-	36-13/16"	52-7/16"

GBG - Lip Lite - 8'0" Half Lite Top and Bottom - 2W2H


Panel	Glass	A	B	C	D
2/8	22 x 47	15-7/8"	-	-	44-5/8"
2/10	22 x 47	16-7/8"	-	-	44-5/8"
3/0	22 x 47	17-7/8"	-	-	44-5/8"



GBG - Lip Lite - 8'0" Half Lite Top and Bottom - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/8	22 x 47	9-3/8"	22-7/16"	25-9/16"	63-11/16"
2/10	22 x 47	10-3/8"	23-7/16"	25-9/16"	63-11/16"
3/0	22 x 47	11-3/8"	24-7/16"	25-9/16"	63-11/16"


All dimensions shown are to the center of the muntin.


GBG/SDL - Lip Lite - 8'0" Center Lite - 1W3H


Panel	Glass	A	B	C	D	E
2/8	8 x 36	-	-	-	38-9/16"	50-9/16"
2/10	8 x 36	-	-	-	38-9/16"	50-9/16"
3/0	8 x 36	-	-	-	38-9/16"	50-9/16"

Wood Grilles - Lip Lite - 8'0" Center Lite - 1W3H

Panel	Glass	A	B	C	D	E
2/8	8 x 36	-	-	-	38-3/4"	50-7/16"
2/10	8 x 36	-	-	-	38-3/4"	50-7/16"
3/0	8 x 36	-	-	-	38-3/4"	50-7/16"


GBG - Lip Lite - 8'0" Center Lite - 6 Lite Pair

Panel	Glass	A	B	C	D
2/8	8 x 36	15-7/8"	-	31"	58-1/8"
2/10	8 x 36	16-7/8"	-	31"	58-1/8"
3/0	8 x 36	17-7/8"	-	31"	58-1/8"


GBG - Lip Lite - 8'0" Camber Top Lite - 3W2H


Panel	Glass	A	B	C	D
2/6	22 x 10	-	11-1/4"	18-9/16"	8-3/8"
2/8	22 x 10	-	12-1/4"	19-9/16"	8-3/8"
2/10	22 x 10	-	13-1/4"	20-9/16"	8-3/8"
3/0	22 x 10	-	14-1/4"	21-9/16"	8-3/8"

Fixed Grilles - Lip Lite - 8'0" Camber Top Lite - 3W2H

Panel	Glass	A	B	C	D
2/6	22 x 10	-	11-3/4"	18-9/16"	8-3/8"
2/8	22 x 10	-	12-3/4"	19-9/16"	8-3/8"
2/10	22 x 10	-	13-3/4"	20-9/16"	8-3/8"
3/0	22 x 10	-	14-3/4"	21-9/16"	8-3/8"

All dimensions shown are to the center of the muntin.

8/0 Lip Lite Grille Locations



SDL - Lip Lite - 8'0" Full Lite Sidelite - 1W6H

Panel	Glass	A	B	C	D	E	F	G	H
12"	7 x 80	-	-	-	19-5/8"	33"	46-5/16"	59-5/8"	73"
14"	7 x 80	-	-	-	19-5/8"	33"	46-5/16"	59-5/8"	73"

Fixed Grilles - Lip Lite - 8'0" Full Lite Sidelite - 1W6H

Panel	Glass	A	B	C	D	E	F	G	H
12"	7 x 80	-	-	-	19-1/4"	32-13/16"	46-5/16"	59-13/16"	73-3/8"
14"	7 x 80	-	-	-	19-1/4"	32-13/16"	46-5/16"	59-13/16"	73-3/8"

SDL - Lip Lite - 8'0" Full Lite Sidelite - Craftsman 1W1H

Panel	Glass	A	B
12"	7 x 80	-	20-7/16"
14"	7 x 80	-	20-7/16"


SDL - Lip Lite - 8'0" Full Lite Sidelite - Craftsman 2W1H

Panel	Glass	A	B
12"	7 x 80	6"	20-7/16"
14"	7 x 80	7"	20-7/16"

SDL - Lip Lite - 8'0" Full Lite Sidelite - Craftsman 2W2H

Panel	Glass	A	B	C
12"	7 x 80	6"	13-1/8"	20-7/16"
14"	7 x 80	7"	13-1/8"	20-7/16"

All dimensions shown are to the center of the muntin.


GBG/SDL - Lip Lite - 8'0" 3/4 Lite Sidelite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
12"	7 x 64	-	-	-	19"	31-13/16"	44-9/16"	57-3/8"
14"	7 x 64	-	-	-	19"	31-13/16"	44-9/16"	57-3/8"

Wood Grilles - Lip Lite - 8'0" 3/4 Lite Sidelite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
12"	7 x 64	-	-	-	19-5/16"	31-7/8"	44-1/2"	57-1/16"
14"	7 x 64	-	-	-	19-5/16"	31-7/8"	44-1/2"	57-1/16"

Fixed Grilles - Lip Lite - 8'0" 3/4 Lite Sidelite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
12"	7 x 64	-	-	-	19-1/16"	31-13/16"	44-9/16"	57-5/16"
14"	7 x 64	-	-	-	19-1/16"	31-13/16"	44-9/16"	57-5/16"

GBG - Lip Lite - 8'0" 3/4 Lite Sidelite - 1W4H

Panel	Glass	A	B	C	D	E	F
12"	7 x 64	-	-	-	22-3/16"	38-3/16"	54-3/16"
14"	7 x 64	-	-	-	22-3/16"	38-3/16"	54-3/16"

GBG - Lip Lite - 8'0" 3/4 Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12"	7 x 64	-	-	-	27-1/2"	48-7/8"
14"	7 x 64	-	-	-	27-1/2"	48-7/8"

GBG - Lip Lite - 8'0" 3/4 Lite Sidelite - 1W2H


Panel	Glass	A	B	C	D
12"	7 x 64	-	-	-	38-3/16"
14"	7 x 64	-	-	-	38-3/16"

GBG - Lip Lite - 8'0" 3/4 Lite Sidelite - 6 Lite Prairie

Panel	Glass	A	B	C	D
12"	7 x 64	6"	-	10-5/8"	65-3/4"
14"	7 x 64	7"	-	10-5/8"	65-3/4"

All dimensions shown are to the center of the muntin.

8/0 Lip Lite Grille Locations



GBG/SDL - Lip Lite - 8'0" Half Lite Sidelite - 1W4H

Panel	Glass	A	B	C	D	E	F
12"	8 x 47	-	-	-	17-7/8"	29-5/8"	41-5/16"
14"	8 x 47	-	-	-	17-7/8"	29-5/8"	41-5/16"

GBG - Lip Lite - 8'0" Half Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12"	8 x 47	-	-	-	21-13/16"	37-7/16"
14"	8 x 47	-	-	-	21-13/16"	37-7/16"


GBG - Lip Lite - 8'0" Half Lite Sidelite - 1W2H

Panel	Glass	A	B	C	D
12"	8 x 47	-	-	-	29-5/8"
14"	8 x 47	-	-	-	29-5/8"

GBG - Lip Lite - 8'0" Half Lite Sidelite - 6 Lite Prairie

Panel	Glass	A	B	C	D
12"	8 x 47	6"	-	10-5/8"	48-3/4"
14"	8 x 47	7"	-	10-5/8"	48-3/4"

All dimensions shown are to the center of the muntin.


GBG/SDL - Flush-Glazed - Smooth-Star - 6'8" Full Lite - 3W5H and 2W5H

Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	14-7/8"	11-3/8"	18-7/16"	17-7/16"	30-5/16"	43-3/16"	56"
2/8	20 x 64	15-7/8"	12-3/8"	19-7/16"	17-7/16"	30-5/16"	43-3/16"	56"
2/10	25 x 64	16-7/8"	12-11/16"	21-1/8"	17-7/16"	30-5/16"	43-3/16"	56"
3/0	25 x 64	17-7/8"	13-11/16"	22-1/8"	17-7/16"	30-5/16"	43-3/16"	56"

GBG/SDL - Flush-Glazed - Fiber Classic - 6'8" Full Lite - 3W5H and 2W5H


Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	14-7/8"	11-3/8"	18-7/16"	17-5/8"	30-1/2"	43-5/16"	56-3/16"
2/8	20 x 64	15-7/8"	12-3/8"	19-7/16"	17-5/8"	30-1/2"	43-5/16"	56-3/16"
3/0	27 x 64	17-7/8"	13-3/8"	22-7/16"	17-5/8"	30-1/2"	43-3/8"	56-1/4"

Wood Grilles - Flush-Glazed - Smooth-Star - 6'8" Full Lite - 3W5H and 2W5H

Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	14-7/8"	11-1/2"	18-5/16"	17-11/16"	30-3/8"	43-1/8"	55-13/16"
2/8	20 x 64	15-7/8"	12-1/2"	19-5/16"	17-11/16"	30-3/8"	43-1/8"	55-13/16"
2/10	25 x 64	16-7/8"	12-13/16"	21"	17-11/16"	30-3/8"	43-1/8"	55-13/16"
3/0	25 x 64	17-7/8"	13-13/16"	22"	17-11/16"	30-3/8"	43-1/8"	55-13/16"

Wood Grilles - Flush-Glazed - Fiber Classic - 6'8" Full Lite - 3W5H and 2W5H

Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	14-7/8"	11-1/2"	18-5/16"	17-13/16"	30-9/16"	43-1/4"	56"
2/8	20 x 64	15-7/8"	12-1/2"	19-5/16"	17-13/16"	30-9/16"	43-1/4"	56"
3/0	25 x 64	17-7/8"	13-13/16"	22"	17-13/16"	30-9/16"	43-1/4"	56"


GBG/SDL - Flush-Glazed - Smooth-Star - 6'8" Full Lite - 3W4H and 2W4H†

Panel	Glass	A	B	C	D	E	F
2/6	20 x 64	14-7/8"	11-3/8"	18-7/16"	20-11/16"	36-3/4"	52-13/16"
2/8	20 x 64	15-7/8"	12-3/8"	19-7/16"	20-11/16"	36-3/4"	52-13/16"
2/10	25 x 64	16-7/8"	13-1/4"	22-5/16"	20-11/16"	36-3/4"	52-7/8"
3/0	25 x 64	17-7/8"	14-1/4"	23-5/16"	20-11/16"	36-3/4"	52-7/8"

†SDL only available in 2W4H


GBG/SDL - Flush-Glazed - Fiber Classic - 6'8" Full Lite - 3W4H and 2W4H†

Panel	Glass	A	B	C	D	E	F
2/6	20 x 64	14-7/8"	11-3/8"	18-7/16"	20-13/16"	36-15/16"	53"
2/8	20 x 64	15-7/8"	12-3/8"	19-7/16"	20-13/16"	36-15/16"	53"
3/0	27 x 64	17-7/8"	13-3/8"	22-7/16"	20-7/8"	36-15/16"	53-1/16"

†SDL only available in 2W4H

All dimensions shown are to the center of the muntin.

6/8 Flush-Glazed Grille Locations




GBG - Flush-Glazed - Smooth-Star - 6'8" Full Lite - 2W3H

Panel	Glass	A	B	C	D	E
2/6	20 x 64	14-7/8"	-	-	26"	47-7/16"
2/8	20 x 64	15-7/8"	-	-	26"	47-7/16"
2/10	25 x 64	16-7/8"	-	-	26"	47-7/16"
3/0	25 x 64	17-7/8"	-	-	26"	47-7/16"

GBG - Flush-Glazed - Fiber Classic - 6'8" Full Lite - 2W3H

Panel	Glass	A	B	C	D	E
2/6	20 x 64	14-7/8"	-	-	26-3/16"	47-5/8"
2/8	20 x 64	15-7/8"	-	-	26-3/16"	47-5/8"
3/0	27 x 64	17-7/8"	-	-	26-3/16"	47-11/16"




GBG/SDL - Flush-Glazed - Smooth-Star - 6'8" Full Lite - 2W2H

Panel	Glass	A	B	C	D
2/6	20 x 64	14-7/8"	-	-	36-3/4"
2/8	20 x 64	15-7/8"	-	-	36-3/4"
2/10	25 x 64	16-7/8"	-	-	36-3/4"
3/0	25 x 64	17-7/8"	-	-	36-3/4"

GBG/SDL - Flush-Glazed - Fiber Classic - 6'8" Full Lite - 2W2H

Panel	Glass	A	B	C	D
2/6	20 x 64	14-7/8"	-	-	36-15/16"
2/8	20 x 64	15-7/8"	-	-	36-15/16"
3/0	27 x 64	17-7/8"	-	-	36-15/16"




GBG - Flush-Glazed - Smooth-Star - 6'8" Full Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/6	20 x 64	8-3/4"	21-1/16"	9"	64-7/16"
2/8	20 x 64	9-3/4"	22-1/16"	9"	64-7/16"
2/10	25 x 64	8-11/16"	25-1/8"	9"	64-7/16"
3/0	25 x 64	9-11/16"	26-1/8"	9"	64-7/16"

GBG - Flush-Glazed - Fiber Classic - 6'8" Full Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/6	20 x 64	8-3/4"	21-1/16"	9-3/16"	64-5/8"
2/8	20 x 64	9-3/4"	22-1/16"	9-3/16"	64-5/8"
3/0	27 x 64	8-13/16"	27"	9-3/16"	64-11/16"


All dimensions shown are to the center of the muntin.


SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 6'8" Full Lite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	-	-	-	16-3/4"	30-1/16"	43-3/8"	56-11/16"
2/8	20 x 64	-	-	-	16-3/4"	30-1/16"	43-3/8"	56-11/16"
2/10	25 x 64	-	-	-	16-3/4"	30-1/16"	43-3/8"	56-11/16"
3/0	25 x 64	-	-	-	16-3/4"	30-1/16"	43-3/8"	56-11/16"

SDL Flat 3-1/2" - Flush-Glazed - Fiber Classic - 6'8" Full Lite - 1W5H


Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	-	-	-	16-15/16"	30-1/4"	43-9/16"	56-7/8"
2/8	20 x 64	-	-	-	16-15/16"	30-1/4"	43-9/16"	56-7/8"
3/0	27 x 64	-	-	-	16-15/16"	30-1/4"	43-5/8"	56-15/16"


SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 6'8" Full Lite - 1W4H

Panel	Glass	A	B	C	D	E	F
2/6	20 x 64	-	-	-	20-1/16"	36-3/4"	53-3/8"
2/8	20 x 64	-	-	-	20-1/16"	36-3/4"	53-3/8"
2/10	25 x 64	-	-	-	20-1/16"	36-3/4"	53-3/8"
3/0	25 x 64	-	-	-	20-1/16"	36-3/4"	53-3/8"

SDL Flat 3-1/2" - Flush-Glazed - Fiber Classic - 6'8" Full Lite - 1W4H


Panel	Glass	A	B	C	D	E	F
2/6	20 x 64	-	-	-	20-1/4"	36-15/16"	53-9/16"
2/8	20 x 64	-	-	-	20-1/4"	36-15/16"	53-9/16"
3/0	27 x 64	-	-	-	20-1/4"	36-15/16"	53-5/8"


SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 6'8" Full Lite - 1W3H

Panel	Glass	A	B	C	D	E
2/6	20 x 64	-	-	-	25-5/8"	47-13/16"
2/8	20 x 64	-	-	-	25-5/8"	47-13/16"
2/10	25 x 64	-	-	-	25-5/8"	47-13/16"
3/0	25 x 64	-	-	-	25-5/8"	47-13/16"

SDL Flat 3-1/2" - Flush-Glazed - Fiber Classic - 6'8" Full Lite - 1W3H


Panel	Glass	A	B	C	D	E
2/6	20 x 64	-	-	-	25-13/16"	48"
2/8	20 x 64	-	-	-	25-13/16"	48"
3/0	27 x 64	-	-	-	25-13/16"	48-1/16"


SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 6'8" 3/4 Lite - 1W3H

Panel	Glass	A	B	C	D	E
2/6	20 x 64	-	-	-	20-1/4"	37"
2/8	20 x 64	-	-	-	20-1/4"	37"
2/10	25 x 47	-	-	-	20-3/16"	37"
3/0	25 x 47	-	-	-	20-3/16"	37"

All dimensions shown are to the center of the muntin.

6/8 Flush-Glazed Grille Locations




SDL - Flush-Glazed - Smooth-Star - 6'8" Full Lite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	-	-	-	16-3/4"	30-1/16"	43-3/8"	56-11/16"
2/8	20 x 64	-	-	-	16-3/4"	30-1/16"	43-3/8"	56-11/16"
2/10	25 x 64	-	-	-	16-3/4"	30-1/16"	43-3/8"	56-11/16"
3/0	25 x 64	-	-	-	16-3/4"	30-1/16"	43-3/8"	56-11/16"

SDL - Flush-Glazed - Fiber Classic - 6'8" Full Lite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	-	-	-	16-15/16"	30-1/4"	43-9/16"	56-7/8"
2/8	20 x 64	-	-	-	16-15/16"	30-1/4"	43-9/16"	56-7/8"
3/0	27 x 64	-	-	-	16-15/16"	30-1/4"	43-5/8"	56-15/16"




SDL - Flush-Glazed - Smooth-Star - 6'8" Full Lite - 1W4H

Panel	Glass	A	B	C	D	E	F
2/6	20 x 64	-	-	-	20-1/16"	36-3/4"	53-3/8"
2/8	20 x 64	-	-	-	20-1/16"	36-3/4"	53-3/8"
2/10	25 x 64	-	-	-	20-1/16"	36-3/4"	53-3/8"
3/0	25 x 64	-	-	-	20-1/16"	36-3/4"	53-3/8"

SDL - Flush-Glazed - Fiber Classic - 6'8" Full Lite - 1W4H

Panel	Glass	A	B	C	D	E	F
2/6	20 x 64	-	-	-	20-1/4"	36-15/16"	53-9/16"
2/8	20 x 64	-	-	-	20-1/4"	36-15/16"	53-9/16"
3/0	27 x 64	-	-	-	20-1/4"	36-15/16"	53-5/8"




SDL - Flush-Glazed - Smooth-Star - 6'8" Full Lite - 1W3H

Panel	Glass	A	B	C	D	E
2/6	20 x 64	-	-	-	25-5/8"	47-13/16"
2/8	20 x 64	-	-	-	25-5/8"	47-13/16"
2/10	25 x 64	-	-	-	25-5/8"	47-13/16"
3/0	25 x 64	-	-	-	25-5/8"	47-13/16"

SDL - Flush-Glazed - Fiber Classic - 6'8" Full Lite - 1W3H

Panel	Glass	A	B	C	D	E
2/6	20 x 64	-	-	-	25-13/16"	48"
2/8	20 x 64	-	-	-	25-13/16"	48"
3/0	27 x 64	-	-	-	25-13/16"	48-1/16"


All dimensions shown are to the center of the muntin.


SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 6'8" Full Lite - Contemporary

Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	CENTER	5-1/16"	-	16-25/32"	30-1/8"	43-1/2"	56-27/32"
2/8	20 x 64	CENTER	5-1/16"	-	16-25/32"	30-1/8"	43-1/2"	56-27/32"
2/10	25 x 64	CENTER	6-13/16"	-	16-25/32"	30-1/8"	43-1/2"	56-27/32"
3/0	25 x 64	CENTER	6-13/16"	-	16-25/32"	30-1/8"	43-1/2"	56-27/32"

SDL Flat 3-1/2" - Flush-Glazed - Fiber Classic - 6'8" Full Lite - Contemporary

Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	CENTER	5-29/32"	-	16-31/32"	30-5/16"	43-21/32"	57"
2/8	20 x 64	CENTER	5-29/32"	-	16-31/32"	30-5/16"	43-21/32"	57"
3/0	27 x 64	CENTER	7-1/4"	-	16-31/32"	30-5/16"	43-21/32"	57"


SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 6'8" Full Lite - 1W11H

Panel	Glass	A	B	C	D	E	F
2/6	20 x 64	9-15/32"	15-1/2"	21-9/16"	27-19/32"	33-5/8"	39-21/32"
2/8	20 x 64	9-15/32"	15-1/2"	21-9/16"	27-19/32"	33-5/8"	39-21/32"
2/10	25 x 64	9-15/32"	15-1/2"	21-9/16"	27-19/32"	33-5/8"	39-21/32"
3/0	25 x 64	9-15/32"	15-1/2"	21-9/16"	27-19/32"	33-5/8"	39-21/32"

Panel	Glass	G	H	J	K	-	-
2/6	20 x 64	45-11/16"	51-23/32"	57-25/32"	63-13/16"	-	-
2/8	20 x 64	45-11/16"	51-23/32"	57-25/32"	63-13/16"	-	-
2/10	25 x 64	45-11/16"	51-23/32"	57-25/32"	63-13/16"	-	-
3/0	25 x 64	45-11/16"	51-23/32"	57-25/32"	63-13/16"	-	-


SDL Flat 3-1/2" - Flush-Glazed - Fiber Classic - 6'8" Full Lite - 1W11H

Panel	Glass	A	B	C	D	E	F
2/6	20 x 64	9-21/32"	15-11/16"	21-23/32"	27-3/4"	33-25/32"	39-27/32"
2/8	20 x 64	9-21/32"	15-11/16"	21-23/32"	27-3/4"	33-25/32"	39-27/32"
3/0	27 x 64	9-21/32"	15-11/16"	21-23/32"	27-3/4"	33-25/32"	39-27/32"

Panel	Glass	G	H	J	K	-	-
2/6	20 x 64	45-7/8"	51-29/32"	57-15/16"	63-31/32"	-	-
2/8	20 x 64	45-7/8"	51-29/32"	57-15/16"	63-31/32"	-	-
3/0	27 x 64	45-7/8"	51-29/32"	57-15/16"	63-31/32"	-	-

All dimensions shown are to the center of the muntin.


6/8 Flush-Glazed Grille Locations



GBG/SDL - Flush-Glazed - Smooth-Star - 6'8" 3/4 Lite - 3W4H and 2W4H‡


Panel	Glass	A	B	C	D	E	F
2/6	21 x 48	14-7/8"	12-11/16"	21-1/8"	16-5/8"	28-5/8"	40-5/8"
2/8	21 x 48	15-7/8"	13-11/16"	22-1/8"	16-5/8"	28-5/8"	40-5/8"
2/10	25 x 48	16-7/8"	12-11/16"	21-1/8"	16-9/16"	28-5/8"	40-5/8"
3/0	25 x 48	17-7/8"	13-11/16"	22-1/8"	16-9/16"	28-5/8"	40-5/8"

‡SDL not available in 2W4H configuration.




GBG/SDL - Flush-Glazed - Smooth-Star - 6'8" 3/4 Lite - 2W3H

Panel	Glass	A	B	C	D	E
2/6	21 x 48	14-7/8"	-	-	20-5/8"	36-5/8"
2/8	21 x 48	15-7/8"	-	-	20-5/8"	36-5/8"
2/10	25 x 48	16-7/8"	-	-	20-5/8"	36-5/8"
3/0	25 x 48	17-7/8"	-	-	20-5/8"	36-5/8"



GBG/SDL - Flush-Glazed - Smooth-Star - 6'8" 3/4 Lite - 2W2H


Panel	Glass	A	B	C	D
2/6	21 x 48	14-7/8"	-	-	28-5/8"
2/8	21 x 48	15-7/8"	-	-	28-5/8"
2/10	25 x 48	16-7/8"	-	-	28-5/8"
3/0	25 x 48	17-7/8"	-	-	28-5/8"



GBG - Flush-Glazed - Smooth-Star - 6'8" 3/4 Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/6	21 x 48	8-11/16"	21-1/8"	9"	48-3/16"
2/8	21 x 48	9-11/16"	22-1/8"	9"	48-3/16"
2/10	25 x 48	8-11/16"	25-1/8"	9"	48-3/16"
3/0	25 x 48	9-11/16"	26-1/8"	9"	48-3/16"

All dimensions shown are to the center of the muntin.


GBG/SDL - Flush-Glazed - Smooth-Star - 6'8" Half Lite - 3W3H

Panel	Glass	A	B	C	D	E
2/6	22 x 36	-	11-3/16"	18-5/8"	16-5/8"	28-3/4"
2/8	22 x 36	-	12-3/16"	19-5/8"	16-5/8"	28-3/4"
3/0	22 x 36	-	14-3/16"	21-5/8"	16-5/8"	28-3/4"

GBG/SDL - Flush-Glazed - Fiber Classic - 6'8" Half Lite - 3W3H


Panel	Glass	A	B	C	D	E
2/6	22 x 36	-	11-3/16"	18-5/8"	16-7/8"	28-15/16"
2/8	22 x 36	-	12-3/16"	19-5/8"	16-7/8"	28-15/16"
3/0	22 x 36	-	14-3/16"	21-5/8"	16-7/8"	28-15/16"

Wood Grilles - Flush-Glazed - Smooth-Star - 6'8" Half Lite - 3W3H

Panel	Glass	A	B	C	D	E
2/6	22 x 36	-	11-5/16"	18-7/16"	16-3/4"	28-9/16"
2/8	22 x 36	-	12-5/16"	19-7/16"	16-3/4"	28-9/16"
3/0	22 x 36	-	14-5/16"	21-7/16"	16-3/4"	28-9/16"

Wood Grilles - Flush-Glazed - Fiber Classic - 6'8" Half Lite - 3W3H


Panel	Glass	A	B	C	D	E
2/6	22 x 36	-	11-5/16"	18-1/2"	17"	28-13/16"
2/8	22 x 36	-	12-5/16"	19-1/2"	17"	28-13/16"
3/0	22 x 36	-	14-5/16"	21-1/2"	17"	28-13/16"


GBG - Flush-Glazed - Smooth-Star - 6'8" Half Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/6	22 x 36	8-3/16"	21-5/8"	8-15/16"	36-3/8"
2/8	22 x 36	9-3/16"	22-5/8"	8-15/16"	36-3/8"
3/0	22 x 36	11-3/16"	24-5/8"	8-15/16"	36-3/8"

GBG - Flush-Glazed - Fiber Classic - 6'8" Half Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/6	22 x 36	8-3/16"	21-5/8"	9-3/16"	36-5/8"
2/8	22 x 36	9-3/16"	22-5/8"	9-3/16"	36-5/8"
3/0	22 x 36	11-3/16"	24-5/8"	9-3/16"	36-5/8"


SDL - Flush-Glazed - Smooth-Star - 6'8" Half Lite - 2W2H


Panel	Glass	A	B
2/6	22 x 36	CENTER	22-11/16"
2/8	22 x 36	CENTER	22-11/16"
3/0	22 x 36	CENTER	22-11/16"

SDL - Flush-Glazed - Fiber Classic - 6'8" Half Lite - 2W2H

Panel	Glass	A	B
2/6	22 x 36	CENTER	22-29/32"
2/8	22 x 36	CENTER	22-29/32"
3/0	22 x 36	CENTER	22-29/32"

All dimensions shown are to the center of the muntin.

6/8 Flush-Glazed Grille Locations




GBG - Flush-Glazed - Smooth-Star - 6'8" Full Lite Craftsman - 2W1H

Panel	Glass	A	B
2/0	14 x 64	11-7/8"	20-3/16"
2/6	20 x 64	14-7/8"	20-1/8"
2/8	20 x 64	15-7/8"	20-1/8"
2/10	25 x 64	16-7/8"	20-1/8"
3/0	25 x 64	17-7/8"	20-1/8"

GBG - Flush-Glazed - Fiber Classic - 6'8" Full Lite Craftsman - 2W1H

Panel	Glass	A	B
2/0	14 x 64	11-7/8"	20-3/16"
2/6	20 x 64	14-7/8"	20-5/16"
2/8	20 x 64	15-7/8"	20-5/16"
3/0	27 x 64	17-7/8"	20-5/16"




GBG - Flush-Glazed - Smooth-Star - 6'8" Full Lite Craftsman - 3W1H

Panel	Glass	A	B	C
2/0	14 x 64	9-5/16"	14-1/2"	20-3/16"
2/6	20 x 64	11-3/8"	18-7/16"	20-1/8"
2/8	20 x 64	12-3/8"	19-7/16"	20-1/8"
2/10	25 x 64	12-11/16"	21-1/8"	20-1/8"
3/0	25 x 64	13-11/16"	22-1/8"	20-1/8"

GBG - Flush-Glazed - Fiber Classic - 6'8" Full Lite Craftsman - 3W1H

Panel	Glass	A	B	C
2/0	14 x 64	9-5/16"	14-1/2"	20-5/16"
2/6	20 x 64	11-3/8"	18-7/16"	20-5/16"
2/8	20 x 64	12-3/8"	19-7/16"	20-5/16"
3/0	27 x 64	13-3/8"	22-7/16"	20-5/16"




GBG - Flush-Glazed - Smooth-Star - 6'8" Full Lite Craftsman - 2W2H

Panel	Glass	A	B	C
2/0	14 x 64	11-7/8"	12-7/16"	20-3/16"
2/6	20 x 64	14-7/8"	12-3/8"	20-1/8"
2/8	20 x 64	15-7/8"	12-3/8"	20-1/8"
2/10	25 x 64	16-7/8"	12-3/8"	20-1/8"
3/0	25 x 64	17-7/8"	12-3/8"	20-1/8"

GBG - Flush-Glazed - Fiber Classic - 6'8" Full Lite Craftsman - 2W2H

Panel	Glass	A	B	C
2/0	14 x 64	11-7/8"	12-9/16"	20-5/16"
2/6	20 x 64	14-7/8"	12-1/2"	20-5/16"
2/8	20 x 64	15-7/8"	12-1/2"	20-5/16"
3/0	27 x 64	17-7/8"	12-1/2"	20-5/16"




GBG - Flush-Glazed - Smooth-Star - 6'8" Full Lite Craftsman - 3W2H

Panel	Glass	A	B	C	D
2/0	14 x 64	9-5/16"	14-1/2"	12-7/16"	20-3/16"
2/6	20 x 64	11-3/8"	18-7/16"	12-3/8"	20-1/8"
2/8	20 x 64	12-3/8"	19-7/16"	12-3/8"	20-1/8"
2/10	25 x 64	12-11/16"	21-1/8"	12-3/8"	20-1/8"
3/0	25 x 64	13-11/16"	22-1/8"	12-3/8"	20-1/8"


GBG - Flush-Glazed - Fiber Classic - 6'8" Full Lite Craftsman - 3W2H

Panel	Glass	A	B	C	D
2/0	14 x 64	9-5/16"	14-1/2"	12-9/16"	20-5/16"
2/6	20 x 64	11-3/8"	18-7/16"	12-1/2"	20-5/16"
2/8	20 x 64	12-3/8"	19-7/16"	12-1/2"	20-5/16"
3/0	27 x 64	13-3/8"	22-7/16"	12-1/2"	20-5/16"


All dimensions shown are to the center of the muntin.




SDL - Flush-Glazed - Smooth-Star - 6'8" Craftsman Lite 2 Panel Shaker - 2W1H



SDL - Flush-Glazed - Smooth-Star - 6'8" Craftsman Lite 2 Panel Shaker - 3W1H




SDL - Flush-Glazed - Smooth-Star - 6'8" Craftsman Lite 2 Panel Shaker - 2W2H



SDL - Flush-Glazed - Smooth-Star - 6'8" Craftsman Lite 2 Panel Shaker - 3W2H

All dimensions shown are to the center of the muntin.

6/8 Flush-Glazed Grille Locations



GBG/SDL - Flush-Glazed - Smooth-Star - 6'8" Full Lite Sidelite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
12	7 x 64	-	-	-	17-9/16"	30-5/16"	43-1/8"	55-15/16"
14	7 x 64	-	-	-	17-9/16"	30-5/16"	43-1/8"	55-15/16"

GBG/SDL - Flush-Glazed - Fiber Classic - 6'8" Full Lite Sidelite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
12	8 x 64	-	-	-	17-5/8"	30-1/2"	43-5/16"	56-3/16"
14	8 x 64	-	-	-	17-5/8"	30-1/2"	43-5/16"	56-3/16"

Wood Grilles - Flush-Glazed - Fiber Classic - 6'8" Full Lite Sidelite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
12"	8 x 64	-	-	-	17-13/16"	30-9/16"	43-1/4"	56"
14"	8 x 64	-	-	-	17-13/16"	30-9/16"	43-1/4"	56"

GBG - Flush-Glazed - Smooth-Star - 6'8" Full Lite Sidelite - 1W4H

Panel	Glass	A	B	C	D	E	F
12	7 x 64	-	-	-	20-3/4"	36-3/4"	52-3/4"
14	7 x 64	-	-	-	20-3/4"	36-3/4"	52-3/4"

GBG - Flush-Glazed - Fiber Classic - 6'8" Full Lite Sidelite - 1W4H

Panel	Glass	A	B	C	D	E	F
12	8 x 64	-	-	-	20-13/16"	36-15/16"	53"
14	8 x 64	-	-	-	20-13/16"	36-15/16"	53"

GBG - Flush-Glazed - Smooth-Star - 6'8" Full Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12	7 x 64	-	-	-	26-1/16"	47-3/8"
14	7 x 64	-	-	-	26-1/16"	47-3/8"

GBG - Flush-Glazed - Fiber Classic - 6'8" Full Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12	8 x 64	-	-	-	26-3/16"	47-5/8"
14	8 x 64	-	-	-	26-3/16"	47-5/8"

GBG - Flush-Glazed - Smooth-Star - 6'8" Full Lite Sidelite - 1W2H

Panel	Glass	A	B	C	D
12	7 x 64	-	-	-	36-3/4"
14	7 x 64	-	-	-	36-3/4"

GBG - Flush-Glazed - Fiber Classic - 6'8" Full Lite Sidelite - 1W2H

Panel	Glass	A	B	C	D
12	8 x 64	-	-	-	36-15/16"
14	8 x 64	-	-	-	36-15/16"

GBG - Flush-Glazed - Smooth-Star - 6'8" Full Lite Sidelite - 6 Lite Prairie

Panel	Glass	A	B	C	D
12	7 x 64	6"	-	9-3/16"	64-5/16"
14	7 x 64	7"	-	9-3/16"	64-5/16"


GBG - Flush-Glazed - Fiber Classic - 6'8" Full Lite Sidelite - 6 Lite Prairie

Panel	Glass	A	B	C	D
12	8 x 64	6"	-	9-3/16"	64-5/8"
14	8 x 64	7"	-	9-3/16"	64-5/8"

SDL - Flush-Glazed - Smooth-Star - 6'8" Craftsman Shaker Sidelite - 1W2H

Panel	Glass	A
12	8 x 16	11-13/16"
14	8 x 16	11-13/16"

All dimensions shown are to the center of the muntin.


SDL - Flush-Glazed - Smooth-Star - 6'8" Full Lite Sidelite Craftsman - 2W2H

Panel	Glass	A	B	C
12	7 x 64	6"	12-1/4"	19-9/16"
14	7 x 64	7"	12-1/4"	19-9/16"

SDL - Flush-Glazed - Smooth-Star - 6'8" Full Lite Sidelite Craftsman - 2W1H

Panel	Glass	A	B
12	7 x 64	6"	19-9/16"
14	7 x 64	7"	19-9/16"

SDL - Flush-Glazed - Smooth-Star - 6'8" Full Lite Sidelite Craftsman - 1W1H

Panel	Glass	A
12	7 x 64	19-9/16"
14	7 x 64	19-9/16"

SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 6'8" Full Lite Sidelite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
12	7 x 64	-	-	-	16-13/16"	30-1/16"	43-3/8"	56-11/16"
14	7 x 64	-	-	-	16-13/16"	30-1/16"	43-3/8"	56-11/16"

SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 6'8" Full Lite Sidelite - 1W4H


Panel	Glass	A	B	C	D	E	F
12	7 x 64	-	-	-	20-1/8"	36-3/4"	53-3/8"
14	7 x 64	-	-	-	20-1/8"	36-3/4"	53-3/8"

SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 6'8" Full Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12	7 x 64	-	-	-	25-5/8"	47-13/16"
14	7 x 64	-	-	-	25-5/8"	47-13/16"

All dimensions shown are to the center of the muntin.

6/8 Flush-Glazed Grille Locations



GBG/SDL - Flush-Glazed - Fiber Classic - 6'8" Half Lite Sidelite - 1W3H


Panel	Glass	A	B	C	D	E
12	8 x 36	-	-	-	16-7/8"	28-15/16"
14	8 x 36	-	-	-	16-7/8"	28-15/16"

Wood Grilles - Flush-Glazed - Fiber Classic - 6'8" Half Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12"	8 x 36	-	-	-	17"	28-13/16"
14"	8 x 36	-	-	-	17"	28-13/16"

GBG - Flush-Glazed - Fiber Classic - 6'8" Half Lite Sidelite - 6 Lite Prairie

Panel	Glass	A	B	C	D
12	8 x 36	6"	-	9-3/16"	36-5/8"
14	8 x 36	7"	-	9-3/16"	36-5/8"



GBG - Flush-Glazed - Smooth-Star - 6'8" 3/4 Lite Sidelite - 1W4H


Panel	Glass	A	B	C	D	E	F
12	8 x 47	-	-	-	16-7/8"	28-5/8"	40-5/16"
14	8 x 47	-	-	-	16-7/8"	28-5/8"	40-5/16"

Wood Grilles - Flush-Glazed - Fiber Classic - 6'8" 3/4 Lite Sidelite - 1W4H

Panel	Glass	A	B	C	D	E	F
12"	8 x 47	-	-	-	17-1/16"	28-5/8"	40-3/16"
14"	8 x 47	-	-	-	17-1/16"	28-5/8"	40-3/16"

GBG - Flush-Glazed - Smooth-Star - 6'8" 3/4 Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12	8 x 47	-	-	-	20-13/16"	36-7/16"
14	8 x 47	-	-	-	20-13/16"	36-7/16"



GBG - Flush-Glazed - Smooth-Star - 6'8" 3/4 Lite Sidelite - 1W2H


Panel	Glass	A	B	C	D
12	8 x 47	-	-	-	28-5/8"
14	8 x 47	-	-	-	28-5/8"

GBG - Flush-Glazed - Smooth-Star - 6'8" 3/4 Lite Sidelite - 6 Lite Prairie


Panel	Glass	A	B	C	D
12	8 x 47	6"	-	9-5/8"	47-5/8"
14	8 x 47	7"	-	9-5/8"	47-5/8"

All dimensions shown are to the center of the muntin.


SDL - Flush Glazed
Classic Craft Canvas & Icon - 6'8" Craftsman 2 Lite 2W1H




SDL - Flush Glazed
Classic Craft Canvas & Icon - 6'8" Craftsman 4 Lite 2W2H




SDL - Flush Glazed
Classic Craft Canvas & Icon - 6'8" Craftsman 3 Lite 3W1H



SDL - Flush Glazed
Classic Craft Canvas & Icon - 6'8" Craftsman 6 Lite 3W2H




SDL - Flush Glazed
Classic Craft Canvas & Icon - 6'8" Craftsman Sidelite 2 Lite 1W2H




All dimensions shown are to the center of the muntin.

6/8 Flush-Glazed Grille Locations


SDL - Flush Glazed
Classic Craft American - 6'8" Craftsman 2 Lite 2W1H




SDL - Flush Glazed
Classic Craft American - 6'8" Craftsman 4 Lite 2W2H




SDL - Flush Glazed
Classic Craft American - 6'8" Craftsman 3 Lite 3W1H



SDL - Flush Glazed
Classic Craft American - 6'8" Craftsman 6 Lite 3W2H




SDL - Flush Glazed
Classic Craft American - 6'8" Craftsman Sidelite 2 Lite 1W2H




All dimensions shown are to the center of the muntin.


Door Divider - Opaque / SDL - Flush Glazed
Classic Craft Shaker American - 6'8" 2 Panel Craftsman Shaker
- 6'8" Craftsman 3 Lite




Door Divider - Opaque / SDL - Flush Glazed
Classic Craft Shaker American - 6'8" 4 Panel Craftsman Shaker
- 6'8" Craftsman 4 Lite




Door Divider - Opaque / SDL - Flush Glazed
Classic Craft Shaker American - 6'8" 2 Panel Square Top Shaker
- 6'8" Traditional 2 Lite




Door Divider - Opaque
Classic Craft Shaker American - 6'8" 4 Panel Square Top Shaker



Door Divider - Opaque
Classic Craft Shaker American - 6'8" 5 Panel Square Top Shaker




Door Divider - Opaque
Classic Craft Shaker American - 6'8" 6 Panel Shaker




All dimensions shown are to the center of the muntin.

6/8 Flush-Glazed Grille Locations


Door Divider - Opaque / SDL - Flush-Glazed
Classic Craft Shaker American - 6'8" 3 Panel Shaker
- 6'8" Colonial 3 Lite




Door Divider - Opaque / SDL - Flush-Glazed
Classic Craft Shaker American - 6'8" 4 Panel Shaker
- 6'8" Colonial 4 Lite




Door Divider - Opaque / SDL - Flush-Glazed
Classic Craft Shaker American - 6'8" 5 Panel Shaker
- 6'8" Colonial 5 Lite




SDL - Flush-Glazed
Classic Craft Shaker American - 6'8" Colonial 6 Lite



SDL - Flush-Glazed
Classic Craft Shaker American - 6'8" Colonial 7 Lite




SDL - Flush-Glazed
Classic Craft Shaker American - 6'8" Colonial 8 Lite




All dimensions shown are to the center of the muntin.


SDL - Flush-Glazed
Classic Craft Shaker American - 6'8" Colonial 3 Lite




SDL - Flush-Glazed
Classic Craft Shaker American - 6'8" Colonial 4 Lite




SDL - Flush-Glazed
Classic Craft Shaker American - 6'8" Colonial 5 Lite



SDL - Flush-Glazed
Classic Craft Shaker American - 6'8" Colonial 6 Lite




SDL - Flush-Glazed
Classic Craft Shaker American - 6'8" Colonial 7 Lite




All dimensions shown are to the center of the muntin.

6/8 Flush-Glazed Grille Locations


Door Divider - Opaque / SDL - Flush-Glazed
Classic Craft Shaker American
6'8" 1 Panel Shaker X-Brace
6'8" Full Lite Shaker X-Brace




Door Divider - Opaque / SDL - Flush-Glazed
Classic Craft Shaker American
6'8" 1 Panel Shaker Z-Brace
6'8" Full Lite Shaker Z-Brace




Door Divider - Opaque / SDL - Flush-Glazed
Classic Craft Shaker American
6'8" 1 Panel Shaker Double-X
6'8" Full Lite Shaker Double-X




Door Divider - Opaque / SDL - Flush-Glazed
Classic Craft Shaker American
6'8" 1 Panel Shaker Double-Z
6'8" Full Lite Shaker Double-Z



Door Divider - Opaque / SDL - Flush-Glazed
Classic Craft Shaker American
6'8" 1 Panel Shaker Bottom-X
6'8" Full Lite Shaker Bottom-X



All dimensions shown are to the center of the muntin.


GBG - Flush-Glazed - Smooth-Star - 8'0" Full Lite - 3W6H and 2W6H

Panel	Glass	A	B	C	D	E	F	G	H
2/6	21 x 80	14-7/8"	11-3/8"	18-3/8"	18-7/8"	32-1/4"	45-9/16"	58-7/8"	72-1/4"
2/8	21 x 80	15-7/8"	12-3/8"	19-3/8"	18-7/8"	32-1/4"	45-9/16"	58-7/8"	72-1/4"
2/10	25 x 80	16-7/8"	12-3/4"	21-1/16"	18-7/8"	32-3/16"	45-9/16"	58-7/8"	72-3/16"
3/0	25 x 80	17-7/8"	13-3/4"	22-1/16"	18-7/8"	32-3/16"	45-9/16"	58-7/8"	72-3/16"

Wood Grilles - Flush-Glazed - Smooth-Star - 8'0" Full Lite - 3W6H and 2W6H


Panel	Glass	A	B	C	D	E	F	G	H
2/6	21 x 80	14-7/8"	11-1/2"	18-1/4"	19-1/8"	32-3/8"	45-9/16"	58-3/4"	72"
2/8	21 x 80	15-7/8"	12-1/2"	19-1/4"	19-1/8"	32-3/8"	45-9/16"	58-3/4"	72"
2/10	25 x 80	16-7/8"	12-7/8"	20-15/16"	19-1/8"	32-5/16"	45-9/16"	58-3/4"	71-15/16"
3/0	25 x 80	17-7/8"	13-7/8"	21-15/16"	19-1/8"	32-5/16"	45-9/16"	58-3/4"	71-15/16"

GBG - Flush-Glazed - Fiber Classic - 8'0" Full Lite - 3W6H and 2W6H

Panel	Glass	A	B	C	D	E	F	G	H
2/6	21 x 80	14-7/8"	11-3/8"	18-3/8"	18-7/8"	32-1/4"	45-9/16"	58-7/8"	72-1/4"
2/8	21 x 80	15-7/8"	12-3/8"	19-3/8"	18-7/8"	32-1/4"	45-9/16"	58-7/8"	72-1/4"
2/10	25 x 80	16-7/8"	12-3/4"	21-1/16"	18-7/8"	32-1/4"	45-9/16"	58-7/8"	72-1/4"
3/0	25 x 80	17-7/8"	13-3/4"	22-1/16"	18-7/8"	32-1/4"	45-9/16"	58-7/8"	72-1/4"

Wood Grilles - Flush-Glazed - Fiber Classic - 8'0" Full Lite - 3W6H and 2W6H

Panel	Glass	A	B	C	D	E	F	G	H
2/6	21 x 80	14-7/8"	11-1/2"	18-1/4"	19-1/8"	32-3/8"	45-9/16"	58-3/4"	72"
2/8	21 x 80	15-7/8"	12-1/2"	19-1/4"	19-1/8"	32-3/8"	45-9/16"	58-3/4"	72"
2/10	25 x 80	16-7/8"	12-7/8"	20-15/16"	19-1/8"	32-3/8"	45-9/16"	58-3/4"	72"
3/0	25 x 80	17-7/8"	13-7/8"	21-15/16"	19-1/8"	32-3/8"	45-9/16"	58-3/4"	72"


GBG - Flush-Glazed - Smooth-Star - 8'0" Full Lite - 9 Lite Prairie


Panel	Glass	A	B	C	D
2/0	14 x 80	9-3/8"	14-7/16"	10"	81-1/8"
2/6	21 x 80	8-7/8"	20-15/16"	10"	81-1/8"
2/8	21 x 80	10-7/8"	20-15/16"	10"	81-1/8"
2/10	25 x 80	10-7/8"	22-15/16"	10"	81-1/8"
3/0	25 x 80	12-7/8"	22-15/16"	10"	81-1/8"

GBG - Flush-Glazed - Fiber Classic - 8'0" Full Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/0	14 x 80	9-3/8"	14-7/16"	10"	81-1/8"
2/6	21 x 80	8-7/8"	20-15/16"	10"	81-1/8"
2/8	21 x 80	10-7/8"	20-15/16"	10"	81-1/8"
2/10	25 x 80	10-7/8"	22-15/16"	10"	81-1/8"
3/0	25 x 80	12-7/8"	22-15/16"	10"	81-1/8"

All dimensions shown are to the center of the muntin.

8/0 Flush-Glazed Grille Locations




SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 8'0" Full Lite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
2/6	21 x 80	-	-	-	20-15/16"	37-3/8"	53-7/8"	70-3/8"
2/8	21 x 80	-	-	-	20-15/16"	37-3/8"	53-7/8"	70-3/8"
2/10	25 x 80	-	-	-	20-15/16"	37-3/8"	53-7/8"	70-3/8"
3/0	25 x 80	-	-	-	20-15/16"	37-3/8"	53-7/8"	70-3/8"

SDL Flat 3-1/2" - Flush-Glazed - Fiber Classic - 8'0" Full Lite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
2/6	21 x 80	-	-	-	20-7/8"	37-3/8"	53-13/16"	70-1/4"
2/8	21 x 80	-	-	-	20-7/8"	37-3/8"	53-13/16"	70-1/4"
2/10	25 x 80	-	-	-	20-7/8"	37-3/8"	53-13/16"	70-1/4"
3/0	25 x 80	-	-	-	20-7/8"	37-3/8"	53-13/16"	70-1/4"




SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 8'0" Full Lite - 1W4H

Panel	Glass	A	B	C	D	E	F
2/6	21 x 80	-	-	-	25"	45-5/8"	66-1/4"
2/8	21 x 80	-	-	-	25"	45-5/8"	66-1/4"
2/10	25 x 80	-	-	-	25"	45-5/8"	66-1/4"
3/0	25 x 80	-	-	-	25"	45-5/8"	66-1/4"

SDL Flat 3-1/2" - Flush-Glazed - Fiber Classic - 8'0" Full Lite - 1W4H

Panel	Glass	A	B	C	D	E	F
2/6	21 x 80	-	-	-	25"	45-9/16"	66-1/8"
2/8	21 x 80	-	-	-	25"	45-9/16"	66-1/8"
2/10	25 x 80	-	-	-	25"	45-9/16"	66-1/8"
3/0	25 x 80	-	-	-	25"	45-9/16"	66-1/8"




SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 8'0" Full Lite - 1W3H

Panel	Glass	A	B	C	D	E
2/6	21 x 80	-	-	-	31-7/8"	59-3/8"
2/8	21 x 80	-	-	-	31-7/8"	59-3/8"
2/10	25 x 80	-	-	-	31-7/8"	59-3/8"
3/0	25 x 80	-	-	-	31-7/8"	59-3/8"

SDL Flat 3-1/2" - Flush-Glazed - Fiber Classic - 8'0" Full Lite - 1W3H

Panel	Glass	A	B	C	D	E
2/6	21 x 80	-	-	-	31-7/8"	59-1/4"
2/8	21 x 80	-	-	-	31-7/8"	59-1/4"
2/10	25 x 80	-	-	-	31-7/8"	59-1/4"
3/0	25 x 80	-	-	-	31-7/8"	59-1/4"


All dimensions shown are to the center of the muntin.


SDL - Flush-Glazed - Smooth-Star - 8'0" Full Lite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
2/6	21 x 80	-	-	-	20-15/16"	37-3/8"	53-7/8"	70-3/8"
2/8	21 x 80	-	-	-	20-15/16"	37-3/8"	53-7/8"	70-3/8"
2/10	25 x 80	-	-	-	20-15/16"	37-3/8"	53-7/8"	70-3/8"
3/0	25 x 80	-	-	-	20-15/16"	37-3/8"	53-7/8"	70-3/8"

SDL - Flush-Glazed - Fiber Classic - 8'0" Full Lite - 1W5H


Panel	Glass	A	B	C	D	E	F	G
2/6	21 x 80	-	-	-	20-7/8"	37-3/8"	53-13/16"	70-1/4"
2/8	21 x 80	-	-	-	20-7/8"	37-3/8"	53-13/16"	70-1/4"
2/10	25 x 80	-	-	-	20-7/8"	37-3/8"	53-13/16"	70-1/4"
3/0	25 x 80	-	-	-	20-7/8"	37-3/8"	53-13/16"	70-1/4"


SDL - Flush-Glazed - Smooth-Star - 8'0" Full Lite - 1W4H

Panel	Glass	A	B	C	D	E	F
2/6	21 x 80	-	-	-	25"	45-5/8"	66-1/4"
2/8	21 x 80	-	-	-	25"	45-5/8"	66-1/4"
2/10	25 x 80	-	-	-	25"	45-5/8"	66-1/4"
3/0	25 x 80	-	-	-	25"	45-5/8"	66-1/4"

SDL - Flush-Glazed - Fiber Classic - 8'0" Full Lite - 1W4H

Panel	Glass	A	B	C	D	E	F
2/6	21 x 80	-	-	-	25"	45-9/16"	66-1/8"
2/8	21 x 80	-	-	-	25"	45-9/16"	66-1/8"
2/10	25 x 80	-	-	-	25"	45-9/16"	66-1/8"
3/0	25 x 80	-	-	-	25"	45-9/16"	66-1/8"


SDL - Flush-Glazed - Smooth-Star - 8'0" Full Lite - 1W3H


Panel	Glass	A	B	C	D	E
2/6	21 x 80	-	-	-	31-7/8"	59-3/8"
2/8	21 x 80	-	-	-	31-7/8"	59-3/8"
2/10	25 x 80	-	-	-	31-7/8"	59-3/8"
3/0	25 x 80	-	-	-	31-7/8"	59-3/8"

SDL - Flush-Glazed - Fiber Classic - 8'0" Full Lite - 1W3H

Panel	Glass	A	B	C	D	E
2/6	21 x 80	-	-	-	31-7/8"	59-1/4"
2/8	21 x 80	-	-	-	31-7/8"	59-1/4"
2/10	25 x 80	-	-	-	31-7/8"	59-1/4"
3/0	25 x 80	-	-	-	31-7/8"	59-1/4"

All dimensions shown are to the center of the muntin.

8/0 Flush-Glazed Grille Locations




SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 8'0" Full Lite - Contemporary

Panel	Glass	A	B	C	D	E	F	G
2/6	21 x 80	CENTER	5-25/32"	-	20-29/32"	37-3/8"	53-27/32"	70-5/16"
2/8	21 x 80	CENTER	5-25/32"	-	20-29/32"	37-3/8"	53-27/32"	70-5/16"
2/10	25 x 80	CENTER	6-25/32"	-	20-29/32"	37-3/8"	53-27/32"	70-5/16"
3/0	25 x 80	CENTER	6-25/32"	-	20-29/32"	37-3/8"	53-27/32"	70-5/16"

SDL Flat 3-1/2" - Flush-Glazed - Fiber Classic - 8'0" Full Lite - Contemporary

Panel	Glass	A	B	C	D	E	F	G
2/6	21 x 80	CENTER	5-25/32"	-	20-29/32"	37-3/8"	53-27/32"	70-5/16"
2/8	21 x 80	CENTER	5-25/32"	-	20-29/32"	37-3/8"	53-27/32"	70-5/16"
2/10	25 x 80	CENTER	6-25/32"	-	20-29/32"	37-3/8"	53-27/32"	70-5/16"
3/0	25 x 80	CENTER	6-25/32"	-	20-29/32"	37-3/8"	53-27/32"	70-5/16"



SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 8'0" Full Lite - 1W13H

Panel	Glass	A	B	C	D	E	F
2/6	21 x 80	10-25/32"	17-1/8"	23-15/32"	29-13/16"	36-3/16"	42-17/32"
2/8	21 x 80	10-25/32"	17-1/8"	23-15/32"	29-13/16"	36-3/16"	42-17/32"
2/10	25 x 80	10-25/32"	17-1/8"	23-15/32"	29-13/16"	36-3/16"	42-17/32"
3/0	25 x 80	10-25/32"	17-1/8"	23-15/32"	29-13/16"	36-3/16"	42-17/32"


Panel	Glass	G	H	J	K	L	M
2/6	21 x 80	48-7/8"	55-7/32"	61-9/16"	67-15/16"	74-9/32"	80-5/8"
2/8	21 x 80	48-7/8"	55-7/32"	61-9/16"	67-15/16"	74-9/32"	80-5/8"
2/10	25 x 80	48-7/8"	55-7/32"	61-9/16"	67-15/16"	74-9/32"	80-5/8"
3/0	25 x 80	48-7/8"	55-7/32"	61-9/16"	67-15/16"	74-9/32"	80-5/8"

SDL Flat 3-1/2" - Flush-Glazed - Fiber Classic - 8'0" Full Lite - 1W13H

Panel	Glass	A	B	C	D	E	F
2/6	21 x 80	10-25/32"	17-1/8"	23-15/32"	29-13/16"	36-3/16"	42-17/32"
2/8	21 x 80	10-25/32"	17-1/8"	23-15/32"	29-13/16"	36-3/16"	42-17/32"
2/10	25 x 80	10-25/32"	17-1/8"	23-15/32"	29-13/16"	36-3/16"	42-17/32"
3/0	25 x 80	10-25/32"	17-1/8"	23-15/32"	29-13/16"	36-3/16"	42-17/32"

Panel	Glass	G	H	J	K	L	M
2/6	21 x 80	48-7/8"	55-7/32"	61-9/16"	67-15/16"	74-9/32"	80-5/8"
2/8	21 x 80	48-7/8"	55-7/32"	61-9/16"	67-15/16"	74-9/32"	80-5/8"
2/10	25 x 80	48-7/8"	55-7/32"	61-9/16"	67-15/16"	74-9/32"	80-5/8"
3/0	25 x 80	48-7/8"	55-7/32"	61-9/16"	67-15/16"	74-9/32"	80-5/8"


All dimensions shown are to the center of the muntin.


GBG - Flush-Glazed - Smooth-Star - 8'0" Full Lite Craftsman - 2W1H

Panel	Glass	A	B
2/0	14 x 80	11-7/8"	21-1/8"
2/6	21 x 80	14-7/8"	21-1/8"
2/8	21 x 80	15-7/8"	21-1/8"
2/10	25 x 80	16-7/8"	21-1/8"
3/0	25 x 80	17-7/8"	21-1/8"

GBG - Flush-Glazed - Fiber Classic - 8'0" Full Lite Craftsman - 2W1H


Panel	Glass	A	B
2/0	14 x 80	11-7/8"	21-1/8"
2/6	21 x 80	14-7/8"	21-1/8"
2/8	21 x 80	15-7/8"	21-1/8"
2/10	25 x 80	16-7/8"	21-1/8"
3/0	25 x 80	17-7/8"	21-1/8"


GBG - Flush-Glazed - Smooth-Star - 8'0" Full Lite Craftsman - 3W1H

Panel	Glass	A	B	C
2/0	14 x 80	10-1/16"	13-3/4"	21-1/8"
2/6	21 x 80	11-3/8"	18-7/16"	21-1/8"
2/8	21 x 80	12-3/8"	19-7/16"	21-1/8"
2/10	25 x 80	12-3/4"	21-1/16"	21-1/8"
3/0	25 x 80	13-3/4"	22-1/16"	21-1/8"

GBG - Flush-Glazed - Fiber Classic - 8'0" Full Lite Craftsman - 3W1H


Panel	Glass	A	B	C
2/0	14 x 80	10-1/16"	13-3/4"	21-1/8"
2/6	21 x 80	11-3/8"	18-7/16"	21-1/8"
2/8	21 x 80	12-3/8"	19-7/16"	21-1/8"
2/10	25 x 80	12-3/4"	21-1/16"	21-1/8"
3/0	25 x 80	13-3/4"	22-1/16"	21-1/8"


GBG - Flush-Glazed - Smooth-Star - 8'0" Full Lite Craftsman - 2W2H

Panel	Glass	A	B	C
2/0	14 x 80	11-7/8"	13-5/16"	21-1/8"
2/6	21 x 80	14-7/8"	13-5/16"	21-1/8"
2/8	21 x 80	15-7/8"	13-5/16"	21-1/8"
2/10	25 x 80	16-7/8"	13-5/16"	21-1/8"
3/0	25 x 80	17-7/8"	13-5/16"	21-1/8"

GBG - Flush-Glazed - Fiber Classic - 8'0" Full Lite Craftsman - 2W2H

Panel	Glass	A	B	C
2/0	14 x 80	11-7/8"	13-5/16"	21-1/8"
2/6	21 x 80	14-7/8"	13-5/16"	21-1/8"
2/8	21 x 80	15-7/8"	13-5/16"	21-1/8"
2/10	25 x 80	16-7/8"	13-5/16"	21-1/8"
3/0	25 x 80	17-7/8"	13-5/16"	21-1/8"


GBG - Flush-Glazed - Smooth-Star - 8'0" Full Lite Craftsman - 3W2H


Panel	Glass	A	B	C	D
2/0	14 x 80	10-1/16"	13-3/4"	13-5/16"	21-1/8"
2/6	21 x 80	11-3/8"	18-7/16"	13-5/16"	21-1/8"
2/8	21 x 80	12-3/8"	19-7/16"	13-5/16"	21-1/8"
2/10	25 x 80	12-3/4"	21-1/16"	13-5/16"	21-1/8"
3/0	25 x 80	13-3/4"	22-1/16"	13-5/16"	21-1/8"

GBG - Flush-Glazed - Fiber Classic - 8'0" Full Lite Craftsman - 3W2H

Panel	Glass	A	B	C	D
2/0	14 x 80	10-1/16"	13-3/4"	13-5/16"	21-1/8"
2/6	21 x 80	11-3/8"	18-7/16"	13-5/16"	21-1/8"
2/8	21 x 80	12-3/8"	19-7/16"	13-5/16"	21-1/8"
2/10	25 x 80	12-3/4"	21-1/16"	13-5/16"	21-1/8"
3/0	25 x 80	13-3/4"	22-1/16"	13-5/16"	21-1/8"

All dimensions shown are to the center of the muntin.

8/0 Flush-Glazed Grille Locations




GBG/SDL - Flush-Glazed - Smooth-Star - 8'0" 3/4 Lite - 3W5H and 2W5H

Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	14-7/8"	11-3/8"	18-7/16"	18-7/16"	31-5/16"	44-1/8"	57"
2/8	20 x 64	15-7/8"	12-3/8"	19-7/16"	18-7/16"	31-5/16"	44-1/8"	57"
2/10	25 x 64	16-7/8"	12-11/16"	21-1/8"	18-7/16"	31-5/16"	44-1/8"	57"
3/0	25 x 64	17-7/8"	13-11/16"	22-1/8"	18-7/16"	31-5/16"	44-1/8"	57"

Wood Grilles - Flush-Glazed - Fiber Classic - 8'0" 3/4 Lite - 3W5H and 2W5H


Panel	Glass	A	B	C	D	E	F	G
2/6	20 x 64	15"	11-9/16"	18-7/16"	18-5/8"	31-3/8"	44-1/16"	56-13/16"
2/8	20 x 64	16"	12-9/16"	19-7/16"	18-5/8"	31-3/8"	44-1/16"	56-13/16"
2/10	25 x 64	17"	12-7/8"	21-1/8"	18-5/8"	31-3/8"	44-1/16"	56-13/16"
3/0	25 x 64	18"	13-7/8"	22-1/8"	18-5/8"	31-3/8"	44-1/16"	56-13/16"



GBG/SDL - Flush-Glazed - Smooth-Star - 8'0" 3/4 Lite - 3W4H and 2W4H†

Panel	Glass	A	B	C	D	E	F
2/6	20 x 64	14-7/8"	11-3/8"	18-7/16"	21-5/8"	37-3/4"	53-13/16"
2/8	20 x 64	15-7/8"	12-3/8"	19-7/16"	21-5/8"	37-3/4"	53-13/16"
2/10	25 x 64	16-7/8"	12-11/16"	21-1/8"	21-5/8"	37-3/4"	53-13/16"
3/0	25 x 64	17-7/8"	13-11/16"	22-1/8"	21-5/8"	37-3/4"	53-13/16"


†SDL only available in 2W4H




GBG - Flush-Glazed - Smooth-Star - 8'0" 3/4 Lite - 2W3H

Panel	Glass	A	B	C	D	E
2/6	20 x 64	14-7/8"	-	-	27"	48-7/16"
2/8	20 x 64	15-7/8"	-	-	27"	48-7/16"
2/10	25 x 64	16-7/8"	-	-	27"	48-7/16"
3/0	25 x 64	17-7/8"	-	-	27"	48-7/16"

All dimensions shown are to the center of the muntin.


GBG/SDL - Flush-Glazed - Smooth-Star - 8'0" 3/4 Lite - 2V


Panel	Glass	A	B	C	D
2/6	20 x 64	14-7/8"	-	-	37-3/4"
2/8	20 x 64	15-7/8"	-	-	37-3/4"
2/10	25 x 64	16-7/8"	-	-	37-3/4"
3/0	25 x 64	17-7/8"	-	-	37-3/4"


GBG - Flush-Glazed - Smooth-Star - 8'0" 3/4 Lite - 9 Lite Prairie

Panel	Glass	A	B	C	D
2/6	20 x 64	8-3/4"	21-1/16"	10"	65-7/16"
2/8	20 x 64	10-3/4"	21-1/16"	10"	65-7/16"
2/10	25 x 64	10-11/16"	23-1/8"	10"	65-7/16"
3/0	25 x 64	12-11/16"	23-1/8"	10"	65-7/16"

Wood Grilles - Flush-Glazed - Smooth-Star - 8'0" 3/4 Lite - 9 Lite Prairie


Panel	Glass	A	B	C	D
2/6	20 x 64	8-11/16"	21-5/16"	10-5/8"	64-15/16"
2/8	20 x 64	9-11/16"	22-5/16"	10-5/8"	64-15/16"
2/10	25 x 64	8-5/8"	25-3/8"	10-5/8"	64-15/16"
3/0	25 x 64	9-5/8"	26-3/8"	10-5/8"	64-15/16"


SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 8'0" 3/4 Lite - 1W3H

Panel	Glass	A	B	C	D	E
2/6	20 x 64	-	-	-	26-5/8"	48-13/16"
2/8	20 x 64	-	-	-	26-5/8"	48-13/16"
2/10	25 x 64	-	-	-	26-5/8"	48-13/16"
3/0	25 x 64	-	-	-	26-5/8"	48-13/16"


All dimensions shown are to the center of the muntin.

8/0 Flush-Glazed Grille Locations




GBG - Flush-Glazed - Smooth-Star - 8'0" 3/4 Lite Craftsman - 2W1H

Panel	Glass	A	B
2/6	20 x 64	14-7/8"	21-1/8"
2/8	20 x 64	15-7/8"	21-1/8"
2/10	25 x 64	16-7/8"	21-1/8"
3/0	25 x 64	17-7/8"	21-1/8"




GBG - Flush-Glazed - Smooth-Star - 8'0" 3/4 Lite Craftsman - 3W1H

Panel	Glass	A	B	C
2/6	20 x 64	11-3/8"	18-7/16"	21-1/8"
2/8	20 x 64	12-3/8"	19-7/16"	21-1/8"
2/10	25 x 64	12-11/16"	21-1/8"	21-1/8"
3/0	25 x 64	13-11/16"	22-1/8"	21-1/8"



GBG - Flush-Glazed - Smooth-Star - 8'0" 3/4 Lite Craftsman - 2W2H


Panel	Glass	A	B	C
2/6	20 x 64	14-7/8"	13-5/16"	21-1/8"
2/8	20 x 64	15-7/8"	13-5/16"	21-1/8"
2/10	25 x 64	16-7/8"	13-5/16"	21-1/8"
3/0	25 x 64	17-7/8"	13-5/16"	21-1/8"




GBG - Flush-Glazed - Smooth-Star - 8'0" 3/4 Lite Craftsman - 3W2H

Panel	Glass	A	B	C	D
2/6	20 x 64	11-3/8"	18-7/16"	13-5/16"	21-1/8"
2/8	20 x 64	12-3/8"	19-7/16"	13-5/16"	21-1/8"
2/10	25 x 64	12-11/16"	21-1/8"	13-5/16"	21-1/8"
3/0	25 x 64	13-11/16"	22-1/8"	13-5/16"	21-1/8"


All dimensions shown are to the center of the muntin.




SDL - Flush-Glazed - Smooth-Star - 8'0" Craftsman Lite 2 Panel Shaker - 2W1H



SDL - Flush-Glazed - Smooth-Star - 8'0" Craftsman Lite 2 Panel Shaker - 3W1H




SDL - Flush-Glazed - Smooth-Star - 8'0" Craftsman Lite 2 Panel Shaker - 2W2H



SDL - Flush-Glazed - Smooth-Star - 8'0" Craftsman Lite 2 Panel Shaker - 3W2H

All dimensions shown are to the center of the muntin.

8/0 Flush-Glazed Grille Locations



SDL - Flush-Glazed - Smooth-Star - 8'0" Full Lite Sidelite - 1W6H

Panel	Glass	A	B	C	D	E	F	G	H
12	07 x 80	-	-	-	18-15/16"	32-5/16"	45-5/8"	58-15/16"	72-5/16"
14	07 x 80	-	-	-	18-15/16"	32-5/16"	45-5/8"	58-15/16"	72-5/16"

SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 8'0" Full Lite Sidelite - 1W5H

Panel	Glass	A	B	C	D	E	F	G
12	07 x 80	-	-	-	20-15/16"	37-3/8"	53-7/8"	70-3/8"
14	07 x 80	-	-	-	20-15/16"	37-3/8"	53-7/8"	70-3/8"

SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 8'0" Full Lite Sidelite - 1W4H

Panel	Glass	A	B	C	D	E	F
12	07 x 80	-	-	-	25"	45-5/8"	66-1/4"
14	07 x 80	-	-	-	25"	45-5/8"	66-1/4"

SDL Flat 3-1/2" - Flush-Glazed - Smooth-Star - 8'0" Full Lite Sidelite - 1W3H

Panel	Glass	A	B	C	D	E
12	07 x 80	-	-	-	31-7/8"	59-3/8"
14	07 x 80	-	-	-	31-7/8"	59-3/8"


SDL - Flush-Glazed - Smooth-Star - 8'0" Craftsman Shaker Sidelite - 1W2H

Panel	Glass	A
12	8 x 16	12-3/4"
14	8 x 16	12-3/4"

All dimensions shown are to the center of the muntin.


SDL - Flush Glazed

Classic Craft American - 8'0" x 3'6" Craftsman 2 Lite 2W1H




SDL - Flush Glazed

Classic Craft American - 8'0" x 3'6" Craftsman 4 Lite 2W2H




SDL - Flush Glazed

Classic Craft American - 8'0" x 3'6" Craftsman 3 Lite 3W1H



SDL - Flush Glazed


Classic Craft American - 8'0" x 3'6" Craftsman 6 Lite 3W2H




All dimensions shown are to the center of the muntin.

8/0 Flush-Glazed Grille Locations


SDL - Flush Glazed
Classic Craft American - 8'0" Craftsman 2 Lite 2W1H




SDL - Flush Glazed
Classic Craft American - 8'0" Craftsman 4 Lite 2W2H



SDL - Flush Glazed
Classic Craft American - 8'0" Craftsman 3 Lite 3W1H




SDL - Flush Glazed
Classic Craft American - 8'0" Craftsman 6 Lite 3W2H




All dimensions shown are to the center of the muntin.


Door Divider - Opaque / SDL - Flush Glazed
Classic Craft Shaker American - 8'0" 2 Panel Craftsman Shaker
- 8'0" Craftsman 3 Lite




Door Divider - Opaque / SDL - Flush Glazed
Classic Craft Shaker American - 8'0" 4 Panel Craftsman Shaker
- 8'0" Craftsman 4 Lite




Door Divider - Opaque / SDL - Flush Glazed
Classic Craft Shaker American - 8'0" 2 Panel Square Top Shaker
- 8'0" Traditional 2 Lite




Door Divider - Opaque
Classic Craft Shaker American - 8'0" 4 Panel Square Top Shaker



Door Divider - Opaque
Classic Craft Shaker American - 8'0" 5 Panel Square Top Shaker




Door Divider - Opaque
Classic Craft Shaker American - 8'0" 6 Panel Shaker




All dimensions shown are to the center of the muntin.

8/0 Flush-Glazed Grille Locations


Door Divider - Opaque / SDL - Flush-Glazed
Classic Craft Shaker American - 8'0" 3 Panel Shaker
- 8'0" Colonial 3 Lite




Door Divider - Opaque / SDL - Flush-Glazed
Classic Craft Shaker American - 8'0" 4 Panel Shaker
- 8'0" Colonial 4 Lite




Door Divider - Opaque / SDL - Flush-Glazed
Classic Craft Shaker American - 8'0" 5 Panel Shaker
- 8'0" Colonial 5 Lite




SDL - Flush-Glazed
Classic Craft Shaker American - 8'0" Colonial 6 Lite



SDL - Flush-Glazed
Classic Craft Shaker American - 8'0" Colonial 7 Lite




SDL - Flush-Glazed
Classic Craft Shaker American - 8'0" Colonial 8 Lite




All dimensions shown are to the center of the muntin.


SDL - Flush-Glazed
Classic Craft Shaker American - 8'0" Colonial 3 Lite




SDL - Flush-Glazed
Classic Craft Shaker American - 8'0" Colonial 4 Lite




SDL - Flush-Glazed
Classic Craft Shaker American - 8'0" Colonial 5 Lite



SDL - Flush-Glazed
Classic Craft Shaker American - 8'0" Colonial 6 Lite




SDL - Flush-Glazed
Classic Craft Shaker American - 8'0" Colonial 7 Lite




All dimensions shown are to the center of the muntin.

8/0 Flush-Glazed Grille Locations


Door Divider - Opaque / SDL - Flush-Glazed
Classic Craft Shaker American
8'0" 1 Panel Shaker X-Brace
8'0" Full Lite Shaker X-Brace




Door Divider - Opaque / SDL - Flush-Glazed
Classic Craft Shaker American
8'0" 1 Panel Shaker Z-Brace
8'0" Full Lite Shaker Z-Brace




Door Divider - Opaque / SDL - Flush-Glazed
Classic Craft Shaker American
8'0" 1 Panel Shaker Double-X
8'0" Full Lite Shaker Double-X




Door Divider - Opaque / SDL - Flush-Glazed
Classic Craft Shaker American
8'0" 1 Panel Shaker Double-Z
8'0" Full Lite Shaker Double-Z




Door Divider - Opaque / SDL - Flush-Glazed
Classic Craft Shaker American
8'0" 1 Panel Shaker Bottom-X
8'0" Full Lite Shaker Bottom-X




All dimensions shown are to the center of the muntin.


Rectangular Transom - 5W

Unit Width	A	B	C	D
5/0	12-5/16"	24-9/16"	36-3/4"	49"
5/4	13-1/8"	26-1/8"	39-3/16"	52-3/16"
5/8	13-7/8"	27-3/4"	41-9/16"	55-3/8"
6/0	14-3/4"	29-3/8"	44"	58-5/8"


Rectangular Transom - 4W

Unit Width	A	B	C
5/0	15-3/8"	30-5/8"	45-15/16"
5/4	16-3/8"	32-5/8"	48-15/16"
5/8	17-3/8"	34-5/8"	51-15/16"
6/0	18-3/8"	36-5/8"	54-15/16"


Rectangular Transom - 3W

Unit Width	A	B
3/0	12-1/16"	24-1/16"

All dimensions shown are to the center of the muntin.

Exploded View and Part Identification	2.3
Classic-Craft American Style.....	2.26
Classic-Craft American Style 8/0.....	2.28
Classic-Craft American Style Shaker.....	2.30
Classic-Craft American Style Shaker 8/0.....	2.34
Classic-Craft Canvas Style	2.38
Classic-Craft Canvas Style 8/0	2.48
Classic-Craft Mahogany.....	2.50
Classic-Craft Mahogany 8/0.....	2.52
Classic-Craft Oak.....	2.54
Classic-Craft Oak 8/0.....	2.56
Classic-Craft Rustic	2.58
Classic-Craft Rustic 8/0	2.60
Classic-Craft Rustic Radius Top.....	2.62
Classic-Craft Rustic Arch Top.....	2.64
Classic-Craft Rustic Square Top Impact	2.66
Classic-Craft Rustic Impact.....	2.68
Fiber-Classic Mahogany	2.70
Fiber-Classic Oak	2.72
Fiber-Classic Oak Flush-Glazed.....	2.78
Fiber-Classic Oak 8/0	2.80
Smooth-Star	2.82
Smooth-Star Flush-Glazed Mini Blind	2.90
Smooth-Star Flush-Glazed	2.92
Smooth-Star 8/0	2.98
Smooth-Star 8/0 Flush-Glazed Mini Blind	2.100
Smooth-Star 8/0 Flush-Glazed	2.102
Smooth-Star / Fiber-Classic Impact.....	2.104
Smooth-Star / Fiber-Classic 20-Minute Foam Core Fire	2.106
Traditions	2.108
Profiles	2.110
Rectangular Transom.....	2.112
Elliptical Transom.....	2.113
Direct Set Sidelite	2.115
Adjusta-Fit® 2 Frame	2.116

The following pages show exploded views of Therma-Tru door slabs. All Therma-Tru door slabs (except flush-glazed doors with Low-E glass, or bevelline glass) are reversible for handing and swing. Mounting hardware, components, and accessories will hand the door. Make sure to have a clear understanding of handing before proceeding. See the illustrations below for determining the handing of a door.

Hand Designations

(Viewed from the exterior)

F	Fixed Panel
L	Left Hand
R	Right Hand

Inswing



F



L



R

Outswing




F




L




R




Classic-Craft







8/0 Classic-Craft




8/0 Classic-Craft Impact




Classic-Craft Arched / Radius
(Radius Top Shown)




Classic-Craft Arched / Radius Impact




Fiber-Classic




8/0 Fiber-Classic




Smooth-Star




Smooth-Star (Molded Open - Ready to Receive Doorlite)




8/0 Smooth-Star



Smooth-Star Noise Reduction (Factory Cutout Only)




8/0 Smooth-Star Noise Reduction (Factory Cutout Only)




Fiber-Classic/Smooth-Star Impact

Exploded View and Part Identification


Architectural
Details




8/0 Fiber-Classic/Smooth-Star Impact




Non Low-E Flush-Glazed Fiber-Classic/Smooth-Star




Low-E and Mini Blind Flush-Glazed Fiber-Classic/Smooth-Star




20-Minute Positive Pressure Fiber-Classic & Smooth-Star Fire Door



Profiles Steel




Traditions Steel




90-Minute Positive Pressure Steel Edge Fire Door


This Page Intentionally Left Blank


6/8 Door/Sidelites with Continuous Head/Sill Frame





8/0 Single Door, Inswing






SECTION B-B


Classic-Craft American Style Shaker

THERMA TRU®
DOORS

Architectural
Details

6/8 Door/Sidelites with Continuous Head/Sill Frame







Classic-Craft American Style Shaker

THERMA TRU®
DOORS

Architectural
Details


6/8 Door/Sidelites with Continuous Head/Sill Frame






Architectural
Details


8/0 Single Door, Inswing







SECTION B-B


8/0 Single Door, Inswing







6/8 Door/Sidelites with Continuous Head/Sill Frame






6/8 Single Door Inswing






SECTION B-B


6/8 Single Door Inswing






SECTION B-B


6/8 Single Door Inswing







SECTION B-B


6/8 Door/Sidelites with Continuous Head/Sill Frame







8/0 Single Door, Inswing






SECTION B-B

6/8 Door/Sidelites with Continuous Head/Sill Frame







Classic-Craft Mahogany

Architectural
Details



8/0 Single Door, Inswing






SECTION B-B


6/8 Door/Sidelites with Continuous Head/Sill Frame






Architectural
Details


8/0 Single Door, Inswing






SECTION B-B


6/8 Door/Sidelites with Continuous Head/Sill Frame






Architectural
Details


8/0 Single Door, Inswing






SECTION B-B

6/8 Single Radius Top Door, Inswing







SECTION B-B

Classic-Craft Rustic Arch Top

Architectural
Details

8/0 Single Arch Top Door, Inswing






SECTION B-B


Classic-Craft Rustic Square Top Impact

THERMA TRU®
DOORS

Architectural
Details


8/0 Single Door, Inswing






SECTION B-B

6/8 Single Radius Top Door, Inswing








SECTION B-B

Architectural
Details

6/8 Single Door, Outswing





SECTION A-A — Engineered Lumber Lock Stile Core




SECTION B-B


6/8 Door/Sidelite with Spread Mullion




SECTION A-A
Spread 0"




SECTION A-A
Spread 3/4"



6/8 French Continuous, Inswing







SECTION B-B
Scale: 3" = 1'-0"


SECTION C-C
Scale: 3" = 1'-0"


6/8 Door with Vented Sidelites, Continuous Frame, with Casing






6/8 Door/Sidelite with Boxed Frames, Joined, with Casing








Architectural
Details

8/0 Double Door, Inswing






6/8 Single Door, Outswing





SECTION A-A

Engineered Lumber Lock Stile Core




SECTION B-B


6/8 Single Door, Inswing




SECTION A-A



6/8 Door with Vented Sidelites, Continuous Frame, with Casing







SECTION B-B


SECTION C-C

6/8 Single Door, Outswing



SECTION A-A

Engineered Lumber Lock Stile Core





SECTION B-B


Smooth-Star Flush Glazed Mini-Blind

Architectural
Details

6/8 Single Door, Inswing





SECTION A-A



SECTION B-B

6/8 Single Door, Inswing







SECTION B-B

Smooth-Star Flush-Glazed


Architectural
Details


6/8 Door with Sidelites, Boxed Frames and Joined with Casings






6/8 Door with Vented Sidelites, Continuous Frame, with Casing






Architectural
Details

8/0 Single Door, Inswing B








SECTION B-B

Smooth-Star Flush Glazed Mini-Blind

Architectural
Details



8/0 Single Door, Inswing B







SECTION B-B


8/0 Single Door, Inswing B





6/8 Single Door, Outswing





SECTION B-B



Scale: 3" = 1'-0"


Smooth-Star / Fiber-Classic 20-Minute Foam Core Fire

THERMA-TRU®
DOORS

Architectural
Details


6/8, 7/0, & 8/0 Single Doors, Inswing







SECTION B-B


6/8 Door/Sidelites with Separate Frames, Joined, with Casing







6/8 Door/Sidelites with Separate Frames, Joined, with Casing






Rectangular Transom



Architectural
Details




SECTION A-A



SECTION A-A





SECTION B-B




SECTION A-A

Single Door, Inswing



SECTION A-A




SECTION B-B

6/8 Classic-Craft	3.3
8/0 Classic-Craft	3.26

Classic-Craft
Panel
Dimensions

Classic-Craft
Panel
Dimensions


Full Lite W/ Stile Lines

Daylight Opening:

 2566 24-9/16" x 65-5/16" (1602 sq.in.)
(non wrought iron)

 2566 24-1/2" x 65-1/4" (1599 sq.in.)
(wrought iron)

 Classic-Craft
Panel
Dimensions


Available in:

 Classic-Craft Oak
Classic-Craft Mahogany
Classic-Craft Rustic
Classic-Craft Canvas

Lite Description	Glass	A	B	C	D
Non-Wrought Iron	2566	27-9/16"	3-5/8"	68-5/16"	7-1/8"
Wrought Iron*	2566	27-1/2"	3-3/4"	68-1/4"	7-7/16"

*Not available in Classic-Craft Oak.

Door Collection	E	F
Classic-Craft Oak	4-1/2"	26-3/4"
Classic-Craft Mahogany	4-5/8"	26-1/2"
Classic-Craft Rustic	4-15/16"	25-7/8"
Classic-Craft Canvas	4-15/16"	25-7/8"


Full Lite Sidelite Flush-Glazed

Daylight Opening:

0866 7" x 64-7/8" (456 sq.in.)


Available in:

 Classic-Craft Oak
Classic-Craft Mahogany
Classic-Craft Rustic
Classic-Craft Canvas
Classic-Craft American

Classic-Craft Mahogany, Classic-Craft Rustic, and Classic-Craft Oak							
Width	Glass	A	B	C	D	E	F
12"	0866	11-15/16"	1-5/16"	9-5/16"	4-3/16"	67-3/16"	7-7/8"
14"	0866	13-15/16"	2-5/16"	9-5/16"	4-3/16"	67-3/16"	7-7/8"

Classic-Craft Canvas							
Width	Glass	A	B	C	D	E	F
12"	0866	11-15/16"	2-1/8"	7-11/16"	4-7/8"	65-5/8"	8-11/16"
14"	0866	13-15/16"	3-1/8"	7-11/16"	4-7/8"	65-5/8"	8-11/16"

Classic-Craft American Style							
Width	Glass	A	B	C	D	E	F
12"	0866	11-15/16"	1-13/16"	8-1/4"	4-3/4"	66-1/8"	8-7/16"
14"	0866	13-15/16"	2-13/16"	8-1/4"	4-3/4"	66-1/8"	8-7/16"



3/4 Lite 1 Panel

Daylight Opening:

2551 24-9/16" x 50-1/16" (1228 sq.in.)

(non wrought iron)

2551 24-1/2" x 50" (1225 sq.in.)

(wrought iron)

Available in:


Classic-Craft Oak

Classic-Craft Canvas

Lite Description	Glass	A	B	C	D
Non-Wrought Iron	2551	27-9/16"	4-1/8"	3-11/16"	53-1/16"
Wrought Iron*	2551	27-1/2"	4-1/8"	4-3/16"	53"

*Only available in Classic-Craft Canvas.

Door Collection	E	F	G	H
Classic-Craft Oak	4-5/8"	26-1/2"	10-5/8"	7-5/8"
Classic-Craft Canvas	4-3/4"	26-3/16"	10"	8-5/8"




3/4 Deluxe Oval Lite 2 Panel

Daylight Opening:

1538V 14-7/16" x 37-1/8" (419 sq.in.)

Available in:

Classic-Craft Mahogany



3/4 Lite 2 Panel

Daylight Opening:


2551 24-9/16" x 50-1/16" (1228 sq.in.)
(non wrought iron)

2551 24-1/2" x 50" (1225 sq.in.)
(wrought iron)

Available in:
Classic-Craft Mahogany

Lite Description	Glass	A	B	C	D
Non-Wrought Iron	2551	27-9/16"	4-3/32"	3-11/16"	53-1/16"
Wrought Iron	2551	27-1/2"	4-5/32"	4-3/16"	53"

Classic-Craft Panel Dimensions




3/4 Scroll Top Oval Lite 2 Panel

Daylight Opening:

1538V 14-5/8" x 37-3/8" (419 sq.in.)

Available in:
Classic-Craft Oak



Classic-Craft
Panel
Dimensions

3/4 Arch Lite 2 Panel

Daylight Opening:

2551A 24-9/16" x 50-1/8" (1211 sq.in.)

(non wrought iron)


2551A 24-7/16" x 50-1/8" (1203 sq.in.)

(wrought iron)

Available in:

Classic-Craft Mahogany

Lite Description	Glass	A	B	C	D
Non-Wrought Iron	2551A	27-9/16"	4-1/8"	4-1/4"	53-1/4"
Wrought Iron	2551A	27-7/16"	4-3/16"	4-5/16"	53-1/8"



2/3 Lite 1 Panel

Daylight Opening:

2542 24-1/8" x 41-1/8" (991 sq.in.)

(non-wrought iron)

2542 24-1/16" x 41-1/16" (988 sq.in.)

(wrought iron)


Available in:

Classic-Craft Rustic

Classic-Craft Canvas

Lite Description	Glass	A	B	C	D
Non-Wrought Iron	2542	27-1/8"	4-5/16"	4-5/8"	44-1/8"
Wrought Iron	2542	27-1/16"	4-3/8"	4-9/16"	44-1/16"

Door Collection	E
Classic-Craft Rustic	7-11/16"
Classic-Craft Canvas	8-1/2"



2/3 Lite 1 Panel Plank

Daylight Opening:

2542 24-1/8" x 41-1/8" (991 sq.in.)

(non-wrought iron)

2542 24-1/16" x 41-1/16" (988 sq.in.)

(wrought iron)

Available in:


Classic-Craft Rustic

Classic-Craft Canvas

Classic-Craft
Panel
Dimensions

Lite Description	Glass	A	B	C	D
Non-Wrought Iron	2542	27-1/8"	4-5/16"	4-5/8"	44-1/8"
Wrought Iron	2542	27-1/16"	4-3/8"	4-9/16"	44-1/16"

Door Collection	E	F
Classic-Craft Rustic	4-5/8"	7-11/16"
Classic-Craft Canvas	4-1/4"	7-9/16"



2/3 Lite 2 Panel

Daylight Opening:

2542 24-1/8" x 41-1/8" (991 sq.in.)

(non-wrought iron)


2542 24-1/16" x 41-1/16" (988 sq.in.)

(wrought iron)

Available in:

Classic-Craft Rustic

Lite Description	Glass	A	B	C	D
Non-Wrought Iron	2542	27-1/8"	4-5/16"	4-5/8"	44-1/8"
Wrought Iron	2542	27-1/16"	4-3/8"	4-9/16"	44-1/16"




Classic-Craft
Panel
Dimensions

2/3 Lite (45") Sidelite 1 Panel Flush-Glazed

Daylight Opening:
0845 7" x 46-15/16" (309 sq.in.)

Available in:
Classic-Craft Oak


Width	Glass	A	B
12"	0845	11-15/16"	1-5/16"
14"	0845	13-15/16"	2-5/16"



2/3 Arch Lite 1 Panel

Daylight Opening:
2542A 24" x 41" (965 sq.in.)
(wrought iron)

Available in:
Classic-Craft Rustic



3/4 Lite Sidelite 1 Panel Flush-Glazed

Daylight Opening:

0652 5" x 50-3/4" (254 sq.in.)


0852 7" x 50-3/4" (356 sq.in.)

Available in:

Classic-Craft Mahogany

Classic-Craft
Panel
Dimensions

Width	Glass	A	B	C
10"	0652	9-15/16"	1-5/16"	7-5/16"
12"	0852	11-15/16"	1-5/16"	9-5/16"
14"	0852	13-15/16"	2-5/16"	9-5/16"



Arched 2/3 Arch Lite 1 Panel


Daylight Opening:

2542A 24" x 41" (965 sq.in.)

(wrought iron)

Available in:

Classic-Craft Rustic




Classic-Craft
Panel
Dimensions

2/3 Arch Lite 2 Panel

Daylight Opening:
2542A 24" x 41" (965 sq.in.)
(wrought iron)

Available in:
Classic-Craft Rustic



2/3 Arch Lite 1 Panel Plank

Daylight Opening:
2542A 24" x 41" (965 sq.in.)
(wrought iron)


Available in:
Classic-Craft Rustic
Classic-Craft Canvas

Door Collection	A	B
Classic-Craft Rustic	4-5/8"	7-11/16"
Classic-Craft Canvas	4-1/8"	7-9/16"



Available in:
Classic-Craft Rustic

Door Collection	A	B
Classic-Craft Rustic	4-5/8"	7-11/16"



Classic-Craft
Panel
Dimensions

Half Lite 2 Panel

Daylight Opening:

2535	24-1/2" x 34-9/16"	(849 sq.in.)
2135	20-5/16" x 34-9/16"	(702 sq.in.)


Available in:

Classic-Craft Oak
Classic-Craft Mahogany
Classic-Craft Canvas

Width	Glass	A	B	C
2/8*	2135	33-3/4"	23-5/16"	5-1/4"
3/0	2535	35-3/4"	27-9/16"	4-1/8"

*Only available in Classic-Craft Oak.

Door Collection	D	E	F	G	H
Classic-Craft Mahogany	26-3/4"	4-1/2"	11-1/2"	24-1/8"	7-9/16"
Classic-Craft Oak (2/8)	22-1/2"	5-5/8"	9-5/8"	24-1/8"	7-9/16"
Classic-Craft Oak (3/0)	26-3/4"	4-1/2"	11-1/2"	24-1/8"	7-9/16"
Classic-Craft Canvas	26-3/16"	4-3/4"	11-1/4"	23-1/4"	8-1/2"




Craftsman Lite 2 Panel Flush-Glazed

Daylight Opening:

2618	25" x 17-1/2"	(438 sq.in.)
------	---------------	--------------

Available in:

Classic-Craft American




Half Lite Sidelite 1 Panel Flush-Glazed

Daylight Opening:
0835 7-1/32" x 34-5/16" (241 sq.in.)

Available in:
Classic-Craft Oak

Width	Glass	A	B
12"	0835	11-15/16"	1-5/16"
14"	0835	13-15/16"	2-5/16"

Classic-Craft
Panel
Dimensions




Craftsman Lite 1 Panel Sidelite Flush-Glazed

Daylight Opening:
0818 7" x 17-1/2" (122 sq.in.)

Available in:
Classic-Craft American

Width	Glass	A	B
12"	0818	11-15/16"	1-7/8"
14"	0818	13-15/16"	2-7/8"


Classic-Craft
Panel
Dimensions



Full Lite Flush-Glazed Shaker

Daylight Opening:
2666 24-15/16" x 64-23/32" (1614 sq.in.)

Available in:
Classic-Craft American




Craftsman Lite 1 Panel Plank Flush-Glazed

Daylight Opening:
2618 25" x 17-1/2" (438 sq.in.)

Available in:
Classic-Craft Canvas

Full Lite Flush-Glazed Shaker Sidelite




Daylight Opening:
0866 6-27/32" x 64-23/32" (443 sq.in.)

Available in:
Classic-Craft American

Classic-Craft American Style			
Width	Glass	A	B
12"	0866	11-15/16"	2-15/32"
14"	0866	13-15/16"	3-15/32"

Classic-Craft
Panel
Dimensions

Craftsman Lite 1 Panel Plank Sidelite Flush-Glazed




Daylight Opening:
0818 7" x 17-1/2" (122 sq.in.)

Available in:
Classic-Craft Canvas

Width	Glass	A	B
12"	0818	11-15/16"	2-1/8"
14"	0818	13-15/16"	3-1/8"


6/8 Classic-Craft



Center Arch Lite 7 Panel


Daylight Opening:
1042R 8-3/4" x 40-1/2" (346 sq.in.)

Available in:
Classic-Craft Oak
Classic-Craft Mahogany



8 Panel

Available in:
Classic-Craft Oak
Classic-Craft Mahogany




2 Panel Round Top Lite Sidelite Flush-Glazed

Daylight Opening:
0841R 7" x 40" (276 sq.in.)

Available in:
Classic-Craft Oak
Classic-Craft Mahogany

Classic-Craft
Panel
Dimensions


Width	Glass	A	B
12"	0841R	11-15/16"	1-5/16"
14"	0841R	13-15/16"	2-5/16"



2 Lite 4 Panel

Daylight Opening:
1008 9-5/16" x 7-1/8" (66 sq.in. per lite)
(132 sq.in. total)

Available in:
Classic-Craft Oak




Classic-Craft
Panel
Dimensions

2 Panel 3/4 Top

Note:
Impact Options Available.

Available in:
Classic-Craft Oak
Classic-Craft Canvas


Door Collection	A	B	C	D	E	F
Classic-Craft Oak	26-1/2"	4-5/8"	4-3/16"	52"	10-5/8"	7-5/8"
Classic-Craft Canvas	26-3/16"	4-3/4"	4-13/16"	50-1/8"	10"	8-5/8"



2 Panel Soft Arch

Available in:
Classic-Craft Rustic

Note:
Impact Options Available.




2 Panel Square Top

Available in:
Classic-Craft Canvas


Note:
Impact Options Available.

Classic-Craft
Panel
Dimensions



Arched 2 Panel Soft Arch

Available in:
Classic-Craft Rustic




2 Panel Plank Soft Arch

Note:
Impact Options Available.

Available in:
Classic-Craft Rustic
Classic-Craft Canvas

Door Collection	A	B	C
Classic-Craft Rustic	4-5/8"	43-1/2"	7-11/16"
Classic-Craft Canvas	4-1/4"	43-9/16"	7-9/16"



4 Panel Round Top


Available in:
Classic-Craft Rustic

Note:
Impact Options Available.

Arched 2 Panel Plank Soft Arch

Available in:
Classic-Craft Rustic

Classic-Craft
Panel
Dimensions




Door Collection	A	B	C
Classic-Craft Rustic	4-5/8"	43-1/2"	7-5/8"


Radiused 4 Panel Round Top

Available in:
Classic-Craft Rustic


Note:
Impact Options Available.



1 Panel Shaker




Available in:
Classic-Craft American



5 Panel

Available in:
Classic-Craft Canvas

Note:
Impact Options Available.



4 Panel Square Top


Available in:
Classic-Craft Oak
Classic-Craft Canvas

Classic-Craft
Panel
Dimensions

Note:
Impact Options Available.

Door Collection	A	B	C	D	E
Classic-Craft Oak (3/6)	41-3/4"	30-15/16"	13-1/4"	5-3/8"	4-13/16"
Classic-Craft Canvas (3/0)	35-3/4"	26-3/16"	11-1/4"	4-3/4"	4-3/8"

Door Collection	F	G
Classic-Craft Oak (3/6)	24-1/2"	8-1/2"
Classic-Craft Canvas (3/0)	24-3/8"	8-5/8"



6 Panel

Available in:
Classic-Craft Oak
Classic-Craft Mahogany
Classic-Craft Canvas

Note:
Impact Options Available.

Classic-Craft Oak & Classic-Craft Mahogany				
Width	A	B	C	D
2/8*	31-3/4"	22-1/2"	4-5/8"	9-5/8"
3/0	35-3/4"	26-3/4"	4-1/2"	11-1/2"


*Only available in Classic-Craft Oak

Classic-Craft Oak & Classic-Craft Mahogany					
Width	E	F	G	H	J
2/8*	9-1/4"	3-1/4"	24-1/4"	24-1/8"	7-5/8"
3/0	9-1/4"	3-1/4"	24-1/4"	24-1/8"	7-5/8"

*Only available in Classic-Craft Oak

Classic-Craft Canvas				
Width	A	B	C	D
3/0	35-3/4"	26-3/16"	4-3/4"	11-1/4"

Classic-Craft Canvas					
Width	E	F	G	H	J
3/0	9-1/4"	3-1/4"	24-1/4"	23-1/4"	8-1/2"




Classic-Craft
Panel
Dimensions

3 Panel Scroll

Available in:
Classic-Craft Mahogany

Note: Impact Options Available.

This Space Intentionally Left Blank




Full Plank

Classic-Craft
Panel
Dimensions

Available in:
Classic-Craft Rustic

Note:
3/6 has one additional plank.

Width	A	B	C
3/0	35-3/4"	5"	5-1/8"
3/6	41-3/4"	5-1/8"	5-1/4"




Radiused Full Plank

Available in:
Classic-Craft Rustic

Note:
3/6 has one additional plank.

Width	A	B	C	D	E
3/0	35-3/4"	5"	5-1/8"	17-15/16"	61-3/16"
3/6	41-3/4"	5-1/8"	5-1/4"	20-15/16"	58-3/16"



Classic-Craft
Panel
Dimensions

8' Full Lite Sidelite Flush-Glazed

Daylight Opening:

0880 7-1/32" x 79-1/8" (556 sq.in.)


Available in:

Classic-Craft Oak
Classic-Craft Mahogany
Classic-Craft Rustic
Classic-Craft Canvas
Classic-Craft American

Classic-Craft Oak, Classic-Craft Mahogany, & Classic-Craft Rustic						
Width	A	B	C	D	E	F
12"	11-15/16"	1-5/16"	9-5/16"	5-3/16"	81-7/16"	8-5/8"
14"	13-15/16"	2-5/16"	9-5/16"	5-3/16"	81-7/16"	8-5/8"

Classic-Craft Canvas						
Width	A	B	C	D	E	F
12"	11-15/16"	2-1/8"	7-3/4"	5-1/4"	79-13/16"	10-3/16"
14"	13-15/16"	2-1/8"	7-3/4"	5-1/4"	79-13/16"	10-3/16"

Classic-Craft American Style						
Width	A	B	C	D	E	F
12"	11-15/16"	1-13/16"	8-1/4"	4-3/4"	80-3/8"	10-1/8"
14"	13-15/16"	2-13/16"	8-1/4"	4-3/4"	80-3/8"	10-1/8"



8' 3/4 Lite 1 Panel

Daylight Opening:

2566 24-9/16" x 65-5/16" (1602 sq.in.)
(non wrought iron)

2566 24-1/2" x 65-1/4" (1599 sq.in.)
(wrought iron)


Available in:

Classic-Craft Oak
Classic-Craft Mahogany
Classic-Craft Canvas

Lite Description	Glass	A	B	C	D
Non-Wrought Iron	2566	27-9/16"	4-1/8"	4-5/8"	68-5/16"
Wrought Iron*	2566	27-1/2"	4-1/8"	4-1/2"	68-1/4"

*Only available in Classic-Craft Canvas and Classic-Craft Mahogany.

Door Collection	E	F	G	H
Classic-Craft Oak	26-1/2"	4-5/8"	10-5/8"	8-7/16"
Classic-Craft Mahogany	26-1/2"	4-5/8"	10-11/16"	8-7/16"
Classic-Craft Canvas	26-3/16"	4-3/4"	10"	8-9/16"

8' Center Lite 8 Panel

Daylight Opening:


0842	7-1/8" x 41-1/8"	(292 sq.in.)
1042	9-1/8" x 41-1/8"	(374 sq.in.)

Available in:
Classic-Craft Oak

Width	Glass	A	B	C	D
3/0	0842	35-3/4"	26-1/2"	4-5/8"	9-1/4"
3/6	1042	41-3/4"	30-15/16"	5-3/8"	11-1/4"

Width	E	F	G	H
3/0	6-5/8"	9-7/8"	5-1/2"	8-1/16"
3/6	7-3/4"	11-1/2"	5-1/8"	8-7/16"

Classic-Craft
Panel
Dimensions


8' 2/3 Lite 1 Panel Top and Bottom
Daylight Opening:


2551	24-9/16" x 50-1/16"	(1228 sq.in.)
(non wrought iron)		
2551	24-1/2" x 50"	(1225 sq.in.)
(wrought iron)		

Available in:
Classic-Craft Oak
Classic-Craft Canvas

Lite Description	Glass	A	B	C
Non-Wrought Iron	2551	27-9/16"	4-1/8"	53-1/16"
Wrought Iron*	2551	27-1/2"	4-1/8"	53"

*Only available in Classic-Craft Canvas.

Door Collection	D	E	F	G	H	J	K
Classic-Craft Oak	5-1/8"	9-9/16"	3-3/4"	26-1/2"	4-5/8"	10-5/8"	8-7/16"
Classic-Craft Canvas Non-Wrought Iron	5-5/16"	10"	3-1/4"	26-3/16"	4-3/4"	10"	8-9/16"
Classic-Craft Canvas Wrought Iron	5-5/16"	10"	3-3/16"	26-3/16"	4-3/4"	10"	8-9/16"



Classic-Craft
Panel
Dimensions

8' 2/3 Lite 1 Panel - WS

Daylight Opening:

2551	24-9/16" x 50-1/16"	(1228 sq.in.)
2551-1W	24-1/2" x 50"	(1225 sq.in.)
3151	30-1/4" x 49-27/32"	(1508 sq.in.)
3151-1W	30-3/8" x 50"	(1520 sq.in.)

Available in:


Classic-Craft Rustic
Classic-Craft Canvas

Width	A	B
3/0	35-3/4"	26-3/16"
3/6*	41-3/4"	32-3/16"

*Only available in Classic-Craft Rustic

Door Collection	C	D
Classic-Craft Rustic	22-5/8"	8-3/8"
Classic-Craft Canvas	22-9/16"	8-9/16"

Lite Description	Glass	E	F	G	H
Non-Wrought Iron	2551	27-9/16"	4-1/8"	4-7/16"	53-1/16"
Wrought Iron	2551	27-1/2"	4-1/8"	4-3/8"	53"
Non-Wrought Iron	3151	33-7/16"	4-3/16"	4-7/16"	53-1/16"
Wrought Iron	3151	33-3/8"	4-3/16"	4-3/8"	53"



8' 2/3 Arch Lite 2 Panel

Daylight Opening:


2551A	24-9/16" x 50-1/8"	(1211 sq.in.)
(non wrought iron)		
2551A	24-7/16" x 50-1/8"	(1203 sq.in.)
(wrought iron)		
3151A	30-3/8" x 50-1/8"	(1495 sq.in.)
(wrought iron)		

Available in:

Classic-Craft Rustic

Lite Description	Glass	A	B	C	D	E
Non-Wrought Iron	2551A	35-3/4"	27-9/16"	4-1/8"	4-1/4"	53-1/4"
Wrought Iron	2551A	35-3/4"	27-7/16"	4-3/16"	4-5/16"	53-1/8"
Wrought Iron	3151A	41-3/4"	33-3/8"	4-3/16"	4-5/16"	53-1/8"

Width	F	G
3/0	26-3/16"	11"
3/6	32-3/16"	13-3/4"



8' 2/3 Lite 1 Panel

Daylight Opening:
2551 24-9/16" x 50-1/16" (1228 sq.in.)
(non wrought iron)
2551 24-1/2" x 50" (1225 sq.in.)
(wrought iron)


Available in:
Classic-Craft Rustic

Classic-Craft
Panel
Dimensions

Lite Description	Glass	A	B	C	D
Non-Wrought Iron	2551	27-9/16"	4-1/8"	4-7/16"	53-1/16"
Wrought Iron	2551	27-1/2"	4-1/8"	4-3/8"	53"

Door Collection	E	F
Classic-Craft Rustic	22-5/8"	8-1/2"
Classic-Craft Canvas	22-9/16"	8-9/16"

This Space Intentionally Left Blank



Classic-Craft
Panel
Dimensions

8' 2/3 Arch Lite 1 Panel

Daylight Opening:

2551A 24-9/16" x 50-1/8" (1211 sq.in.)

(non wrought iron)


2551A 24-7/16" x 50-1/8" (1203 sq.in.)

(wrought iron)

Available in:

Classic-Craft Rustic

Lite Description	Glass	A	B	C	D
Non-Wrought Iron	2551A	27-9/16"	4-1/8"	4-1/4"	53-1/4"
Wrought Iron	2551A	27-7/16"	4-3/16"	4-5/16"	53-1/8"



8' 2/3 Arch Lite 1 Panel Plank

Daylight Opening:

2551A 24-9/16" x 50-1/8" (1211 sq.in.)

(non wrought iron)

2551A 24-7/16" x 50-1/8" (1203 sq.in.)

(wrought iron)

3151A 30-3/8" x 50-1/8" (1495 sq.in.)

(wrought iron)

Available in:

Classic-Craft Canvas


Classic-Craft Rustic

Lite Description	Glass	A	B	C	D	E
Non-Wrought Iron	2551A	35-3/4"	27-9/16"	4-1/8"	4-1/4"	53-1/4"
Wrought Iron	2551A	35-3/4"	27-7/16"	4-3/16"	4-5/16"	53-1/8"
Wrought Iron	3151A	41-3/4"	33-3/8"	4-3/16"	4-5/16"	53-1/8"

Height	F	G
3/0	26-3/16"	4-5/8"
3/6*	32-3/16"	5-13/16"

*Only available in Classic-Craft Rustic.

Door Collection	J	K
Classic-Craft Canvas	22-9/16"	8-9/16"
Classic-Craft Rustic	22-5/8"	8-1/2"


8' Arched 2/3 Arch Lite 1 Panel

Daylight Opening:


2551A 24-9/16" x 50-1/8" (1211 sq.in.)
(non wrought iron)

2551A 24-7/16" x 50-1/8" (1203 sq.in.)
(wrought iron)

Available in:
Classic-Craft Rustic

Lite Description	Glass	A	B	C	D
Non-Wrought Iron	2551A	27-9/16"	4-1/8"	4-1/4"	53-1/4"
Wrought Iron	2551A	27-7/16"	4-3/16"	4-5/16"	53-1/8"

Classic-Craft
Panel
Dimensions


8' Arched 2/3 Arch Lite 1 Panel Plank

Daylight Opening:

2551A 24-9/16" x 50-1/8" (1211 sq.in.)
(non wrought iron)

2551A 24-7/16" x 50-1/8" (1203 sq.in.)
(wrought iron)


3151A 30-3/8" x 50-1/8" (1495 sq.in.)
(wrought iron)

Available in:
Classic-Craft Rustic

Lite Description	Glass	A	B	C	D	E
Non-Wrought Iron	2551A	35-3/4"	27-9/16"	4-1/8"	4-1/4"	53-1/4"
Wrought Iron	2551A	35-3/4"	27-7/16"	4-3/16"	4-5/16"	53-1/8"
Wrought Iron	3151A	41-3/4"	33-3/8"	4-3/16"	4-5/16"	53-1/8"

Height	F	G	H	J
3/0	26-3/16"	4-5/8"	28-7/8"	88-7/8"
3/6	32-3/16"	5-13/16"	40-1/8"	89-3/16"

Door Collection	K	L
Classic-Craft Rustic	22-5/8"	8-1/2"



Classic-Craft
Panel
Dimensions

8' 2/3 Lite 1 Panel Plank

Daylight Opening:

2551 24-9/16" x 50-1/16" (1228 sq.in.)

(non wrought iron)

2551 24-1/2" x 50" (1225 sq.in.)

(wrought iron)


Available in:

Classic-Craft Rustic

Classic-Craft Canvas

Lite Description	Glass	A	B	C	D
Non-Wrought Iron	2551	27-9/16"	4-1/8"	4-7/16"	53-1/16"
Wrought Iron	2551	27-1/2"	4-1/8"	4-3/8"	53"

Door Collection	E	F
Classic-Craft Rustic	22-5/8"	8-1/2"
Classic-Craft Canvas	22-9/16"	8-9/16"




8' Craftsman Lite 2 Panel Flush-Glazed

Daylight Opening:

2618 25" x 17-1/2" (438 sq.in.)

Available in:

Classic-Craft American Style



8' 2/3 Lite 2 Panel


Daylight Opening:
2551 24-17/32" x 50-1/32" (1228 sq.in.)
(non wrought iron)
2551 24-1/2" x 50" (1225 sq.in.)
(wrought iron)

Classic-Craft
Panel
Dimensions

Available in:
Classic-Craft Rustic
Classic-Craft Canvas

Lite Description	Glass	A	B	C	D
Non-Wrought Iron	2551	27-9/16"	4-1/8"	4-7/16"	53-1/16"
Wrought Iron	2551	27-1/2"	4-1/8"	4-3/8"	53"

Door Collection	E	F	G
Classic-Craft Rustic	11"	22-5/8"	8-1/2"
Classic-Craft Canvas	11-1/4"	24-3/8"	8-9/16"




8' Craftsman Expanded Lite 2 Panel Flush-Glazed

Daylight Opening:
3024 29-1/2" x 23" (678 sq.in.)

Available in:
Classic-Craft American Style

Classic-Craft
Panel
Dimensions


8' Full Lite Flush-Glazed Shaker



Daylight Opening:
2680 24-15/16" x 78-31/32" (1969 sq.in.)

Available in:
Classic-Craft American

8' Full Lite Flush-Glazed Shaker Sidelite




Daylight Opening:
0880 6-27/32" x 78-31/32" (541 sq.in.)

Available in:
Classic-Craft American

Classic-Craft American Style			
Width	Glass	A	B
12"	0880	11-15/16"	2-15/32"
14"	0880	13-15/16"	3-15/32"


8' 1 Panel Shaker



Available in:
Classic-Craft American

Classic-Craft
Panel
Dimensions

This Space Intentionally Left Blank



Classic-Craft
Panel
Dimensions


8' 2 Panel Square Top - WS

Available in:
Classic-Craft Rustic
Classic-Craft Canvas

Note:
Impact Options Available.

Width	A	B
3/0	35-3/4"	26-3/16"
3/6*	41-3/4"	32-3/16"

*Only available in Classic-Craft Rustic




8' 3 Panel

Available in:
Classic-Craft Oak
Classic-Craft Canvas

Note:
Impact Options Available.

Door Collection	A	B	C	D
Classic-Craft Oak	26-1/2"	4-5/8"	5-1/8"	9-9/16"
Classic-Craft Canvas	26-3/16"	4-3/4"	5-5/16"	10"

Door Collection	E	F	G	H
Classic-Craft Oak	4-5/8"	52"	10-5/8"	8-1/2"
Classic-Craft Canvas	5-1/2"	50-1/8"	10"	8-5/8"




8' 2 Panel 3/4 Top

Classic-Craft
Panel
Dimensions

Available in:
Classic-Craft Mahogany

Note:
Impact Options Available.



8' 6 Panel

Available in:
Classic-Craft Oak
Classic-Craft Canvas

Note:
Impact Options Available.


Width	A	B	C	D
3/0*	35-3/4"	26-3/16"	4-3/4"	11-1/4"
3/6◇	41-3/4"	30-15/16"	5-3/8"	13-1/4"

◇Only available in Classic-Craft Oak.

*Only available in Classic-Craft Canvas

Width	E	F
3/0*	24-3/8"	8-9/16"
3/6◇	24-1/2"	8-7/16"

8/0 Classic-Craft




Classic-Craft
Panel
Dimensions

8' 2 Panel Soft Arch

Available in:
Classic-Craft Rustic


Note:
Impact Options Available.



8' 1 Panel Plank Soft Arch

Available in:
Classic-Craft Rustic


Note:
Impact Options Available.



8' Arched 2 Panel Soft Arch


Available in:
Classic-Craft Rustic

Classic-Craft
Panel
Dimensions



8' Arched 1 Panel Plank Soft Arch

Available in:
Classic-Craft Rustic



Classic-Craft
Panel
Dimensions

8' 2 Panel Plank Soft Arch


Available in:
Classic-Craft Canvas
Classic-Craft Rustic

Note:
Impact Options Available.

Width	A	B	C
3/0	35-3/4"	26-3/16"	4-5/8"
3/6*	41-3/4"	32-3/16"	5-13/16"

*Only available in Classic-Craft Rustic.

Door Collection	D	E
Classic-Craft Canvas	22-9/16"	8-9/16"
Classic-Craft Rustic	22-5/8"	8-1/2"




8' 2 Panel Plank Round Top

Available in:
Classic-Craft Rustic

Note:
Impact Options Available.

Width	A	B	C
3/0	35-3/4"	26-3/16"	4-5/8"
3/6	41-3/4"	32-3/16"	5-13/16"




8' Arched 2 Panel Plank Soft Arch

Available in:
Classic-Craft Rustic

Classic-Craft
Panel
Dimensions

Width	A	B	C	E
3/0	35-3/4"	26-3/16"	4-5/8"	88-7/8"
3/6	41-3/4"	32-3/16"	5-13/16"	89-3/16"

Door Collection	G	F
Classic-Craft Rustic	22-5/8"	8-1/2"




8' Radiused 2 Panel Plank Round Top

Available in:
Classic-Craft Rustic

Note:
Impact Options Available.

Width	A	B	C	D	E
3/0	35-3/4"	26-3/16"	17-7/8"	4-5/8"	77-1/4"
3/6	41-3/4"	32-3/16"	20-7/8"	5-13/16"	74-1/4"




Classic-Craft
Panel
Dimensions

8' 2 Panel Round Top

Available in:
Classic-Craft Rustic

Note:
Impact Options Available.




8' 4 Panel Round Top

Available in:
Classic-Craft Rustic

Note:
Impact Options Available.

Width	A	B	C
3/0	35-3/4"	26-3/16"	11"
3/6	41-3/4"	32-3/16"	13-3/4"




8' Radiused 2 Panel Round Top

Classic-Craft
Panel
Dimensions

Available in:
Classic-Craft Rustic

Note:
Impact Options Available.




8' Radiused 4 Panel Round Top

Available in:
Classic-Craft Rustic

Note:
Impact Options Available.

Width	A	B	C	D	E
3/0	35-3/4"	26-3/16"	11"	17-7/8"	77-3/16"
3/6	41-3/4"	32-3/16"	13-3/4"	20-7/8"	74-3/16"



Classic-Craft
Panel
Dimensions

8' 9 Panel


Available in:
Classic-Craft Oak

Note:
Impact Options Available.

Width	A	B	C	D
3/0	35-3/4"	26-1/2"	4-5/8"	9-1/4"

Width	E	F	G
3/0	6-5/8"	5-3/4"	8-1/16"

This Space Intentionally Left Blank




8' Full Plank

Classic-Craft
Panel
Dimensions

Available in:
Classic-Craft Rustic

Note:
3/6 has one additional plank.

Width	A	B	C
3/0	35-3/4"	5-3/16"	5-1/8"
3/6	41-3/4"	5-5/16"	5-1/4"



8' Radiused Full Plank


Available in:
Classic-Craft Rustic

Width	A	B	C	D	E
3/0	35-3/4"	5-3/16"	5-1/8"	17-7/8"	77-3/16"
3/6	41-3/4"	5-5/16"	5-1/4"	20-7/8"	74-3/16"

6/8 Fiber-Classic/ Smooth-Star/ Steel	4.3
8/0 Fiber-Classic/ Smooth-Star/ Steel	4.40
6/8 Pulse	4.59
8/0 Pulse	4.67

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions


Full Lite Flush
Daylight Opening:

1464	13" x 63"	(819 sq.in.)
1664	14-31/32" x 62-31/32"	(941 sq.in.)
2064	18-29/32" x 62-29/32"	(1189 sq.in.)
2264	20-15/16" x 62-15/16"	(1317 sq.in.)

Notes:

For Optional Grille Locations, See Arch 1.

Impact Options Available.

Noise Reduction Options Available.

Available in:

Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Profiles
Traditions

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Fiber-Classic and Smooth-Star										
Width	Glass	A	B	C	D	E (6/6)	E (6/8)	E (7/0)	F (6/6, 6/8)	F (7/0)
2/0Δ	1464	23-13/16"	4-1/32"	15-3/4"	65-3/4"	6-27/32"	9-3/16"	-	4-1/8"	-
2/4φ	1664	27-13/16"	4-15/16"	17-31/32"	65-31/32"	6-9/16"	8-29/32"	-	4-1/8"	-
2/6∇	2064	29-13/16"	3-31/32"	21-29/32"	65-29/32"	6-11/16"	9-1/32"	-	4-5/32"	-
2/8N	2064	31-13/16"	4-31/32"	21-29/32"	65-29/32"	6-11/16"	9-1/32"	-	4-5/32"	-
2/8	2264	31-13/16"	3-31/32"	23-7/8"	65-7/8"	6-11/16"	9-1/32"	10-5/32"	4-5/32"	7-1/32"
2/10	2264	33-13/16"	4-31/32"	23-7/8"	65-7/8"	6-11/16"	9-1/32"	10-5/32"	4-5/32"	7-1/32"
3/0	2264	35-13/16"	5-31/32"	23-7/8"	65-7/8"	6-11/16"	9-1/32"	10-5/32"	4-5/32"	7-1/32"
3/6‡	2264	41-13/16"	8-31/32"	23-7/8"	65-7/8"	6-11/16"	9-1/32"	10-5/32"	4-5/32"	7-1/32"

ΔOnly available in 6/8 Smooth-Star.

∇Not available in 7/0 Smooth-Star.

φOnly available in 6/6 and 6/8.

ΔOnly available in 6/8.

Profiles and Traditions										
Width	Glass	A	B	C	D	E (6/6)	E (6/8)	E (7/0)	F (6/6 & 6/8)	F (7/0)
2/0‡	1464	23-13/16"	4-1/32"	15-3/4"	65-3/4"	6-27/32"	9-3/16"	-	4-1/8"	-
2/0‡	1464 Impact	23-13/16"	3-31/32"	15-7/8"	65-7/8"	7-13/32"	9-3/4"	-	4-3/32"	-
2/4‡	1664	27-13/16"	4-29/32"	17-31/32"	65-31/32"	6-9/16"	8-29/32"	-	4-1/8"	-
2/6N	1664	29-13/16"	5-29/32"	17-31/32"	65-31/32"	6-11/16"	9-1/32"	-	4-1/8"	-
2/6	2064	29-13/16"	3-15/16"	21-29/32"	65-29/32"	6-11/16"	9-1/32"	10-5/32"	4-5/32"	7"
2/8N	2064	31-13/16"	4-15/16"	21-29/32"	65-29/32"	6-11/16"	9-1/32"	10-5/32"	4-5/32"	7"
2/8‡	2264	31-13/16"	3-31/32"	23-7/8"	65-7/8"	6-11/16"	9-1/32"	10-5/32"	4-5/32"	7-1/32"
2/10	2264	33-13/16"	4-31/32"	23-7/8"	65-7/8"	6-11/16"	9-1/32"	10-5/32"	4-5/32"	7-1/32"
3/0	2264	35-13/16"	5-31/32"	23-7/8"	65-7/8"	6-11/16"	9-1/32"	10-5/32"	4-5/32"	7-1/32"
3/6*	2264	41-13/16"	8-31/32"	23-7/8"	65-7/8"	6-11/16"	9-1/32"	10-5/32"	4-5/32"	7-1/32"

*Only available in Profiles.

‡Only available in 6/8.

Fiber-Classic and Smooth-Star	
Height	G
6/6◇	76-11/16"
6/8	79-3/64"
7/0	83-3/64"


◇Not available in Fiber-Classic Mahogany.

Profiles and Traditions	
Height	G
6/6□	76-11/16"
6/8	79-3/64"
7/0*	83-3/64"

□Only available in Traditions.

*Only available in Profiles.

□Only available in 2/4 and 2/10.



Full Lite w/ Stile Lines

Daylight Opening:

2064	18-29/32" x 62-29/32"	(1189 sq.in.)
2064 Impact	18-13/16" x 62-13/16"	(1181 sq.in.)
2264	20-15/16" x 62-15/16"	(1317 sq.in.)
2264 Impact	20-13/16" x 62-13/16"	(1307 sq.in.)

Notes:

For Optional Grille Locations, See Arch 1.
Impact Options Available.


Available in:

Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth Star

Width	Glass	A	B	C	D	E
2/6	2064	29-13/16"	21-29/32"	3-31/32"	21"	4-13/32"
2/8N	2064	31-13/16"	21-29/32"	4-31/32"	21"	5-13/32"
2/8	2264	31-13/16"	23-7/8"	3-31/32"	23-1/8"	4-11/32"
2/10	2264	33-13/16"	23-7/8"	4-31/32"	23-1/8"	5-11/32"
3/0	2264	35-13/16"	23-7/8"	5-31/32"	23-1/8"	6-11/32"

Height	F	G	H
6/6	4-5/32"	6-15/32"	76-11/16"
6/8	4-5/32"	9-1/32"	79-3/64"
6/8 Elevated	3-1/32"	10-5/32"	79-3/64"
7/0*	7-1/32"	10-5/32"	83-3/64"

*Only available in Fiber-Classic Oak and Smooth-Star.



Full Lite Flush-Glazed Mini Blind

Daylight Opening:


2164	20-3/32" x 63-7/32"	(1270 sq.in.)
2564	24-7/32" x 63-7/32"	(1531 sq.in.)

Available in:

Smooth-Star

Smooth-Star				
Width	Glass	A	B	C
2/6	2164	29-13/16"	4-23/32"	20-3/8"
2/8	2164	31-13/16"	5-23/32"	20-3/8"
2/10	2564	33-13/16"	4-21/32"	24-1/2"
3/0	2564	35-13/16"	5-21/32"	24-1/2"

Smooth-Star				
Height	D	E	F	G
6/6	5-1/32"	63-1/2"	8-5/32"	76-11/16"
6/8	5-1/32"	63-1/2"	10-33/64"	79-3/64"


Full Lite Flush-Glazed
Daylight Opening:

1464	14-1/4" x 63-1/8"	(899 sq.in.)
2064	19-31/32" x 63-1/8"	(1261 sq.in.)
2564	24-3/32" x 63-1/8"	(1522 sq.in.)
2765	25-31/32" x 63-3/16"	(1640 sq.in.)

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Note:

For Optional Grille Locations, See Arch 1.

Available in:


Fiber-Classic Oak
Smooth-Star

Fiber-Classic Oak				
Width	Glass	A	B	C
2/0	1464	23-13/16"	4-5/32"	15-1/2"
2/6	2064	29-13/16"	4-9/32"	21-9/32"
2/8	2064	31-13/16"	5-9/32"	21-9/32"
3/0	2564	35-13/16"	4-5/16"	25-11/32"

Smooth-Star				
Width	Glass	A	B	C
2/0	1464	23-13/16"	4-5/32"	15-1/2"
2/6	2064	29-13/16"	4-5/16"	21-7/32"
2/8	2064	31-13/16"	5-5/16"	21-7/32"
2/10	2564	33-13/16"	4-1/4"	25-11/32"
3/0	2564	35-13/16"	5-1/4"	25-11/32"

Fiber-Classic Oak				
Height	D	E	F	G
6/8	4-23/32"	64-3/8"	9-29/32"	79-3/64"

Smooth-Star				
Height	D	E	F	G
6/6	4-9/16"	64-3/8"	7-25/32"	76-11/16"
6/8	4-9/16"	64-3/8"	10-1/8"	79-3/64"



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Full Lite Sidelite w/ Stile Lines

Daylight Opening:

0764	5-15/16" x 62-15/16"	(373 sq.in.)
0764 Impact	5-13/16" x 62-13/16"	(365 sq.in.)

Note:


For Optional Grille Locations, See Arch 1.
Impact Options Available.

Available in:

Fiber-Classic Oak
Smooth-Star

Width	Glass	A	B	C
10"*	0764	9-15/16"	9/16"	29/32"
12"	0764	11-15/16"	1-9/16"	1-29/32"
14"	0764	13-15/16"	2-9/16"	2-29/32"

*Only available in Fiber-Classic Oak.



Note:

For Optional Grille
Locations,
See Arch 1.

Available in:

Fiber-Classic Oak
Smooth-Star

Full Lite Sidelite Flush-Glazed

Daylight Opening:

0764	6-1/32" x 63-1/32"	(379 sq.in.)
0864	7-1/8" x 63-1/8"	(450 sq.in.)


Fiber-Classic Oak				
Width	Glass	A	B	C
12"	0864	11-15/16"	1-25/32"	8-3/8"
14"	0864	13-15/16"	2-25/32"	8-3/8"

Fiber-Classic Oak				
Height	D	E	F	G
6/8	5-11/32"	64-3/8"	9-17/32"	79-1/4"

Smooth-Star				
Width	Glass	A	B	C
10"	0764	9-15/16"	1-11/32"	7-1/4"
12"	0764	11-15/16"	2-11/32"	7-1/4"
14"	0764	13-15/16"	3-11/32"	7-1/4"

Smooth-Star				
Height	D	E	F	G
6/6	4-19/32"	64-1/4"	7-27/32"	76-11/16"
6/8	4-19/32"	64-1/4"	10-13/32"	79-1/4"
6/8 U3*	4-19/32"	64-1/4"	10-3/16"	79-3/64"

*Only available in 12" and 14"



Full Lite Sidelite Flush

Daylight Opening:

0764	5-15/16" x 62-15/16"	(373 sq.in.)
0764 Impact	5-13/16" x 62-13/16"	(365 sq.in.)

Note:

For Optional Grille Locations, See Arch 1.
Impact Options Available.

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions


Width	Glass	A	B
10"*	0764	9-15/16"	9/16"
12"	0764	11-15/16"	1-9/16"
14"	0764	13-15/16"	2-9/16"

*Only available in 6/8.

◇Not available in Fiber-Classic Oak.

Height	C	D
6/6	76-11/16"	6-23/32"
6/8	79-1/4"	9-9/32"
6/8 U3Δ	79-3/64"	9-1/16"

ΔOnly available in 12" and 14"



1 Lite Sidelite 2 Panel Flush

Daylight Opening:

0806	6-15/16" x 4-15/16"	(34 sq.in.)
0806 Impact	6-13/16" x 4-13/16"	(33 sq.in.)

Note:

Impact Options Available.


Available in:
Traditions
Profiles

Traditions						
Width	Glass	A	B	C	J	K
12"	0806	11-15/16"	1-1/32"	1-7/32"	9-1/2"	9-15/16"
14"	0806	13-15/16"	2-1/32"	2-7/32"	9-1/2"	9-15/16"

Height	D	E	F	G	H	L
6/8	79-1/4"	9-3/32"	7-15/16"	25-1/2"	21-1/2"	4-9/32"

Profiles						
Width	Glass	A	B	C	J	K
12"	0806	11-15/16"	1-1/32"	1-15/32"	9-1/8"	9-15/16"
14"	0806	13-15/16"	2-1/32"	2-15/32"	9-1/8"	9-15/16"

Height	D	E	F	G	H	L
6/8	79-1/4"	9-9/16"	7-15/16"	25"	21-13/16"	4-19/32"
7/0	83-1/4"	10-29/32"	7-15/16"	25"	21-13/16"	4-19/32"



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

3/4 Lite Sidelite 1 Panel

Daylight Opening:

0847 6-15/16" x 45-15/16" (318 sq.in.)

0847 Impact 6-13/16" x 45-11/16" (312 sq.in.)

Note:

For Optional Grille Locations, See Arch 1.

Impact Options Available.


Available in:

Fiber-Classic Oak

Fiber-Classic Mahogany

Smooth-Star

Width	Glass	A	B	C
12"	0847	11-15/16"	1-1/32"	1-15/32"
14"	0847	13-15/16"	2-1/32"	2-15/32"



3/4 Lite Sidelite 1 Panel Flush-Glazed

Daylight Opening:

0847 7-1/32" x 45-27/32" (323 sq.in.)


Note:

For Optional Grille Locations,
See Arch 1.

Available in:

Smooth-Star

Width	Glass	A	B
12"	0847	11-15/16"	1-5/16"
14"	0847	13-15/16"	2-5/16"



3/4 Lite Sidelite 1 Panel Flush

Daylight Opening:

0847	6-15/16" x 45-15/16"	(318 sq.in.)
0847 Impact	6-13/16" x 45-11/16"	(312 sq.in.)


Note:

For Optional Grille Locations, See Arch 1.
Impact Options Available.

Available in:
Profiles

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Width	Glass	A	B	C
12"	0847	11-15/16"	1-1/32"	1"
14"	0847	13-15/16"	2-1/32"	2"



Craftsman Lite Shaker Sidelite Flush-Glazed

Daylight Opening:


0816	6 15/16" x 15 7/16"	107 sq.in.
------	---------------------	------------

Notes:

For Optional Grille Locations, See Arch 1.

Available in:
Smooth-Star

Width	Glass	A	B
12"	0816	11-15/16"	2-11/32"
14"	0816	13-15/16"	3-11/32"



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Half Lite Sidelite 1 Panel

Daylight Opening:

0836	6-29/32" x 34-29/32"	(241 sq.in.)
0836 Impact	6-13/16" x 34-13/16"	(237 sq.in.)


Available in:

Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star

Note:

For Optional Grille Locations,
See Arch 1.

Width	Glass	A	B	C
12"	0836	11-15/16"	1-1/32"	1-15/32"
14"	0836	13-15/16"	2-1/32"	2-15/32"



Center Lite 2 Panel 3/4 Top

Daylight Opening:

0836	6-29/32" x 34-29/32"	(241 sq.in.)
0836 Impact	6-13/16" x 34-13/16"	(237 sq.in.)

Notes:


For Optional Grille Locations, See Arch 1.
Impact Options Available.

Available in:

Fiber-Classic Oak
Smooth-Star

Width	Glass	A	B
2/8	0836	31-13/16"	4-11/32"
2/10	0836	33-13/16"	5-11/32"
3/0	0836	35-13/16"	6-11/32"

Door Collection	C	D
Fiber-Classic Oak	4-17/32"	8-1/4"
Smooth-Star	4-9/16"	9-3/8"



Half Lite Sidelite 1 Panel Flush

Daylight Opening:

0636	5" x 35"	(175 sq.in.)
0836	6-29/32" x 34-29/32"	(241 sq.in.)
0836 Impact	6-13/16" x 34-13/16"	(237 sq.in.)

Note:

For Optional Grille Locations, See Arch 1.
Impact Options Available.

Available in:
Traditions
Profiles


Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Traditions						
Width	Glass	A	B	C	D	E
10"	0636	9-15/16"	1-3/32"	1-15/32"	7-3/4"	7"
12"	0836	11-15/16"	1-1/32"	1-7/32"	9-29/32"	9-1/2"
14"	0836	13-15/16"	2-1/32"	2-7/32"	9-29/32"	9-1/2"

Height	F	G	H	J
6/8"	37-7/8"	21-1/2"	9-5/16"	79-1/4"

Profiles						
Width	Glass	A	B	C	D	E
12"	0836	11-15/16"	1-1/32"	1-19/32"	9-29/32"	9-1/8"
14"	0836	13-15/16"	2-1/32"	2-19/32"	9-29/32"	9-1/8"

Height	F	G	H	J
6/8"	37-7/8"	21-13/16"	9-9/16"	79-1/4"



Center Arch Lite 7 Panel


Daylight Opening:

0842R	6-15/16" x 40-15/16"	(279 sq.in.)
-------	----------------------	--------------

Available in:

Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star

Width	Glass	A	B
2/8	0842R	31-13/16"	3-27/32"
2/10	0842R	33-13/16"	4-27/32"
3/0	0842R	35-13/16"	5-27/32"



3/4 Lite 1 Panel

Daylight Opening:

2247	20-7/8" x 45-7/8"	(958 sq.in.)
2247 Impact	20-13/16" x 45-13/16"	(954 sq.in.)

Notes:


For Optional Grille Locations, See Arch 1.
Impact Options Available.

Available in:

Fiber-Classic Oak
Smooth-Star

Width	Glass	A	B	C
2/8	2247	31-13/16"	3-31/32"	4-11/32"
2/10	2247	33-13/16"	4-31/32"	5-11/32"
3/0	2247	35-13/16"	5-31/32"	6-11/32"

Door Collection	D
Fiber-Classic Oak	8-3/16"
Smooth-Star	9-11/32"



3/4 Lite 2 Panel

Daylight Opening:

2247	20-7/8" x 45-7/8"	(958 sq.in.)
2247 Impact	20-13/16" x 45-13/16"	(954 sq.in.)


Notes:

For Optional Grille Locations, See Arch 1.
Impact Options Available.

Available in:

Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star

Width	Glass	A	B	C
2/8	2247	31-13/16"	3-31/32"	4-11/32"
2/10	2247	33-13/16"	4-31/32"	5-11/32"
3/0	2247	35-13/16"	5-31/32"	6-11/32"



3/4 Lite 1 Panel Flush-Glazed

Daylight Opening:

2148	20-3/32" x 46-7/8"	(943 sq.in.)
2548	24-3/32" x 46-7/8"	(1130 sq.in.)


Note:

For Optional Grille Locations, See Arch 1.

Available in:
Smooth-Star

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Width	Glass	A	B	C
2/6	2148	29-13/16"	21-11/32"	4-7/32"
2/8	2148	31-13/16"	21-11/32"	5-7/32"
2/10	2548	33-13/16"	25-11/32"	4-7/32"
3/0	2548	35-13/16"	25-11/32"	5-7/32"



3/4 Lite 2 Panel Flush

Daylight Opening:


2247	20-7/8" x 45-7/8"	(958 sq.in.)
2247 Impact	20-13/16" x 45-13/16"	(954 sq.in.)

Notes:

For Optional Grille Locations, See Arch 1.
Impact Options Available.

Available in:
Profiles

Width	Glass	A	B	C
2/8	2247	31-13/16"	3-31/32"	4"
2/10	2247	33-13/16"	4-31/32"	5"
3/0	2247	35-13/16"	5-31/32"	6"



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions


3/4 Captured Oval Lite 1 Panel

Daylight Opening:
1640V 14-23/32" x 38-25/32" (442 sq.in.)

Available in:
Fiber-Classic Oak
Smooth-Star

Fiber-Classic Oak					
Width	Glass	A	B	C	D
2/8	1640V	31-13/16"	4-11/32"	4-17/32"	8-3/16"
2/10	1640V	33-13/16"	5-11/32"	4-17/32"	8-3/16"
3/0	1640V	35-13/16"	6-11/32"	4-17/32"	8-3/16"

Smooth-Star					
Width	Glass	A	B	C	D
2/8	1640V	31-13/16"	4-11/32"	4-9/16"	9-3/8"
2/10	1640V	33-13/16"	5-11/32"	4-9/16"	9-3/8"
3/0	1640V	35-13/16"	6-11/32"	4-9/16"	9-3/8"




3/4 Deluxe Oval Lite 2 Panel

Daylight Opening:
1640V 14-23/32" x 38-25/32" (442 sq.in.)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star

Width	Glass	A	B
2/8	1640V	31-13/16"	3-27/32"
2/10	1640V	33-13/16"	4-27/32"
3/0	1640V	35-13/16"	5-27/32"



3/4 Captured Oval Lite 2 Panel

Daylight Opening:


1640V 14-23/32" x 38-25/32" (442 sq.in.)

Available in:

Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Width	Glass	A	B
2/8	1640V	31-13/16"	4-11/32"
2/10	1640V	33-13/16"	5-11/32"
3/0	1640V	35-13/16"	6-11/32"



3/4 Scroll Top Oval 2 Panel Flush


Daylight Opening:

1640V 14-23/32" x 38-25/32" (442 sq.in.)

Available in:

Profiles

Width	Glass	A	B
2/8	1640V	31-13/16"	4"
2/10	1640V	33-13/16"	5"
3/0	1640V	35-13/16"	6"



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Half Lite 2 Panel

Daylight Opening:

2036	19-1/8" x 35-1/8"	(672 sq.in.)
2036 Impact	18-13/16" x 34-13/16"	(655 sq.in.)
2236	20-29/32" x 34-29/32"	(729 sq.in.)
2236 Impact	20-13/16" x 34-13/16"	(725 sq.in.)

Notes:

For Optional Grille Locations,
See Arch 1.
Impact Options Available.

Available in:

Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star

Width	Glass	A	B	C	D	E	F
2/6 $\diamond\Delta$	2236	29-13/16"	2-31/32"	23-7/8"	3-11/32"	9-1/8"	23-1/8"
2/6N $\diamond\Box$	2036	29-13/16"	3-31/32"	21-7/8"	4-13/32"	8-13/16"	21"
2/8	2236	31-13/16"	3-31/32"	23-7/8"	4-11/32"	9-1/8"	23-1/8"
2/8N $\diamond\Box$	2036	31-13/16"	4-31/32"	21-7/8"	5-13/32"	8-13/16"	21"
2/10	2236	33-13/16"	4-31/32"	23-7/8"	5-11/32"	9-1/8"	23-1/8"
3/0	2236	35-13/16"	5-31/32"	23-7/8"	6-11/32"	9-1/8"	23-1/8"


$\diamond$ Only available in 6/8.

$\Box$ Only available in Fiber-Classic Oak.

Δ Only available in Fiber-Classic Oak and Smooth-Star.

Smooth-Star				
Height	G	H	J	K
6/8	79-3/64"	4-5/32"	21-13/16"	9-3/8"
6/8 Elevated	79-3/64"	4-5/32"	20-21/32"	10-1/2"
7/0	83-3/64"	7"	21-13/16"	10-1/2"

Fiber-Classic Oak				
Height	G	H	J	K
6/8	79-3/64"	4-5/32"	21-13/16"	9-3/8"
6/8 Elevated	79-3/64"	3"	21-13/16"	10-1/2"
7/0	83-3/64"	7"	21-13/16"	10-1/2"



Half Lite 2 Panel Flush

Daylight Opening:

2036	19-1/8" x 35-1/8"	(672 sq.in.)
2036 Impact	18-13/16" x 34-13/16"	(655 sq.in.)
2236	20-29/32" x 34-29/32"	(729 sq.in.)
2236 Impact	20-13/16" x 34-13/16"	(725 sq.in.)

Notes:

For Optional Grille Locations, See Arch 1.
Impact Options Available.

Available in:


Traditions
Profiles

Traditions							
Width	Glass	A	B	C	D	E	F
2/6N	2036	29-25/32"	3-31/32"	21-7/8"	4-7/16"	8-7/32"	20-7/8"
2/8	2236	31-25/32"	3-31/32"	23-7/8"	4-5/32"	9-1/2"	23-1/2"
2/10	2236	33-25/32"	4-31/32"	23-7/8"	5-5/32"	9-1/2"	23-1/2"
3/0	2236	35-25/32"	5-31/32"	23-7/8"	6-5/32"	9-1/2"	23-1/2"

Height	G	H	H (2/6)	J	I	K
6/8	79-3/64"	4-5/32"	4-5/32"	9-7/64"	37-7/8"	21-1/2"

Profiles							
Width	Glass	A	B	C	D	E	F
2/6N	2036	29-25/32"	3-31/32"	21-7/8"	4-11/16"	8-9/32"	20-5/8"
2/8	2236	31-25/32"	3-31/32"	23-7/8"	4-9/32"	9-1/8"	23-1/8"
2/10	2236	33-25/32"	4-31/32"	23-7/8"	5-9/32"	9-1/8"	23-1/8"
3/0	2236	35-25/32"	5-31/32"	23-7/8"	6-9/32"	9-1/8"	23-1/8"

Height	G	H	H (2/6)	J	I	K
6/8	79-3/64"	4-5/32"	4-5/32"	8-51/64"	37-7/8"	21-13/16"
7/0	83-3/64"	7"	4-5/32"	12-51/64"	37-7/8"	21-13/16"


Half Lite 2 Panel Flush-Glazed

Daylight Opening:
2236 21-1/8" x 35-1/8" (741 sq.in.)

Note:
For Optional Grille Locations, See Arch 1.

Available in:
Fiber-Classic Oak
Smooth-Star


Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Fiber-Classic Oak				
Width	Glass	A	B	C
2/6	2236	29-13/16"	3-23/32"	8-3/8"
2/8	2236	31-13/16"	4-23/32"	8-3/8"
3/0	2236	35-13/16"	6-23/32"	8-3/8"

Smooth-Star				
Width	Glass	A	B	C
2/6	2236	29-13/16"	3-23/32"	9-1/8"
2/8	2236	31-13/16"	4-23/32"	9-1/8"
3/0	2236	35-13/16"	6-23/32"	9-1/8"

Fiber-Classic Oak			
Height	D	E	F
6/8	4-23/32"	22-3/8"	9-31/32"

Smooth-Star			
Height	D	E	F
6/8	4-1/2"	21-13/16"	9-3/8"


Half Lite Flush

Daylight Opening:
2036 19-1/8" x 35-1/8" (672 sq.in.)
2036 Impact 18-13/16" x 34-13/16" (655 sq.in.)
2236 20-29/32" x 34-29/32" (729 sq.in.)
2236 Impact 20-13/16" x 34-13/16" (725 sq.in.)

Notes:
For Optional Grille Locations, See Arch 1.
Impact Options Available.

Available in:
Fiber-Classic Mahogany
Fiber-Classic Oak
Smooth-Star

Profiles
Traditions

Width	Glass	A	B	C
2/4φ	2036	27-13/16"	2-31/32"	21-7/8"
2/6φ	2036	29-13/16"	3-31/32"	21-7/8"
2/8□Δ	2236	31-13/16"	3-31/32"	23-7/8"
2/10□	2236	33-13/16"	4-31/32"	23-7/8"
3/0	2236	35-13/16"	5-31/32"	23-7/8"
3/6ℓ	2236	41-13/16"	8-31/32"	23-7/8"

Height	D	E	F
6/6◇	34-15/32"	4-5/32"	76-11/16"
6/8	37"	4-5/32"	79-3/64"
7/0*	38-5/32"	7"	83-3/64"

*Not available in Traditions.

◇Only available in 2/10 Traditions.

□Not available in 6/8 Fiber-Classic Mahogany.


φOnly available in 6/8.

φNot available in 7/0 Smooth-Star.

ΔNot available in Profiles

ℓOnly available in Profiles and Traditions

Half Lite 1 Panel



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Daylight Opening:

2236	20-29/32" x 34-29/32"	(729 sq.in.)
2236 Impact	20-13/16" x 34-13/16"	(725 sq.in.)

Notes:

For Optional Grille Locations, See Arch 1.
Impact Options Available.


Available in:

Fiber-Classic Mahogany
Smooth-Star

Width	Glass	A	B	C	D	E
2/8	2236	31-13/16"	4-11/32"	3-31/32"	23-7/8"	23-1/8"
2/10	2236	33-13/16"	5-11/32"	4-31/32"	23-7/8"	23-1/8"
3/0	2236	35-13/16"	6-11/32"	5-31/32"	23-7/8"	23-1/8"

Height	F	G	H	J	K
6/8	79-3/64"	4-5/32"	37-7/8"	21-13/16"	9-3/8"
6/8 Elevated*	79-3/64"	4-5/32"	37-1/8"	20-21/32"	10-17/32"
7/0*	83-3/64"	7"	37-1/8"	21-13/16"	10-17/32"

*Only available in Smooth-Star.



Daylight Opening:

2236	20-29/32" x 34-29/32"	(729 sq.in.)
2236 Impact	20-13/16" x 34-13/16"	(725 sq.in.)


Notes:

For Optional Grille Locations, See Arch 1.
Impact Options Available.

Available in:

Fiber-Classic Mahogany
Smooth-Star

Width	Glass	A	B	C
2/8	2236	31-13/16"	3-15/16"	4-11/32"
2/10	2236	33-13/16"	4-15/16"	5-11/32"
3/0	2236	35-13/16"	5-15/16"	6-11/32"


Half Lite 1 Panel Flush

Daylight Opening:

2236 20-29/32" x 34-29/32" (729 sq.in.)

2236 Impact 20-13/16" x 34-13/16" (725 sq.in.)

Notes:

For Optional Grille Locations, See Arch 1.

Impact Options Available.

Available in:

Traditions

Profiles


Traditions						
Width	Glass	A	B	C	D	E
2/8	2236	31-25/32"	4-13/32"	3-7/8"	23-7/8"	23"
2/10	2236	33-25/32"	5-13/32"	4-7/8"	23-7/8"	23"
3/0	2236	35-25/32"	6-13/32"	5-7/8"	23-7/8"	23"

Height	F	G	H	J
6/8	37-7/8"	21-1/2"	9-15/64"	79-3/64"

Profiles						
Width	Glass	A	B	C	D	E
2/8	2236	31-25/32"	4-9/32"	4-31/32"	23-7/8"	23-1/8"
2/10	2236	33-25/32"	5-9/32"	5-31/32"	23-7/8"	23-1/8"
3/0	2236	35-25/32"	6-9/32"	5-31/32"	23-7/8"	23-1/8"

Height	F	G	H	J
6/8	37-7/8"	21-13/16"	8-51/64"	79-3/64"

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions


Half Lite 1 Panel Plank Flush

Daylight Opening:

2236 20-29/32" x 34-29/32" (729 sq.in.)

2236 Impact 20-13/16" x 34-13/16" (725 sq.in.)

Notes:

For Optional Grille Locations, See Arch 1.

Impact Options Available.

Available in:

Traditions

Profiles


Traditions						
Width	Glass	A	B	C	D	E
2/8	2236	31-25/32"	4-13/32"	3-7/8"	23-7/8"	23"
2/10	2236	33-25/32"	5-13/32"	4-7/8"	23-7/8"	23"
3/0	2236	35-25/32"	6-13/32"	5-7/8"	23-7/8"	23"

Height	F	G	H	J
6/8	37-7/8"	21-1/2"	9-15/64"	79-3/64"

Profiles						
Width	Glass	A	B	C	D	E
2/8	2236	31-25/32"	4-9/32"	3-31/32"	23-7/8"	23-1/8"
2/10	2236	33-25/32"	5-9/32"	4-31/32"	23-7/8"	23-1/8"
3/0	2236	35-25/32"	6-9/32"	5-31/32"	23-7/8"	23-1/8"

Height	F	G	H	J
6/8	37-7/8"	21-13/16"	8-51/64"	79-3/64"

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions



Twin Half Lite 2 Panel

Daylight Opening:

0836 6-29/32" x 34-29/32" (241 sq.in. per lite)
(482 sq. in. total)


Note:

For Optional Grille Locations, See Arch 1.

Available in:

Fiber-Classic Oak
Smooth-Star

Width	Glass	A	B	C
2/8	0836	31-13/16"	3-15/16"	4-11/32"
2/10	0836	33-13/16"	4-15/16"	5-11/32"
3/0	0836	35-13/16"	5-15/16"	6-11/32"



Half Lite 1 Panel Top & Bottom

Daylight Opening:

2236 20-29/32" x 34-29/32" (729 sq.in.)
2236 Impact 20-13/16" x 34-13/16" (725 sq.in.)


Notes:

For Optional Grille Locations, See Arch 1.
Impact Options Available.

Available in:

Smooth-Star

Width	Glass	A	B	C
2/8	2236	31-13/16"	4-11/32"	3-15/16"
2/10	2236	33-13/16"	5-11/32"	4-15/16"
3/0	2236	35-13/16"	6-11/32"	5-15/16"


Twin Half Lite 2 Panel Flush

Daylight Opening:

 0836 6-29/32" x 34-29/32" (241 sq.in. per lite)
(482 sq.in. total)

Notes:

For Optional Grille Locations, See Arch 1.

Available in:


 Traditions
Profiles

Traditions								
Width	Glass	A	B	C	D	I	J	K
2/6N	0836	29-25/32"	3-19/32"	4-13/32"	2-25/32"	9-29/32"	23-1/2"	9-1/2"
2/8	0836	31-25/32"	3-31/32"	4-5/32"	4-3/32"	9-29/32"	23-1/2"	9-1/2"
2/10	0836	33-25/32"	4-31/32"	5-5/32"	4-3/32"	9-29/32"	23-1/2"	9-1/2"
3/0	0836	35-25/32"	5-31/32"	6-5/32"	4-3/32"	9-29/32"	23-1/2"	9-1/2"

Height	E	F	G	H
6/8	79-3/64"	9-7/64"	37-29/32"	21-1/2"

Profiles								
Width	Glass	A	B	C	D	I	J	K
2/8	0836	32-13/16"	3-31/32"	4-11/32"	4-3/32"	9-29/32"	23-1/8"	9-1/8"
2/10	0836	33-13/16"	4-31/32"	5-11/32"	4-3/32"	9-29/32"	23-1/8"	9-1/8"
3/0	0836	35-13/16"	5-31/32"	6-11/32"	4-3/32"	9-29/32"	23-1/8"	9-1/8"

Height	E	F	G	H
6/8	79-3/64"	9-23/64"	37-29/32"	21-13/16"
7/0	83-3/64"	13-23/64"	37-29/32"	21-13/16"

 Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

1/3 Lite Flush

Daylight Opening:

2227 21-1/8" x 26-1/8" (552 sq.in.)

Available in:

 Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star

Profiles

Traditions

Width	Glass	A	B
2/6□	2227	29-13/16"	2-31/32"
2/8	2227	31-13/16"	3-31/32"
2/10	2227	33-13/16"	4-31/32"
3/0	2227	35-13/16"	5-31/32"

□Not available in 7/0 Smooth-Star.

Height	C	D	E
6/6◇	76-11/16"	4-5/32"	43-11/16"
6/8	79-3/64"	4-5/32"	46-1/32"
7/0*	83-3/64"	7-1/32"	47-5/32"


*Not available in Traditions

◇Only available in 2/10 Traditions.

6/8 Fiber-Classic/ Smooth-Star/ Steel

THERMA TRU®
DOORS

Fan Lite 4 Panel




Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Daylight Opening:
2210R 8-29/32" x 20-3/4" (140 sq.in.)

Available in:
Fiber-Classic Oak
Smooth-Star

Fiber-Classic Oak and Smooth-Star (Cutout)								
Width	Glass	A	B	C	D	E	F	G
2/8	2210R	31-13/16"	3-29/32"	4-11/32"	2-7/16"	2-11/32"	25"	9-1/8"
2/10	2210R	33-13/16"	4-29/32"	5-11/32"	2-7/16"	2-11/32"	25"	9-1/8"
3/0	2210R	35-13/16"	5-29/32"	6-11/32"	2-7/16"	2-11/32"	25"	9-1/8"

Smooth-Star (Molded Open)								
Width	Glass	A	B	C	D	E	F	G
2/8	2210R	31-13/16"	3-29/32"	4-11/32"	4-7/32"	4-1/4"	21-5/16"	9-1/2"
2/10	2210R	33-13/16"	4-29/32"	5-11/32"	4-7/32"	4-1/4"	21-5/16"	9-1/2"
3/0	2210R	35-13/16"	5-29/32"	6-11/32"	4-7/32"	4-1/4"	21-5/16"	9-1/2"



Camber Top Lite 4 Panel

Daylight Opening:
2210A 20-29/32" x 8-29/32" (170 sq.in.)

Note:
For Optional Grille Locations, See Arch 1.


Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star

Width	Glass	A	B	C
2/8	2210A	31-13/16"	3-15/16"	4-11/32"
2/10	2210A	33-13/16"	4-15/16"	5-11/32"
3/0	2210A	35-13/16"	5-15/16"	6-11/32"

Height	D	E	F
6/8	79-3/64"	1-1/2"	9-3/8"
6/8 Elevated◇	79-3/64"	1-1/2"	10-17/32"
7/0*	83-3/64"	4-3/8"	10-17/32"

*Only available in Fiber-Classic Oak and Smooth-Star.

◇Only available in Smooth-Star.


Fan Lite 4 Panel Flush

Daylight Opening:

2210R 8-29/32" x 20-3/4" (140 sq.in.)

Note:

For Optional Grille Locations, See Arch 1.

Available in:

Traditions

Profiles

Steel Edge

Traditions							
Width	Glass	A	B	C	I	J	K
2/8	2210R	31-25/32"	3-29/32"	4-5/32"	9-1/2"	23-1/2"	24"
2/10	2210R	33-25/32"	4-29/32"	5-5/32"	9-1/2"	23-1/2"	24"
3/0	2210R	35-25/32"	5-29/32"	6-5/32"	9-1/2"	23-1/2"	24"


Height	D	E	F	L	G	H
6/8	79-3/64"	9-7/64"	11-29/32"	2-5/32"	25-1/2"	21-1/2"

Profiles							
Width	Glass	A	B	C	I	J	K
2/8	2210R	32-13/16"	4-29/32"	4-11/32"	9-1/8"	23-1/8"	24"
2/10	2210R	33-13/16"	5-29/32"	5-11/32"	9-1/8"	23-1/8"	24"
3/0	2210R	35-13/16"	5-29/32"	6-11/32"	9-1/8"	23-1/8"	24"

Height	D	E	F	L	G	H
6/8	79-3/64"	9-23/64"	11-29/32"	2-11/32"	25"	21-13/16"
7/0	83-3/64"	13-23/64"	11-29/32"	2-11/32"	25"	21-13/16"

Steel Edge							
Width	Glass	A	B	C	I	J	K
2/8	2210R	31-25/32"	4-29/32"	4-5/32"	9-1/2"	23-1/2"	24"
2/10	2210R	33-25/32"	4-29/32"	5-5/32"	9-1/2"	23-1/2"	24"
3/0	2210R	35-25/32"	5-29/32"	6-5/32"	9-1/2"	23-1/2"	24"

Height	D	E	F	L	G	H
6/8	79-3/64"	9-7/64"	11-29/32"	2-5/32"	25-1/2"	21-1/2"


Camber Top Lite 4 Panel Flush

Daylight Opening:

2210A 20-29/32" x 8-29/32" (170 sq.in.)

Note:

For Optional Grille Locations, See Arch 1.

Available in:

Traditions

Profiles


Traditions							
Width	Glass	A	B	C	I	J	K
2/8	2210A	31-25/32"	3-31/32"	4-5/32"	9-1/2"	23-1/2"	23-29/32"
2/10	2210A	33-25/32"	4-31/32"	5-5/32"	9-1/2"	23-1/2"	23-29/32"
3/0	2210A	35-25/32"	5-31/32"	6-5/32"	9-1/2"	23-1/2"	23-29/32"

Height	D	E	F	L	G	H
6/8	79-3/64"	9-7/64"	11-29/32"	3-1/16"	25-1/2"	21-1/2"

Profiles							
Width	Glass	A	B	C	I	J	K
2/8	2210A	31-13/16"	3-31/32"	4-11/32"	9-1/8"	23-1/8"	23-29/32"
2/10	2210A	33-13/16"	4-31/32"	5-11/32"	9-1/8"	23-1/8"	23-29/32"
3/0	2210A	35-13/16"	5-31/32"	6-11/32"	9-1/8"	23-1/8"	23-29/32"

Height	D	E	F	L	G	H
6/8	79-3/64"	9-23/64"	11-29/32"	3-9/32"	25"	21-13/16"
7/0	83-3/64"	13-23/64"	11-29/32"	3-9/32"	25"	21-13/16"

 Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

4 Lite 4 Panel


Daylight Opening:

2206 21-1/8" x 5"

(93 sq.in.)

Available in:
Smooth-Star

Width	Glass	A	B	C
2/8	2206	31-13/16"	3-31/32"	4-11/32"
2/10	2206	33-13/16"	4-31/32"	5-11/32"
3/0	2206	35-13/16"	5-31/32"	6-11/32"



4 Lite Scallop 4 Panel


Daylight Opening:

2206 21-1/8" x 5"

(93 sq.in.)

Available in:
Smooth-Star

Width	Glass	A	B	C
2/8	2206	31-13/16"	3-31/32"	4-11/32"
2/10	2206	33-13/16"	4-31/32"	5-11/32"
3/0	2206	35-13/16"	5-31/32"	6-11/32"

4 Lite 4 Panel Flush


Daylight Opening:

2206

21-1/8" x 5"

(93 sq.in.)


Available in:

Traditions

Profiles

Traditions							
Width	Glass	A	B	C	I	J	K
2/8	2206	31-5/8"	3-31/32"	4-5/32"	9-1/2"	23-1/2"	23-7/8"
2/10	2206	33-5/8"	4-31/32"	5-5/32"	9-1/2"	23-1/2"	23-7/8"
3/0	2206	35-5/8"	5-31/32"	6-5/32"	9-1/2"	23-1/2"	23-7/8"
Height	D	E	F	L	G	H	
6/8	79-3/64"	9-7/64"	7-3/4"	4-1/2"	25-1/2"	21-1/2"	

Profiles							
Width	Glass	A	B	C	I	J	K
2/8	2206	31-13/16"	3-31/32"	4-11/32"	9-1/8"	23-1/8"	23-7/8"
2/10	2206	33-13/16"	4-31/32"	5-11/32"	9-1/8"	23-1/8"	23-7/8"
3/0	2206	35-13/16"	5-31/32"	6-11/32"	9-1/8"	23-1/8"	23-7/8"
Height	D	E	F	L	G	H	
6/8	79-3/64"	9-23/64"	7-3/4"	4-3/4"	25"	21-13/16"	
7/0	83-3/64"	13-23/64"	7-3/4"	4-3/4"	25"	21-13/16"	

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

4 Lite Scallop 4 Panel Flush

Daylight Opening:

2206

21-1/8" x 5"

(93 sq.in.)


Available in:

Traditions

Profiles

Traditions							
Width	Glass	A	B	C	I	J	K
2/8	2206	31-25/32"	3-31/32"	4-5/32"	9-1/2"	23-1/2"	23-7/8"
2/10	2206	33-25/32"	4-31/32"	5-5/32"	9-1/2"	23-1/2"	23-7/8"
3/0	2206	35-25/32"	5-31/32"	6-5/32"	9-1/2"	23-1/2"	23-7/8"
Height	D	E	F	L	G	H	
6/8	79-3/64"	9-7/64"	9-3/32"	4-3/8"	25-1/2"	21-1/2"	

Profiles							
Width	Glass	A	B	C	I	J	K
2/8	2206	31-13/16"	3-31/32"	4-11/32"	9-1/8"	23-1/8"	23-7/8"
2/10	2206	33-13/16"	4-31/32"	5-11/32"	9-1/8"	23-1/8"	23-7/8"
3/0	2206	35-13/16"	5-31/32"	6-11/32"	9-1/8"	23-1/8"	23-7/8"
Height	D	E	F	L	G	H	
6/8	79-3/64"	9-23/64"	9-3/32"	4-19/32"	25"	21-13/16"	
7/0	83-3/64"	13-23/64"	9-3/32"	4-19/32"	25"	21-13/16"	



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

2 Lite 4 Panel

Daylight Opening:

0806	6-15/16" x 4-15/16"	(34 sq.in. per lite) (68 sq.in. total)
0806 Impact	4-13/16" x 6-13/16"	(33 sq.in. per lite) (66 sq.in. total)

Note:
Impact Options Available.

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star

Width	Glass	A	B	C	D	E	F
2/6N□◇	0806	29-13/16"	3-9/32"	4-13/32"	23-7/32"	8-13/16"	21"
2/6◇△	0806	29-13/16"	2-29/32"	3-11/32"	24"	9-1/8"	23-5/32"
2/8	0806	31-13/16"	3-29/32"	4-11/32"	24"	9-1/8"	23-5/32"
2/10	0806	33-13/16"	4-29/32"	5-11/32"	24"	9-1/8"	23-5/32"
3/0	0806	35-13/16"	5-29/32"	6-11/32"	24"	9-1/8"	23-5/32"

◇Only available in 7/0.

□Only available in 6/8.


△Only available in Fiber-Classic Oak.

◇Only available in Fiber-Classic Oak and Smooth-Star.

Smooth-Star				
Height	G	H	J	K
6/8	79-3/64"	4-5/32"	21-13/16"	9-3/8"
6/8 Elevated	79-3/64"	3-1/32"	20-21/32"	10-23/32"
7/0	83-3-64"	7-1/32"	21-13/16"	10-23/32"

Fiber-Classic Oak and Fiber-Classic Mahogany				
Height	G	H	J	K
6/8	79-3/64"	4-5/32"	21-13/16"	9-3/8"
6/8 Elevated	79-3/64"	3-1/32"	21-13/16"	10-23/32"
7/0*	83-3-64"	7-1/32"	21-13/16"	10-23/32"

*Only available in Fiber-Classic Oak.



Craftsman Lite 2 Panel

Daylight Opening:

2115	20-3/32" x 13-27/32"	(278 sq.in.)
------	----------------------	--------------


Notes:

For Optional Grille Locations, See Arch 1.

Impact Options Available.

Available in:
Fiber-Classic Mahogany
Smooth-Star

Width	Glass	A	B	C
2/8	2115	31-13/16"	4-23/32"	4-11/32"
2/10	2115	33-13/16"	5-23/32"	5-11/32"
3/0	2115	35-13/16"	6-23/32"	6-11/32"


2 Lite 4 Panel Flush

Daylight Opening:

0806	6-15/16" x 4-15/16"	(34 sq.in. per lite) (68 sq.in. total)
0806 Impact	6-13/16" x 4-13/16"	(33 sq.in. per lite) (66 sq.in. total)

Note:
Impact Options Available.

Available in:
Traditions
Profiles


Traditions								
Width	Glass	A	B	C	D	E	F	K
2/6N	0806	29-25/32"	3-9/16"	4-7/16"	8-7/32"	20-7/8"	4-1/32"	9-15/16"
2/8	0806	31-25/32"	3-29/32"	4-5/32"	9-1/2"	23-1/2"	4-1/16"	9-15/16"
2/10	0806	33-25/32"	4-29/32"	5-5/32"	9-1/2"	23-1/2"	4-1/16"	9-15/16"
3/0	0806	35-25/32"	5-29/32"	6-5/32"	9-1/2"	23-1/2"	4-1/16"	9-15/16"

Height	G	H	I	J	L	M	N
6/8	79-3/64"	4-5/32"	7-15/16"	9-7/64"	4-3/8"	25-1/2"	21-1/2"

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Profiles								
Width	Glass	A	B	C	D	E	F	K
2/8	0806	31-13/16"	3-31/32"	4-11/32"	9-1/8"	23-1/8"	4"	9-15/16"
2/10	0806	33-13/16"	4-31/32"	5-11/32"	9-1/8"	23-1/8"	4"	9-15/16"
3/0	0806	35-13/16"	5-31/32"	6-11/32"	9-1/8"	23-1/8"	4"	9-15/16"

Height	G	H	I	J	L	M	N
6/8	79-3/64"	4-5/32"	7-15/16"	9-7/16"	4-17/32"	25"	21-13/16"
7/0	83-3/64"	7-1/32"	7-15/16"	13-7/16"	1-21/32"	25"	21-13/16"


Craftsman Lite 2 Panel Shaker Flush-Glazed


Daylight Opening:

2216	21 11/16" x 15 7/16"	(335 sq.in.)
------	----------------------	--------------

Notes:
For Optional Grille Locations, See Arch 1.

Available in:
Smooth-Star

Width	A	B
2/8	31-13/16"	4-29/32"
2/10	33-13/16"	5-29/32"
3/0	35-13/16"	6-29/32"




Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

2 Panel Craftsman

Note:
Impact Options Available.

Available in:
Fiber-Classic Mahogany
Smooth-Star


Width	A	B
2/8	31-13/16"	4-23/32"
2/10	33-13/16"	5-23/32"
3/0	35-13/16"	6-23/32"



2 Panel Craftsman Flush

Available in:
Profiles

Profiles					
Width	A	B	C	D	
2/8	31-13/16"	4-3/4"	22-11/32"	8-29/32"	
2/10	33-13/16"	5-3/4"	22-11/32"	8-29/32"	
3/0	35-13/16"	6-3/4"	22-11/32"	8-29/32"	
Height	E	F	G	H	I
6/8	4-17/32"	16-3/32"	43-23/32"	9-23/64"	79-3/64"




2 Panel Craftsman Shaker

Available in:
Smooth-Star

Width	A	B
2/8	31-13/16"	4-29/32"
2/10	33-13/16"	5-29/32"
3/0	35-13/16"	6-29/32"

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

This Space Intentionally Left Blank.




Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

2 Panel Soft Arch

Note:
Impact Options Available.

Available in:
Smooth-Star

Width	A	B	C
2/6N	29-13/16"	4-13/32"	21"
2/8	31-13/16"	4-11/32"	23-1/8"
2/10	33-13/16"	5-11/32"	23-1/8"
3/0	35-13/16"	6-11/32"	23-1/8"




2 Panel Plank Soft Arch

Note:
Impact Options Available.

Available in:
Fiber-Classic Mahogany
Smooth-Star

Width	A	B
2/8	31-13/16"	4-11/32"
2/10	33-13/16"	5-11/32"
3/0	35-13/16"	6-11/32"


2 Panel Soft Arch Flush

Available in:
Profiles
Steel Edge


Profiles			
Width	A	B	F
2/8	31-13/16"	4-11/32"	23-1/8"
2/10	33-13/16"	5-11/32"	23-1/8"
3/0	35-13/16"	6-11/32"	23-1/8"

Height	C	D	E	G	H
6/8	79-3/64"	4-19/32"	9-23/64"	37-5/32"	21-13/16"
7/0	83-3/64"	4-19/32"	13-23/64"	37-5/32"	21-13/16"

Steel Edge			
Width	A	B	F
2/8	31-5/8"	4-5/16"	23"
2/10	33-5/8"	5-5/16"	23"
3/0	35-5/8"	6-5/16"	23"

Height	C	D	E	G	H
6/8	79-3/64"	5-1/2"	8-31/64"	37"	21-1/2"
7/0	83-3/64"	7-1/2"	10-31/64"	37"	21-1/2"

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions


2 Panel Plank Soft Arch Flush


Available in:
Profiles
Steel Edge

Profiles			
Width	A	B	C
2/8	31-13/16"	4-11/32"	23-1/8"
2/10	33-13/16"	5-11/32"	23-1/8"
3/0	35-13/16"	6-11/32"	23-1/8"

Height	D	E	F	G	H
6/8	4-19/32"	37-5/32"	21-13/16"	9-23/64"	79-3/64"

Steel Edge			
Width	A	B	C
2/8	31-5/8"	4-5/16"	23"
2/10	33-5/8"	5-5/16"	23"
3/0	35-5/8"	6-5/16"	23"

Height	D	E	F	G	H
6/8	4-13/16"	37"	21-1/2"	9-15/64"	79-3/64"



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

2 Panel Square Top


Note:
Impact Options Available.

Available in:
Fiber-Classic Mahogany
Smooth-Star

Width	A	B
2/8	31-13/16"	4-11/32"
2/10	33-13/16"	5-11/32"
3/0	35-13/16"	6-11/32"

Height	C	D	E	F
6/8	4-9/16"	21-13/16"	9-3/8"	79-3/64"
6/8 Elevated*	4-9/16"	20-21/32"	10-17/32"	79-3/64"
7/0	7-13/32"	21-13/16"	10-17/32"	83-3/64"

*Only available in Smooth-Star.




2 Panel 3/4 Top

Note:
Impact Options Available.

Available in:
Fiber-Classic Oak
Smooth-Star

Width	A	B
2/8	31-13/16"	4-11/32"
2/10	33-13/16"	5-11/32"
3/0	35-13/16"	6-11/32"

Door Collection	C	D
Fiber-Classic Oak	4-7/16"	8-3/8"
Smooth-Star	4-9/16"	9-3/8"



2 Panel Square Top Flush

Available in:
Profiles
Steel Edge


Profiles			
Width	A	B	F
2/8	31-13/16"	4-11/32"	23-1/8"
2/10	33-13/16"	5-11/32"	23-1/8"
3/0	35-13/16"	6-11/32"	23-1/8"

Height	C	D	E	G	H
6/8	79-3/64"	4-9/16"	10-11/64"	37-1/8"	21"

Steel Edge			
Width	A	B	F
2/8	31-5/8"	4-5/16"	23"
2/10	33-5/8"	5-5/16"	23"
3/0	35-5/8"	6-5/16"	23"

Height	C	D	E	G	H
6/8	79-3/64"	5-1/2"	8-31/64"	37"	21-1/2"
7/0	83-3/64"	7-1/2"	10-31/64"	37"	21-1/2"

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions




3 Panel

Note:
Impact Options Available.

Available in:
Smooth-Star

Width	A	B
2/8	31-13/16"	4-3/8"
2/10	33-13/16"	5-3/8"
3/0	35-13/16"	6-3/8"




Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

1 Panel Shaker

Available in:
Smooth Star

Width	A	B
2/8	31-13/16"	4-11/32"
2/10	33-13/16"	5-11/32"
3/0	35-13/16"	6-11/32"

Smooth Star			
Height	C	D	E
6/8	79-3/64"	4-9/16"	10-3/16"




3 Panel Scroll

Note:
Impact Options Available.

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star

Width	A	B
2/8	31-13/16"	3-27/32"
2/10	33-13/16"	4-27/32"
3/0	35-13/16"	5-27/32"

2 Panel Square Top Shaker



Available in:
Smooth Star


Width	A	B
2/8	31-13/16"	4-11/32"
2/10	33-13/16"	5-11/32"
3/0	35-13/16"	6-11/32"

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Smooth Star			
Height	C	D	E
6/8	79-3/64"	4-9/16"	10-3/16"

3 Panel Scroll Top Flush

Available in:
Profiles
Steel Edge




Profiles				
Width	A	B	C	D
2/8	31-13/16"	4"	23-13/16"	9-29/32"
2/10	33-13/16"	5"	23-13/16"	9-29/32"
3/0	35-13/16"	6"	23-13/16"	9-29/32"

Profiles					
Height	E	F	G	H	J
6/8	5-9/32"	79-3/64"	50"	12"	7-25/32"

Steel Edge				
Width	A	B	C	D
2/8	31-3/4"	4-5/16"	23-1/8"	9-1/8"
2/10	33-3/4"	5-5/16"	23-1/8"	9-1/8"
3/0	35-3/4"	6-5/16"	23-1/8"	9-1/8"

Steel Edge					
Height	E	F	G	H	J
6/8	5-1/4"	78-15/16"	48"	13"	8-7/16"
7/0	7-1/4"	82-15/16"	48"	13"	10-7/16"




Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

3 Panel Square Top

Note:
Impact Options Available.

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany

Width	A	B
2/8	31-13/16"	4-11/32"
2/10	33-13/16"	5-11/32"
3/0	35-13/16"	6-11/32"




4 Panel Square Top

Note:
Impact Options Available.

Available in:
Fiber-Classic Oak
Smooth-Star

Width	A	B
2/8	31-13/16"	4-11/32"
2/10	33-13/16"	5-11/32"
3/0	35-13/16"	6-11/32"


Flush Panel

Note:
Impact Options Available.

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth Star
Profiles
Traditions
Steel Edge

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Width	A
2/0◇	23-13/16"
2/4□	27-13/16"
2/6‡	29-13/16"
2/8	31-13/16"
2/10‡	33-13/16"
3/0	35-13/16"
3/6*	41-13/16"

Height	B
6/6‡	76-11/16"
6/8	79-3/64"
7/0v	83-3/64"

vNot available in Traditions.


‡Not available in Profiles, Steel Edge,
or Fiber-Classic Mahogany

*Only available in 6/8 Smooth-Star and Profiles.

◇Only available in 6/8.

□Only available in 6/6 and 6/8.

‡Not available in 7/0 Steel Edge.


4 Panel Square Top Flush

Available in:
Traditions
Steel Edge

Traditions				
Width	A	B	C	D
2/8	31-13/16"	4-9/32"	9-11/16"	23-1/4"
2/10	33-13/16"	5-9/32"	9-11/16"	23-1/4"
3/0	35-13/16"	6-9/32"	9-11/16"	23-1/4"


Traditions					
Height	E	F	G	H	J
6/8	79-3/64"	4-31/32"	36-3/4"	23-1/16"	6-29/32"

Steel Edge				
Width	A	B	C	D
2/8	31-3/4"	4-3/8"	9"	23"
2/10	33-3/4"	5-3/8"	9"	23"
3/0	35-3/4"	6-3/8"	9"	23"

Steel Edge					
Height	E	F	G	H	J
6/8	78-15/16"	5-3/8"	37-1/8"	21-1/2"	8-11/16"
7/0*	82-15/16"	7-3/8"	37-1/8"	21-1/2"	10-11/16"

*Not available in 2/10.

6 Panel



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Note:
Impact Options Available.

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star

All Door Collections				
Width	A	B	C	D
2/6N*	29-13/16"	4-13/32"	8-13/16"	21"
2/6◇	29-13/16"	3-11/32"	9-1/8"	23-1/8"
2/8N□	31-13/16"	5-13/32"	8-13/16"	21"
2/8	31-13/16"	4-11/32"	9-1/8"	23-1/8"
2/10	33-13/16"	5-11/32"	9-1/8"	23-1/8"
3/0	35-13/16"	6-11/32"	9-1/8"	23-1/8"

*Only available in 6/8 Fiber-Classic Oak and 6/8 Smooth-Star.

◇Only available in 7/0 Fiber-Classic Oak.


□Only available in 6/8 Fiber-Classic Oak.

Smooth-Star				
Height	E	F	G	H
6/8	79-3/64"	4-9/16"	21-13/16"	9-3/8"
6/8 Elevated	79-3/64"	4-9/16"	20-21/32"	10-17/32"
7/0	83-3/64"	7-13/32"	21-13/16"	10-17/32"

Fiber-Classic Oak & Fiber-Classic Mahogany				
Height	E	F	G	H
6/8	79-3/64"	4-9/16"	21-13/16"	9-3/8"
6/8 Elevated△	79-3/64"	3-13/32"	21-13/16"	10-17/32"
7/0∅	83-3/64"	7-13/32"	21-13/16"	10-17/32"

△Only available in 3/0 Fiber-Classic Oak.

∅Only available in Fiber-Classic Oak.




8 Panel

Note:
Impact Options Available.

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth Star

Width	A	B
2/8	31-13/16"	3-27/32"
2/10	33-13/16"	4-27/32"
3/0	35-13/16"	5-27/32"

6 Panel Flush


Available in:
Traditions
Profiles
Steel Edge

Traditions					
Width	Glass	A	B	C	D
2/6N	2036	29-25/32"	4-7/16"	8-7/32"	20-7/8"
2/8	2236	31-25/32"	4-5/32"	9-1/2"	23-1/2"
2/10	2236	33-25/32"	5-5/32"	9-1/2"	23-1/2"
3/0	2236	35-25/32"	6-5/32"	9-1/2"	23-1/2"

Height	E	F	G	H	J	K	L
6/8	79-3/64"	4-15/32"	7-1/2"	4-1/2"	25-1/2"	21-1/2"	9-7/64"
7/0	83-3/64"	4-15/32"	7-1/2"	4-1/2"	25-1/2"	21-1/2"	13-7/64"

Profiles					
Width	Glass	A	B	C	D
2/6N	2036	29-13/16"	4-13/32"	8-13/16"	21"
2/8	2236	31-13/16"	4-11/32"	9-1/8"	23-1/8"
2/10	2236	33-13/16"	5-11/32"	9-1/8"	23-1/8"
3/0	2236	35-13/16"	6-11/32"	9-1/8"	23-1/8"

Height	E	F	G	H	J	K	L
6/8	79-3/64"	4-1/2"	7-3/16"	4-15/16"	25"	21-13/16"	9-7/16"
7/0	83-3/64"	4-1/2"	7-3/16"	4-15/16"	25"	21-13/16"	13-7/16"


Steel Edge				
Width	A	B	C	D
2/6N	29-5/8"	4-5/16"	9"	21"
2/8	31-5/8"	4-9/32"	9-1/16"	23-1/16"
2/10	33-5/8"	5-9/32"	9-1/16"	23-1/16"
3/0	35-5/8"	6-9/32"	9-1/16"	23-1/16"

Steel Edge											
Height	E	F	F (2/6)	G	G (2/6)	H	H (2/6)	J	J (2/6)	K	L
6/8	79-3/64"	5-3/8"	5-7/16"	7-1/16"	7"	4-9/16"	4-5/8"	25-7/16"	25-3/8"	21-9/16"	8-31/64"
7/0	83-3/64"	7-3/8"	7-7/16"	7-1/16"	7"	4-9/16"	4-5/8"	25-7/16"	25-3/8"	21-9/16"	10-31/64"

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

8/0 Fiber-Classic/ Smooth-Star/ Steel

THERMA TRU®
DOORS



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

8' Full Lite Flush

Daylight Opening:

1480	13" x 79"	(1027 sq.in.)
1480 Impact	12-13/16" x 78-13/16"	(1010 sq.in.)
2080 (1/2" glass)	19-1/8" x 79-1/8"	(1513 sq.in.)
2080 (1" glass)	18-15/16" x 78-15/16"	(1495 sq.in.)
2080 Impact (1" glass)	18-13/16" x 78-13/16"	(1483 sq.in.)
2280 (1/2" glass)	21-1/8" x 79-1/8"	(1672 sq.in.)
2280 (1" glass)	20-15/16" x 78-15/16"	(1653 sq.in.)
2280 Impact (1" glass)	20-13/16" x 78-13/16"	(1640 sq.in.)

Notes:

For Optional Grille Locations, See Arch 1.

Impact Options Available.

Noise Reduction Options Available.


Available in:

Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions

Fiber-Classic Mahogany, Fiber-Classic Oak, and Smooth-Star							
Width	Glass	A	B	C	D	E	F
2/0 (FCO)	1480	23-13/16"	3-29/32"	16"	5-1/4"	82"	7-13/16"
2/0 (SS)	1480	23-13/16"	4-1/32"	15-3/4"	5-3/8"	81-3/4"	7-15/16"
2/0 Impact	1480	23-13/16"	3-31/32"	15-7/8"	5-5/16"	81-7/8"	7-7/8"
2/4 (FCO)	1480	27-13/16"	5-29/32"	16"	5-1/4"	82"	7-13/16"
2/4 (SS)	1480	27-13/16"	6-1/32"	15-3/4"	5-3/8"	81-3/4"	7-15/16"
2/4 Impact	1480	27-13/16"	5-31/32"	15-7/8"	5-5/16"	81-7/8"	7-7/8"
2/6	2080	29-13/16"	3-27/32"	22-1/8"	5-1/8"	82-1/8"	7-13/16"
2/6 Impact	2080	29-13/16"	3-31/32"	21-7/8"	5-1/4"	81-7/8"	7-15/16"
2/8N	2080	31-13/16"	4-27/32"	22-1/8"	5-1/8"	82-1/8"	7-13/16"
2/8	2280	31-13/16"	3-27/32"	24-1/8"	5-1/8"	82-1/8"	7-15/16"
2/8 Impact	2280	31-13/16"	3-31/32"	23-7/8"	5-1/4"	81-7/8"	7-13/16"
2/10	2280	33-13/16"	4-27/32"	24-1/8"	5-1/8"	82-1/8"	7-15/16"
2/10 Impact	2280	33-13/16"	4-31/32"	23-7/8"	5-1/4"	81-7/8"	7-13/16"
3/0	2280	35-13/16"	5-27/32"	24-1/8"	5-1/8"	82-1/8"	7-15/16"
3/0 Impact	2280	35-13/16"	5-31/32"	23-7/8"	5-1/4"	81-7/8"	7-13/16"
3/6*	2280	41-13/16"	8-27/32"	24-1/8"	5-1/8"	82-1/8"	7-15/16"

*Only available in Smooth-Star.

Traditions							
Width	Glass	A	B	C	D	E	F
2/0	1480	23-13/16"	4-1/32"	15-3/4"	5-3/8"	81-3/4"	7-15/16"
2/0 Impact	1480	23-13/16"	3-31/32"	15-7/8"	5-5/16"	81-7/8"	7-7/8"
2/6	2080	29-13/16"	3-27/32"	22-1/8"	5-1/8"	82-1/8"	7-13/16"
2/6 Impact	2080	29-13/16"	3-31/32"	21-7/8"	5-1/4"	81-7/8"	7-15/16"
2/8N	2080	31-13/16"	4-27/32"	22-1/8"	5-1/8"	82-1/8"	7-13/16"
2/8	2280	31-13/16"	3-27/32"	24-1/8"	5-1/8"	82-1/8"	7-13/16"
2/8 Impact	2280	31-13/16"	3-31/32"	23-7/8"	5-1/4"	81-7/8"	7-15/16"
2/10	2280	33-13/16"	4-27/32"	24-1/8"	5-1/8"	82-1/8"	7-13/16"
2/10 Impact	2280	33-13/16"	4-31/32"	23-7/8"	5-1/4"	81-7/8"	7-15/16"
3/0	2280	35-13/16"	5-27/32"	24-1/8"	5-1/8"	82-1/8"	7-13/16"
3/0 Impact	2280	35-13/16"	5-31/32"	23-7/8"	5-1/4"	81-7/8"	7-15/16"


8' Full Lite w/ Stile Lines

Daylight Opening:

2080 (1/2" glass)	19-1/8" x 79-1/8"	(1513 sq.in.)
2080 (1" glass)	18-15/16" x 78-15/16"	(1495 sq.in.)
2080 Impact (1" glass)	18-13/16" x 78-13/16"	(1483 sq.in.)
2280 (1/2" glass)	21-1/8" x 79-1/8"	(1672 sq.in.)
2280 (1" glass)	20-15/16" x 78-15/16"	(1653 sq.in.)
2280 Impact (1" glass)	20-13/16" x 78-13/16"	(1640 sq.in.)

Note:

For Optional Grille Locations, See Arch 1.

Impact Options Available.

Available in:

Fiber-Classic Mahogany


Fiber-Classic Oak

Smooth-Star

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Width	Glass	A	B	C	D	E	F	G	H
2/6N*	2080	29-13/16"	3-27/32"	22-1/8"	82-1/8"	5-1/8"	21"	4-13/32"	7-13/16"
2/6N Impact	2080	29-13/16"	3-31/32"	21-7/8"	81-7/8"	5-1/4"	21"	4-13/32"	7-15/16"
2/8	2280	31-13/16"	3-27/32"	24-1/8"	82-1/8"	5-1/8"	23-1/8"	4-11/32"	7-13/16"
2/8 Impact	2280	31-13/16"	3-31/32"	23-7/8"	81-7/8"	5-1/4"	23-1/8"	4-11/32"	7-15/16"
2/10	2280	33-13/16"	4-27/32"	24-1/8"	82-1/8"	5-1/8"	23-1/8"	5-11/32"	7-13/16"
2/10 Impact	2280	33-13/16"	4-31/32"	23-7/8"	81-7/8"	5-1/4"	23-1/8"	5-11/32"	7-15/16"
3/0	2280	35-13/16"	5-27/32"	24-1/8"	82-1/8"	5-1/8"	23-1/8"	6-11/32"	7-13/16"
3/0 Impact	2280	35-13/16"	5-31/32"	23-7/8"	81-7/8"	5-1/4"	23-1/8"	6-11/32"	7-15/16"

*Only available in Smooth-Star.


8' Full Lite Flush-Glazed Mini Blind


Daylight Opening:

2180	19-29/32" x 78-29/32"	(1571 sq.in.)
2580	23-29/32" x 78-29/32"	(1886 sq.in.)

Available in:

Smooth-Star

Smooth-Star				
Width	Glass	A	B	C
2/6	2180	29-13/16"	4-13/16"	20-3/16"
2/8	2180	31-13/16"	5-13/16"	20-3/16"
2/10	2580	33-13/16"	4-13/16"	24-3/16"
3/0	2580	35-13/16"	5-13/16"	24-3/16"



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

8' Full Lite Flush-Glazed

Daylight Opening:

1480	14-1/4" x 78-13/16"	(1123 sq.in.)
2180	19-13/16" x 78-13/16"	(1561 sq.in.)
2580	23-13/16" x 78-13/16"	(1877 sq.in.)


Note:

For Optional Grille Locations, See Arch 1.

Available in:

Fiber-Classic Oak
Smooth-Star

Width	Glass	A	B	C
2/0	1480	23-13/16"	15-1/2"	4-5/32"
2/6	2180	29-13/16"	21-1/16"	4-3/8"
2/8	2180	31-13/16"	21-1/16"	5-3/8"
2/10	2580	33-13/16"	25-1/16"	4-3/8"
3/0	2580	35-13/16"	25-1/16"	5-3/8"



8' Full Lite Sidelite w/ Stile Lines

Daylight Opening:

0780	6-7/8" x 79-1/16"	(545 sq.in.)
0780 Impact	6-5/8" x 78-13/16"	(523 sq.in.)

Notes:


For Optional Grille Locations, See Arch 1.

Impact Options Available.

Available in:

Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star

Width	Glass	A	B	C	D	E	F
12"	0780	11-15/16"	1-1/16"	9-27/32"	5-5/16"	82-1/32"	7-29/32"
12" Impact	0780	11-15/16"	1-1/8"	9-11/16"	5-3/8"	81-7/8"	8"
14"	0780	13-15/16"	2-1/16"	9-27/32"	5-5/16"	82-1/32"	7-29/32"
14" Impact	0780	13-15/16"	2-1/8"	9-11/16"	5-3/8"	81-7/8"	8"

8' Full Lite Sidelite Flush Glazed


Daylight Opening:

0780 6 3/4" x 78 15/16"

533 sq.in.


Notes:

For Optional Grille Locations, See Arch 1.
Impact Options Available.

Available in:
Smooth-Star

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Width	Glass	A
12"	0780	11-15/16"
14"	0780	13-15/16"


8' Full Lite Sidelite Flush

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions

Daylight Opening:

0780 6-7/8" x 79-1/16" (545 sq.in.)

0780 Impact 6-5/8" x 78-13/16" (523 sq.in.)


Notes:

For Optional Grille Locations, See Arch 1.
Impact Options Available.

Width	Glass	A	B	C	D
12"	0780	11-15/16"	1-1/16"	9-27/32"	5-5/16"
12" Impact	0780	11-15/16"	1-1/8"	9-11/16"	5-3/8"
14"	0780	13-15/16"	2-1/16"	9-27/32"	5-5/16"
14" Impact	0780	13-15/16"	2-1/8"	9-11/16"	5-3/8"

Height	E	F	G
12" 8/0	82-1/32"	7-15/16"	95-1/4"
12" 8/0 Impact	81-7/8"	8"	95-1/4"
14" 8/0	82-1/32"	7-15/16"	95-1/4"
14" 8/0 Impact	81-7/8"	8"	95-1/4"
14" 8/0 U3*	82-1/32"	7-23/32"	95-3/64"
14" 8/0 U3 Impact*	81-7/8"	7-13/16"	95-3/64"

*Not available in Traditions



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

8' Half Lite Sidelite 1 Panel


Daylight Opening:
0847 6-15/16" x 45-15/16" (318 sq.in.)
0847 Impact 6-13/16" x 45-11/16" (365 sq.in.)

Notes:
For Optional Grille Locations, See Arch 1.
Impact Options Available.

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star

Width	Glass	A	B	C
12"	0847	11-15/16"	1-1/32"	1-29/32"
14"	0847	13-15/16"	2-1/32"	2-29/32"

This Space Intentionally Left Blank.



8' Craftsman Lite Shaker Sidelite Flush-Glazed

Daylight Opening:

0816 6 15/16" x 15 7/16"

107 sq.in.


Notes:

For Optional Grille Locations, See Arch 1.

Available in:
Smooth-Star

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Width	Glass	A	B
12"	0816	11-15/16"	2-11/32"
14"	0816	13-15/16"	3-11/32"



8' 3/4 Lite Sidelite 1 Panel

Daylight Opening:

0764 5-15/16" x 62-15/16"

(373 sq.in.)

0764 Impact 5-13/16" x 62-13/16"

(365 sq.in.)

Notes:

For Optional Grille Locations, See Arch 1.

Impact Options Available.


Available in:

Fiber-Classic Oak

Fiber-Classic Mahogany

Smooth-Star

Width	Glass	A	B	C
12"	0764	11-15/16"	1-9/16"	1-29/32"
14"	0764	13-15/16"	2-9/16"	2-29/32"



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

8' 3/4 Lite 1 Panel

Daylight Opening:

2264	20-15/16" x 62-15/16"	(1317 sq.in.)
2264 Impact	20-13/16" x 62-13/16"	(1307 sq.in.)


Notes:

For Optional Grille Locations, See Arch 1.
Impact Options Available.

Available in:

Fiber-Classic Oak
Smooth-Star

Width	Glass	A	B
2/8	2264	31-13/16"	3-31/32"
2/10	2264	33-13/16"	4-31/32"
3/0	2264	35-13/16"	5-31/32"



8' Half Lite 2 Panel

Daylight Opening:

2247	20-7/8" x 45-7/8"	(958 sq.in.)
2247 Impact	20-13/16" x 45-13/16"	(954 sq.in.)


Notes:

For Optional Grille Locations, See Arch 1.
Impact Options Available.

Available in:

Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star

Width	Glass	A	B	C
2/8	2247	31-13/16"	3-31/32"	4-11/32"
2/10	2247	33-13/16"	4-31/32"	5-11/32"
3/0	2247	35-13/16"	5-31/32"	6-11/32"


8' 3/4 Lite 1 Panel Flush-Glazed
Daylight Opening:

2064	20-1/32" x 63-1/8"	(1264 sq.in.)
2564	24-5/32" x 63-1/8"	(1524 sq.in.)

Note:


For Optional Grille Locations, See Arch 1.

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Available in:

Smooth-Star

Width	Glass	A	B	C
2/6	2064	29-13/16"	21-7/32"	4-9/32"
2/8	2064	31-13/16"	21-7/32"	5-9/32"
2/10	2564	33-13/16"	25-11/32"	4-7/32"
3/0	2564	35-13/16"	25-11/32"	5-7/32"


8' Half Lite 2 Panel Flush
Daylight Opening:

2247	20-7/8" x 45-7/8"	(958 sq.in.)
2247 Impact	20-13/16" x 45-13/16"	(954 sq.in.)


Notes:

For Optional Grille Locations, See Arch 1.
Impact Options Available.

Available in:

Traditions

Width	Glass	A	B	C	D	E	F
2/8	2247	31-13/16"	3-31/32"	23-1/8"	4-11/32"	26-5/32"	8-3/16"
2/10	2247	33-13/16"	4-31/32"	23-1/8"	5-11/32"	26-5/32"	8-3/16"
3/0	2247	35-13/16"	5-31/32"	23-1/8"	6-11/32"	26-5/32"	8-3/16"



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

8' Half Lite 1 Panel Top & Bottom

Daylight Opening:

2247	20-7/8" x 45-7/8"	(958 sq.in.)
2247 Impact	20-13/16" x 45-13/16"	(954 sq.in.)


Notes:

For Optional Grille Locations, See Arch 1.
Impact Options Available.

Available in:

Fiber-Classic Oak
Smooth-Star

Width	Glass	A	B	C
2/8	2247	31-13/16"	4-11/32"	3-31/32"
2/10	2247	33-13/16"	5-11/32"	4-31/32"
3/0	2247	35-13/16"	6-11/32"	5-31/32"



8' Camber Top Lite 4 Panel

Daylight Opening:

2210A	20-29/32" x 8-29/32"	(170 sq.in.)
-------	----------------------	--------------


Notes:

For Optional Grille Locations, See Arch 1.

Available in:

Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star

Width	Glass	A	B	C
2/8	2210A	31-13/16"	3-15/16"	4-11/32"
2/10	2210A	33-13/16"	4-15/16"	5-11/32"
3/0	2210A	35-13/16"	5-15/16"	6-11/32"

8' Center Lite 3 Panel

Daylight Opening:

0836	6-29/32" x 34-29/32"	(241 sq.in.)
0836 Impact	6-13/16" x 34-13/16"	(237 sq.in.)

Notes:


For Optional Grille Locations, See Arch 1.
Impact Options Available.

Available in:

Fiber-Classic Oak
Smooth-Star

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Width	Glass	A	B
2/8	0836	31-13/16"	4-11/32"
2/10	0836	33-13/16"	5-11/32"
3/0	0836	35-13/16"	6-11/32"


8' Camber Top Lite 4 Panel Flush
Daylight Opening:

2210A	20-29/32" x 8-29/32"	(170 sq.in.)
-------	----------------------	--------------


Notes:

For Optional Grille Locations, See Arch 1.

Available in:

Traditions

Width	Glass	A	B	C
2/8	2210A	31-13/16"	3-15/16"	4-11/32"
2/10	2210A	33-13/16"	4-15/16"	5-11/32"
3/0	2210A	35-13/16"	5-15/16"	6-11/32"




Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

8' 4 Lite 4 Panel

Daylight Opening:
2206 21-1/8" x 5" (93 sq.in.)

Available in:
Smooth-Star

Width	Glass	A	B	C
2/8	2206	31-13/16"	3-31/32"	4-5/16"
2/10	2206	33-13/16"	4-31/32"	5-5/16"
3/0	2206	35-13/16"	5-31/32"	6-5/16"



8' 2 Lite 4 Panel


Daylight Opening:
0806 6-15/16" x 4-15/16" (34 sq.in. per lite)
(68 sq.in. total)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star

Width	Glass	A	B	C
2/6N*	0806	29-13/16"	4-13/32"	21"
2/8	0806	31-13/16"	4-3/8"	23-1/16"
2/10	0806	33-13/16"	5-3/8"	23-1/16"
3/0	0806	35-13/16"	6-3/8"	23-1/16"

*Only available in Smooth-Star.

Width	D	E	F	G
2/6N*	8-13/16"	22-1/8"	39-1/2"	23-3/4"
2/8	9-1/8"	23-15/16"	35-15/16"	26-5/32"
2/10	9-1/8"	23-15/16"	35-15/16"	26-5/32"
3/0	9-1/8"	23-15/16"	35-15/16"	26-5/32"


8' 4 Lite 4 Panel Flush


Daylight Opening:
2206 21-1/8" x 5" (93 sq.in.)

Available in:
Traditions

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Width	Glass	A	B	C
2/8	2206	31-13/16"	3-31/32"	4-5/16"
2/10	2206	33-13/16"	4-31/32"	5-5/16"
3/0	2206	35-13/16"	5-31/32"	6-5/16"


8' 2 Lite 4 Panel Flush


Daylight Opening:
0806 6-15/16" x 4-15/16" (34 sq.in. per lite)
(68 sq.in. total)

Available in:
Traditions

Width	Glass	A	B	C	D	E	F
2/8	0806	31-13/16"	23-1/8"	4-11/32"	9-1/8"	23-15/16"	9-15/16"
2/10	0806	33-13/16"	23-1/8"	5-11/32"	9-1/8"	23-15/16"	9-15/16"
3/0	0806	35-13/16"	23-1/8"	6-11/32"	9-1/8"	23-15/16"	9-15/16"

Width	G	H	J	K	L
2/8	5-1/32"	7-15/16"	4-21/32"	35-15/16"	26-5/32"
2/10	5-1/32"	7-15/16"	4-21/32"	35-15/16"	26-5/32"
3/0	5-1/32"	7-15/16"	4-21/32"	35-15/16"	26-5/32"



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

8' Craftsman Lite 2 Panel

Daylight Opening:

2115 20-3/32" x 13-27/32" (278 sq.in.)

Notes:


For Optional Grille Locations, See Arch 1.

Impact Options Available.

Available in:

Smooth-Star

Width	Glass	A	B	C
2/8	2115	31-13/16"	4-23/32"	4-11/32"
2/10	2115	33-13/16"	5-23/32"	5-11/32"
3/0	2115	35-13/16"	6-23/32"	6-11/32"



8' 2 Panel Craftsman


Note:

Impact Options Available.

Available in:

Smooth-Star

Width	A	B
2/8	31-13/16"	4-23/32"
2/10	33-13/16"	5-23/32"
3/0	35-13/16"	6-23/32"



8' Craftsman Lite 2 Panel Shaker Flush-Glazed


Daylight Opening:
2216 21 11/16" x 15 7/16" (335 sq.in.)

Notes:
For Optional Grille Locations, See Arch 1.

Available in:
Smooth-Star

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions


Width	A	B
2/8	31-13/16"	4-29/32"
2/10	33-13/16"	5-29/32"
3/0	35-13/16"	6-29/32"



8' 2 Panel Craftsman Shaker

Available in:
Smooth-Star

Width	A	B
2/8	31-13/16"	4-29/32"
2/10	33-13/16"	5-29/32"
3/0	35-13/16"	6-29/32"




Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

8' 2 Panel Soft Arch

Note:
Impact Options Available.

Available in:
Smooth-Star

Width	A	B
2/8	31-13/16"	4-11/32"
2/10	33-13/16"	5-11/32"
3/0	35-13/16"	6-11/32"




8' 2 Panel Plank Soft Arch

Note:
Impact Options Available.

Available in:
Smooth-Star

Width	A	B
2/8	31-13/16"	4-11/32"
2/10	33-13/16"	5-11/32"
3/0	35-13/16"	6-11/32"




8' 2 Panel Square Top

Note:
Impact Options Available.

Available in:
Smooth-Star

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Width	A	B
2/8	31-13/16"	4-11/32"
2/10	33-13/16"	5-11/32"
3/0	35-13/16"	6-11/32"




8' 3 Panel

Note:
Impact Options Available.

Available in:
Fiber-Classic Oak
Smooth-Star

Width	A	B
2/8	31-13/16"	4-11/32"
2/10	33-13/16"	5-11/32"
3/0	35-13/16"	6-11/32"

8' 1 Panel Shaker




Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Available in:
Smooth Star

Width	A	B
2/8	31-13/16"	4-11/32"
2/10	33-13/16"	5-11/32"
3/0	35-13/16"	6-11/32"

Smooth Star			
Height	C	D	E
6/8	95-3/64"	5-7/16"	9-5/16"




8' 6 Panel

Note:
Impact Options Available.

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star

Width	A	B	C	D	E	F
2/6N*	29-13/16"	4-13/32"	8-13/16"	21"	39-1/2"	23-3/4"
2/8	31-13/16"	4-11/32"	9-1/8"	23-1/8"	35-15/16"	26-5/32"
2/10	33-13/16"	5-11/32"	9-1/8"	23-1/8"	35-15/16"	26-5/32"
3/0	35-13/16"	6-11/32"	9-1/8"	23-1/8"	35-15/16"	26-5/32"

*Only available in Smooth-Star.




8' 2 Panel Square Top Shaker

Available in:
Smooth Star

Width	A	B
2/8	31-13/16"	4-11/32"
2/10	33-13/16"	5-11/32"
3/0	35-13/16"	6-11/32"

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Smooth Star			
Height	C	D	E
6/8	95-3/64"	5-7/16"	9-5/16"




8' 6 Panel Flush

Available in:
Traditions

Width	A	B	C	D	E
2/6N	29-13/16"	4-5/16"	8-13/16"	21-5/32"	5-17/32"
2/8	31-13/16"	4-11/32"	9-1/8"	23-1/8"	5-7/16"
2/10	33-13/16"	5-11/32"	9-1/8"	23-1/8"	5-7/16"
3/0	35-13/16"	6-11/32"	9-1/8"	23-1/8"	5-7/16"

Width	F	G	H	J	K
2/6N	9-15/16"	4-5/16"	36-3/4"	23-1/16"	8-3/32"
2/8	7-3/16"	5"	35-15/16"	26-5/32"	8-3/16"
2/10	7-3/16"	5"	35-15/16"	26-5/32"	8-3/16"
3/0	7-3/16"	5"	35-15/16"	26-5/32"	8-3/16"

8' Flush Panel



Note:
Impact Options Available.


Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions

Width	A
2/0	23-13/16"
2/4	27-13/16"
2/6	29-13/16"
2/8	31-13/16"
2/10	33-13/16"
3/0	35-13/16"
3/6*	41-13/16"

*Only available in Smooth-Star.

This Space Intentionally Left Blank.

Ari 3-Lite



Daylight Opening


2115 Scroll	20- 1/16 X 13-13/16	(278 sq. in. per lite) (834 sq. in. total)
2115 Flat	19-15/16 X 13-11/16	(273 sq. in. per lite) (819 sq. in. total)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Profiles

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Width	Glass	A	B
2/8	2115	31-13/16"	4-11/32"
2/10	2115	33-13/16"	5-11/32"
3/0	2115	35-13/16"	6-11/32"
3/6◇	2115	41-13/16"	9-11/32"

◇Only available in Smooth-Star and Profiles.



Echo 3-Lite Top Center Cluster


Daylight Opening

0806 Scroll	6-15/16 X 4-15/16	(34 sq. in. per lite) (102 sq. in. total)
0806 Flat	6-13/16 X 4-13/16	(32 sq. in. per lite) (96 sq. in. total)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Profiles

Width	Glass	A	B
2/6	0806	29-13/16"	9-15/16"
2/8	0806	31-13/16"	10-15/16"
2/10	0806	33-13/16"	11-15/16"
3/0	0806	35-13/16"	12-15/16"
3/6*	0806	41-13/16"	15-15/16"

*Only available in Smooth-Star and Profiles.



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Echo 3-Lite Top Offset Cluster

Daylight Opening

0806 Scroll	6-15/16 X	4-15/16	(34 sq. in. per lite) (102 sq. in. total)
0806 Flat	6-13/16 X	4-13/16	(32 sq. in. per lite) (96 sq. in. total)


Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Profiles

Also available
offset right.



Width	Glass	A
2/6	0806	29-13/16"
2/8	0806	31-13/16"
2/10	0806	33-13/16"
3/0	0806	35-13/16"
3/6*	0806	41-13/16"

*Only available in Smooth-Star and Profiles.




Echo 3-Lite Sidelite Top Cluster

Daylight Opening

0806 Scroll	6-15/16 X	4-15/16	(34 sq. in. per lite) (102 sq. in. total)
0806 Flat	6-13/16 X	4-13/16	(32 sq. in. per lite) (96 sq. in. total)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions

Width	Glass	A	B
12"	0806	11-15/16"	1"
14"	0806	13-15/16"	2"



Echo 3-Lite Middle Center Cluster

Daylight Opening

0806 Scroll	6-15/16	X	4-15/16	(34 sq. in. per lite) (102 sq. in. total)
0806 Flat	6-13/16	X	4-13/16	(32 sq. in. per lite) (96 sq. in. total)


Available in:

Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Profiles

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Width	Glass	A	B
2/6	0806	29-13/16"	9-15/16"
2/8	0806	31-13/16"	10-15/16"
2/10	0806	33-13/16"	11-15/16"
3/0	0806	35-13/16"	12-15/16"
3/6*	0806	41-13/16"	15-15/16"

*Only available in Smooth-Star and Profiles.



Echo 3-Lite Middle Offset Cluster

Daylight Opening

0806 Scroll	6-15/16	X	4-15/16	(34 sq. in. per lite) (102 sq. in. total)
0806 Flat	6-13/16	X	4-13/16	(32 sq. in. per lite) (96 sq. in. total)

Available in:


Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Profiles

Also available
off set right.



Width	Glass	A
2/6	0806	29-13/16"
2/8	0806	31-13/16"
2/10	0806	33-13/16"
3/0	0806	35-13/16"
3/6*	0806	41-13/16"

*Only available in Smooth-Star and Profiles.



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions


Echo 3-Lite Sidelite Middle Cluster

Daylight Opening

0806 Scroll	6-15/16	X	4-15/16	(34 sq. in. per lite) (102 sq. in. total)
0806 Flat	6-13/16	X	4-13/16	(32 sq. in. per lite) (96 sq. in. total)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions

Width	Glass	A	B
12"	0806	12"	1-1/32"
14"	0806	14"	2-1/32"



Echo 4-Lite Centered


Daylight Opening

0806 Scroll	6-15/16	X	4-15/16	(34 sq. in. per lite) (136 sq. in. total)
0806 Flat	6-13/16	X	4-13/16	(32 sq. in. per lite) (128 sq. in. total)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Profiles

Width	Glass	A	B
2/6	0806	29-13/16"	10-1/32"
2/8	0806	31-13/16"	11-1/32"
2/10	0806	33-13/16"	12-1/32"
3/0	0806	35-13/16"	13-1/32"
3/6*	0806	41-13/16"	16-1/32"

*Only available in Smooth-Star and Profiles.



Echo 4-Lite Offset

Daylight Opening

0806 Scroll	6-15/16 X	4-15/16	(34 sq. in. per lite) (136 sq. in. total)
0806 Flat	6-13/16 X	4-13/16	(32 sq. in. per lite) (128 sq. in. total)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Profiles


Also available
offset right.



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Width	Glass	A
2/6	0806	29-13/16"
2/8	0806	31-13/16"
2/10	0806	33-13/16"
3/0	0806	35-13/16"
3/6*	0806	41-13/16"

*Only available in Smooth-Star and Profiles.




Echo 4-Lite Sidelite

Daylight Opening

0806 Scroll	6-15/16 X	4-15/16	(34 sq. in. per lite) (136 sq. in. total)
0806 Flat	6-13/16 X	4-13/16	(32 sq. in. per lite) (128 sq. in. total)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions

Width	Glass	A	B
12"	0806	12"	1-1/32"
14"	0806	14"	2-1/32"



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Echo 5-Lite Centered

Daylight Opening


0806 Scroll	6-15/16	X	4-15/16	(34 sq. in. per lite) (170 sq. in. total)
0806 Flat	6-13/16	X	4-13/16	(32 sq. in. per lite) (160 sq. in. total)

Available in:

Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Profiles

Width	Glass	A	B
2/6	0806	29-13/16"	9-31/32"
2/8	0806	31-13/16"	10-31/32"
2/10	0806	33-13/16"	11-31/32"
3/0	0806	35-13/16"	12-31/32"
3/6*	0806	41-13/16"	15-31/32"

*Only available in Smooth-Star and Profiles.



Echo 5-Lite Offset

Daylight Opening

0806 Scroll	6-15/16	X	4-15/16	(34 sq. in. per lite) (170 sq. in. total)
0806 Flat	6-13/16	X	4-13/16	(32 sq. in. per lite) (160 sq. in. total)

Available in:


Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Profiles

Also available
offset right.



Width	Glass	A
2/6	0806	29-13/16"
2/8	0806	31-13/16"
2/10	0806	33-13/16"
3/0	0806	35-13/16"
3/6*	0806	41-13/16"

*Only available in Smooth-Star and Profiles.



Echo 5-Lite Sidelite
Daylight Opening

0806 Scroll	6-15/16	X	4-15/16	(34 sq. in. per lite) (170 sq. in. total)
0806 Flat	6-13/16	X	4-13/16	(32 sq. in. per lite) (160 sq. in. total)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Width	Glass	A	B
12"	0806	12"	1-1/32"
14"	0806	14"	2-1/32"


Linea Centered
Daylight Opening


0764 Scroll	5-15/16	X	62-15/16	(372 sq. in. per lite) (372 sq. in. total)
0764 Flat	5-13/16	X	62-13/16	(364 sq. in. per lite) (364 sq. in. total)
0764 Impact	5-13/16	X	62-13/16	(364 sq. in. per lite) (364 sq. in. total)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Profiles

Notes:
Impact Options Available.

Width	Glass	A	B
2/6	0764	29-13/16"	10-1/2"
2/8	0764	31-13/16"	11-1/2"
2/10	0764	33-13/16"	12-1/2"
3/0	0764	35-13/16"	13-1/2"
3/6*	0764	41-13/16"	16-1/2"

*Only available in Smooth-Star and Profiles.



Linea Offset

Daylight Opening			
0764 Scroll	5-15/16	X 62-15/16	(372 sq. in. per lite) (372 sq. in. total)
0764 Flat	5-13/16	X 62-13/16	(364 sq. in. per lite) (364 sq. in. total)
0764 Impact	5-13/16	X 62-13/16	(364 sq. in. per lite) (364 sq. in. total)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Profiles


Notes:
Impact Options Available. Also available
offset right.



Width	Glass	A
2/6	0764	29-13/16"
2/8	0764	31-13/16"
2/10	0764	33-13/16"
3/0	0764	35-13/16"
3/6*	0764	41-13/16"

*Only available in Smooth-Star and Profiles.

This Space Intentionally Left Blank.



8' Echo 4-Lite Centered

Daylight Opening


0806 Scroll	6-15/16	X	4-15/16	(34 sq. in. per lite) (136 sq. in. total)
0806 Flat	6-13/16	X	4-13/16	(32 sq. in. per lite) (128 sq. in. total)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Width	Glass	A	B
2/6	0806	29-13/16"	9-15/16"
2/8	0806	31-13/16"	10-15/16"
2/10	0806	33-13/16"	11-15/16"
3/0	0806	35-13/16"	12-15/16"
3/6*	0806	41-13/16"	15-15/16"

*Only available in Smooth-Star.



8' Echo 4-Lite Offset


Daylight Opening

0806 Scroll	6-15/16	X	4-15/16	(34 sq. in. per lite) (136 sq. in. total)
0806 Flat	6-13/16	X	4-13/16	(32 sq. in. per lite) (128 sq. in. total)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions

Width	Glass	A
2/6	0806	29-13/16"
2/8	0806	31-13/16"
2/10	0806	33-13/16"
3/0	0806	35-13/16"
3/6*	0806	41-13/16"

*Only available in Smooth-Star.




8' Echo 4-Lite Sidelite

Daylight Opening

0806 Scroll	6-15/16	X	4-15/16	(34 sq. in. per lite) (136 sq. in. total)
0806 Flat	6-13/16	X	4-13/16	(32 sq. in. per lite) (128 sq. in. total)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions

Width	Glass	A	B
12"	0806	12"	1-1/32"
14"	0806	14"	2-1/32"



8' Echo 4-Lite Top Center Cluster


Daylight Opening

0806 Scroll	6-15/16	X	4-15/16	(34 sq. in. per lite) (136 sq. in. total)
0806 Flat	6-13/16	X	4-13/16	(32 sq. in. per lite) (128 sq. in. total)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions

Width	Glass	A	B
2/6	0806	29-13/16"	9-15/16"
2/8	0806	31-13/16"	10-15/16"
2/10	0806	33-13/16"	11-15/16"
3/0	0806	35-13/16"	12-15/16"
3/6*	0806	41-13/16"	15-15/16"

*Only available in Smooth-Star.




8' Echo 4-Lite Top Offset Cluster

Daylight Opening

0806 Scroll	6-15/16	X	4-15/16	(34 sq. in. per lite) (136 sq. in. total)
0806 Flat	6-13/16	X	4-13/16	(32 sq. in. per lite) (128 sq. in. total)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions


Also available
offset right.



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Width	Glass	A
2/6	0806	29-13/16"
2/8	0806	31-13/16"
2/10	0806	33-13/16"
3/0	0806	35-13/16"
3/6*	0806	41-13/16"

*Only available in Smooth-Star.




8' Echo 4-Lite Sidelite Top Cluster

Daylight Opening

0806 Scroll	6-15/16	X	4-15/16	(34 sq. in. per lite) (136 sq. in. total)
0806 Flat	6-13/16	X	4-13/16	(32 sq. in. per lite) (128 sq. in. total)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions

Width	Glass	A	B
12"	0806	12"	1-1/32"
14"	0806	14"	2-1/32"



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

8' Echo 4-Lite Middle Center Cluster

Daylight Opening


0806 Scroll	6-15/16	X	4-15/16	(34 sq. in. per lite) (136 sq. in. total)
0806 Flat	6-13/16	X	4-13/16	(32 sq. in. per lite) (128 sq. in. total)

Available in:

Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions

Width	Glass	A	B
2/6	0806	29-13/16"	9-15/16"
2/8	0806	31-13/16"	10-15/16"
2/10	0806	33-13/16"	11-15/16"
3/0	0806	35-13/16"	12-15/16"
3/6*	0806	41-13/16"	15-15/16"

*Only available in Smooth-Star.



8' Echo 4-Lite Middle Offset Cluster

Daylight Opening

0806 Scroll	6-15/16	X	4-15/16	(34 sq. in. per lite) (136 sq. in. total)
0806 Flat	6-13/16	X	4-13/16	(32 sq. in. per lite) (128 sq. in. total)

Available in:


Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions

Also available
offset right.



Width	Glass	A
2/6	0806	29-13/16"
2/8	0806	31-13/16"
2/10	0806	33-13/16"
3/0	0806	35-13/16"
3/6*	0806	41-13/16"

*Only available in Smooth-Star.



8' Echo 4-Lite Sidelite Middle Cluster

Daylight Opening


0806 Scroll	6-15/16 X	4-15/16	(34 sq. in. per lite) (136 sq. in. total)
0806 Flat	6-13/16 X	4-13/16	(32 sq. in. per lite) (128 sq. in. total)

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Available in:

Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions

Width	Glass	A	B
12"	0806	12"	1-1/32"
14"	0806	14"	2-1/32"



8' Echo 5-Lite Centered

Daylight Opening


0806 Scroll	6-15/16 X	4-15/16	(34 sq. in. per lite) (170 sq. in. total)
0806 Flat	6-13/16 X	4-13/16	(32 sq. in. per lite) (160 sq. in. total)

Available in:

Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions

Width	Glass	A	B
2/6	0806	29-13/16"	9-29/32"
2/8	0806	31-13/16"	10-29/32"
2/10	0806	33-13/16"	11-29/32"
3/0	0806	35-13/16"	12-29/32"
3/6*	0806	41-13/16"	15-29/32"

*Only available in Smooth-Star.



Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions


8' Echo 5-Lite Offset

Daylight Opening

0806 Scroll	6-15/16 X	4-15/16	(34 sq. in. per lite) (170 sq. in. total)
0806 Flat	6-13/16 X	4-13/16	(32 sq. in. per lite) (160 sq. in. total)


Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions

Also available
offset right.



Width	Glass	A
2/6	0806	29-13/16"
2/8	0806	31-13/16"
2/10	0806	33-13/16"
3/0	0806	35-13/16"
3/6*	0806	41-13/16"

*Only available in Smooth-Star.




8' Echo 5-Lite Sidelite

Daylight Opening

0806 Scroll	6-15/16 X	4-15/16	(34 sq. in. per lite) (170 sq. in. total)
0806 Flat	6-13/16 X	4-13/16	(32 sq. in. per lite) (160 sq. in. total)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions

Width	Glass	A	B
12"	0806	12"	1-1/32"
14"	0806	14"	2-1/32"



8' Echo 6-Lite Centered

Daylight Opening


0806 Scroll	6-15/16 X	4-15/16	(34 sq. in. per lite) (204 sq. in. total)
0806 Flat	6-13/16 X	4-13/16	(32 sq. in. per lite) (192 sq. in. total)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions

Width	Glass	A	B
2/6	0806	29-13/16"	9-29/32"
2/8	0806	31-13/16"	10-29/32"
2/10	0806	33-13/16"	11-29/32"
3/0	0806	35-13/16"	12-29/32"
3/6*	0806	41-13/16"	15-29/32"

*Only available in Smooth-Star.




8' Echo 6-Lite Offset

Daylight Opening

0806 Scroll	6-15/16 X	4-15/16	(34 sq. in. per lite) (204 sq. in. total)
0806 Flat	6-13/16 X	4-13/16	(32 sq. in. per lite) (192 sq. in. total)


Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions

Also available
offset right.



Width	Glass	A
2/6	0806	29-13/16"
2/8	0806	31-13/16"
2/10	0806	33-13/16"
3/0	0806	35-13/16"
3/6*	0806	41-13/16"

*Only available in Smooth-Star.




8' Echo 6-Lite Sidelite

Daylight Opening

0806 Scroll	6-15/16	X	4-15/16	(34 sq. in. per lite) (204 sq. in. total)
0806 Flat	6-13/16	X	4-13/16	(32 sq. in. per lite) (192 sq. in. total)

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions

Width	Glass	A	B
12"	0806	12"	1-1/32"
14"	0806	14"	2-1/32"



8' Linea Centered

Daylight Opening


0780 Scroll	6-14/16	X	79- 1/16	(544 sq. in. per lite) (544 sq. in. total)
0780 Flat	6-11/16	X	78-14/16	(526 sq. in. per lite) (526 sq. in. total)
0780 Impact	6-10/16	X	78-13/16	(521 sq. in. per lite) (521 sq. in. total)

Notes:
Impact Options Available.

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions

Width	Glass	A	B
2/6	0780	29-13/16"	9-31/32"
2/8	0780	31-13/16"	10-31/32"
2/10	0780	33-13/16"	11-31/32"
3/0	0780	35-13/16"	12-31/32"
3/6*	0780	41-13/16"	15-31/32"

*Only available in Smooth-Star.



8' Linea Offset
Daylight Opening

0780 Scroll	6-14/16 X 79- 1/16	(544 sq. in. per lite) (544 sq. in. total)
0780 Flat	6-11/16 X 78-14/16	(526 sq. in. per lite) (526 sq. in. total)
0780 Impact	6-10/16 X 78-13/16	(521 sq. in. per lite) (521 sq. in. total)

Notes:
Impact Options Available.

Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions


Also available
offset right.



Width	Glass	A
2/6	0780	29-13/16"
2/8	0780	31-13/16"
2/10	0780	33-13/16"
3/0	0780	35-13/16"
3/6*	0780	41-13/16"

*Only available in Smooth-Star.

Fiber-Classic/
Smooth-Star/
Steel Panel
Dimensions


8' Ari 4-Lite
Daylight Opening

2115 Scroll	20- 1/16 X 13-13/16	(278 sq. in. per lite) (1112 sq. in. total)
2115 Flat	19-15/16 X 13-11/16	(273 sq. in. per lite) (1092 sq. in. total)


Available in:
Fiber-Classic Oak
Fiber-Classic Mahogany
Smooth-Star
Traditions

Width	Glass	A	B
2/8	2115	31-13/16"	4-11/32"
2/10	2115	33-13/16"	5-11/32"
3/0	2115	35-13/16"	6-11/32"
3/6*	2115	41-13/16"	9-11/32"


*Only available in Smooth-Star.

Classic-Craft Lite Frames & Panels	5.3
Classic-Craft Wrought Iron Lite Frames.....	5.6
Fiber-Classic, Smooth-Star, & Steel Lite Frames & Panels	5.7
Impact Lite Frames.....	5.13
Classic-Craft Glass Sandwich Thickness	5.17
Fiber-Classic Glass Sandwich Thicknesses.....	5.18
Smooth-Star & Steel Glass Sandwich Thicknesses.....	5.19
Transom Glass Sandwich Thicknesses	5.20
Impact Lite Glass Sandwich Thicknesses	5.21
Classic-Craft Doorlite Glass Sizes.....	5.22
Fiber-Classic, Smooth-Star & Steel Doorlite Glass Sizes.....	5.24
Impact Doorlite Glass Sizes	5.26

Lite Frames /
Glass Specs




Frame Profile



2566


Rustic/Canvas
Mahogany
Oak



2551A


Rustic/Canvas
Mahogany

Lite Frames /
Glass Specs



3151

Rustic/Canvas




2551

Rustic/Canvas
Mahogany
Oak


Continued from previous page

Lite Frames /
Glass Specs




2542

Rustic/Canvas




734

Oak




743SL

Oak




1538V

Mahogany




2535

Oak
Mahogany
Rustic/Canvas




2135

Oak




- SMC
- Stainable
- Paintable

Frame Profile




1008

Oak



Frame Profile


- SMC
- Stainable
- Paintable



1656V


Oak

Lite Frames /
Glass Specs



1042R


Oak
Mahogany




1538V

Oak

Decorative Raised Panels




Frame Profile




**DP300CCM
& DP300CC**


Oak/Mahogany




Frame Profile




2566
Wrought Iron




2551A
Wrought Iron




3151A
Wrought Iron




3151
Wrought Iron




2551
Wrought Iron




2542
Wrought Iron












2542A
Wrought Iron




Frame Profile




Lite Frames /
Glass Specs







Frame Profile





Fiber-Classic
Smooth-Star/Steel




Fiber-Classic
Smooth-Star/Steel




Frame Profile



Frame Profile




Frame Profile




1664

Fiber-Classic
Smooth-Star/Steel

Lite Frames /
Glass Specs




Frame Profile




2115

Smooth-Star/Steel




Frame Profile




2206C

Smooth-Star/Steel




Frame Profile




2227

Fiber-Classic
Smooth-Star/Steel
1/2" Only




Frame Profile




2115

Fiber-Classic
Smooth-Star/Steel




0780

Fiber-Classic
Smooth-Star/Steel



0780


Fiber-Classic
Smooth-Star/Steel




0764

Fiber-Classic
Smooth-Star/Steel

Lite Frames /
Glass Specs




Frame Profile




636

Smooth-Star/Steel




1464

Smooth-Star/Steel




8040

Smooth-Star/Steel




1480

Smooth-Star/Steel




- Aluminum
- Stainable
- Paintable



2115


Impact

Frame Profile




0836H

Impact




2236H

Impact




0847H

Impact




2247H

Impact




0764H

Impact




1464H

Impact



2064H

Impact




2264H

Impact


Lite Frames /
Glass Specs

Continued from previous page


Lite Frames /
Glass Specs




0780H
Impact




2080H
Impact




2280H
Impact



1480H
Impact




Frame Profile




0836VBRH

Impact




2236VBRH

Impact




0846VBRH

Impact




2247VBRH

Impact




0764VBRH

Impact




1664VBRH

Impact



2064VBRH

Impact



2264VBRH


Impact

Lite Frames /
Glass Specs

Impact BBG Lite Frames


Continued from previous page

Lite Frames /
Glass Specs




0880VBRH

Impact



2080VBRH


Impact



2280VBRH

Impact


Classic Craft Framed IG's



NOTE: All Classic Craft Framed IG's are 1" thick with the exception of the following:
DLCCO-1008-CE ($\frac{3}{4}$ " thick)


Lite Frames /
Glass Specs

Classic Craft Flush Glazed IG's



NOTE: All Classic Craft Flush Glazed IG's are $\frac{3}{4}$ " thick with no exceptions

Fiber Classic Mahogany and Oak Framed IG's




1" Glass Sandwich

All camed decorative framed IG's are 1" thick.

Note: All clear, non-camed decorative, and GBG framed IG's are 1" thick in the following glass sizes.

7-13/16 X 80
20 X 56
22 X 47
8 X 47
8 X 44
8 X 42
16 X 40
21 X 15




1/2" Glass Sandwich

All clear and non-camed decorative framed IG's are 1/2" thick in the following glass sizes.

GBG IG's are 9/16" thick in the following glass sizes.

22 X 80
20 X 80
14 X 80
22 X 64
20 X 64
16 X 64
14 X 64
7 X 64
22 X 36
20 X 36
8 X 36
10 X 12
22 X 10
22 X 8
22 X 6


Fiber Classic Oak Flush Glazed IG's



5/8" Glass Sandwich

Note: All Fiber Classic Flush Glazed IG's are 5/8" thick with no exceptions

Smooth Star & Steel Framed IG's




All camed decorative framed IG's are 1" thick.

Note: All clear, non-camed decorative, and GBG framed IG's are 1" thick in the following glass sizes.

7-13/16 X 80
20 X 56
22 X 47
8 X 47
8 X 44
8 X 42
16 X 40
21 X 15

Lite Frames /
Glass Specs




All clear and non-camed decorative framed IG's are 1/2" thick in the following glass sizes.

GBG IG's are 9/16" thick in the following glass sizes.

22 X 80
20 X 80
14 X 80
22 X 64
20 X 64
16 X 64
14 X 64
7 X 64
22 X 36
20 X 36
8 X 36
10 X 12
22 X 10
22 X 8
22 X 6


Smooth Star Flush Glazed IG's



Note: All Flush Glazed IG's are 5/8" thick with the exceptions of the following glass sizes:

8 X 47 (3/4" thick)
7 X 64 (3/4" thick)
8 X 16 (3/4" thick)
23 X 16 (3/4" thick)

Transom Clear & Low-E IG's




Note: All Clear & Low-E Transom IG's are $1/2''$ thick with the exceptions of the following.

All GBG IG's are $9/16''$ thick with no exceptions.


Lite Frames /
Glass Specs

Transom Decorative IG's



Note: All Decorative Transom IG's are $1''$ thick with no exceptions.


Impact & Noise Reduction IG's



Note: All Impact & Noise Reduction IG's are 1" thick, except Impact Mini Blind IG's.


Lite Frames /
Glass Specs

Impact Mini Blind IG's



Note: All Impact Mini Blind IG's are 1 1/4" thick, with no exceptions.


Mini Blind IG's




Note: All Mini Blind IG's are 1 " thick, except Impact Mini Blind IG's.

Classic-Craft Doorlite Glass Sizes


Lite Frames /
Glass Specs




1042




0842




2542




2542A




1042R




1008






2535






2135



1538V




Lite Frames /
Glass Specs




Fiber-Classic, Smooth-Star & Steel Doorlite Glass Sizes


THERMA TRU®
DOORS




0842




0847




2210A




2115




2227




0636




0836




2210R




2036




2236




0764




1464




1664




2064




2264




0806



2206




1640V




2247


Lite Frames /
Glass Specs




0780



1480




2080




2280


Impact Doorlite Glass Sizes

Lite Frames /
Glass Specs






Lite Frames /
Glass Specs




Wood Jamb Profiles	6.3
Composite Jamb Profiles	6.4
Head Jambs - Arch & Radius.....	6.5
Head Jambs - Standard.....	6.6
Head Jambs - Single with 1 Sidelite and Double Doors	6.7
Head Jambs - Triple and Single with 2 Sidelites	6.8
Head Jambs - French Continuous with 2 Sidelites	6.9
Head Jambs - Continuous with 2 Venting Sidelites	6.10
Head Jambs - Spread Mullion	6.11
Head Jambs - French Multipoint.....	6.12
Head Jambs - French Multipoint with 2 Venting Sidelites	6.13
Side Jambs.....	6.14
Side Jambs - Hinge Mortise.....	6.15
Side Jambs - Lock Mortise	6.17
Side Jambs - MPLS	6.18
Wood Mullion Profiles	6.21
Composite Mullion Profiles	6.22
Mullions - Entry & Patio	6.23
Mullions - Spread.....	6.24
Mullions - Hinge Mortise	6.25
Mullions - Lock Mortise.....	6.26
Mullions - MPLS.....	6.27
Astragals	6.31
Brickmould.....	6.36
Door Surrounds	6.41
Cove Molding & Head Seal Pad.....	6.43
Mull Casing	6.44
Storm Door Adaptors	6.45
Patio Screen Track Components	6.46
Direct Set Sidelite	6.47
Standard Adjusta-Fit® 2 - Inswing	6.48
Standard Adjusta-Fit® 2 - Public Access - Inswing/Outswing	6.49
Standard Adjusta-Fit® 2 - No Sill	6.50
Adjusta-Fit® 2 Frame Shop Package.....	6.51
Adjusta-Fit® 2 Frame Field Package	6.52


Frame Parts
& Packages




4-9/16" Jambs



5-1/4" Jambs




6-9/16" Jambs




**6-9/16" Patio Jambs
(for sliding screens)**


Frame Parts
& Packages




4-1/8" Jamb




4-9/16" Jamb





5-1/4" Jamb



6-9/16" Jamb




7-1/4" Jamb

Head Jamb - Arch and Radius


Frame Parts
& Packages

UNIT SIZE	LENGTH "A"	RADIUS "B"	HEIGHT "C"
3/0 RADIUS	34.972"	17.486"	19.736"
3/6 RADIUS	40.968"	20.484"	22.734"
3/0 ARCH	36.000"	28.486"	7.247"
3/6 ARCH	42.000"	39.751"	6.934"


Head Jamb - Standard



Frame Parts
& Packages

UNIT SIZE	LENGTH "A"
10" SIDELITE	10.000
12" SIDELITE	12.000
14" SIDELITE	14.000
2/0 DOOR	24.000
2/4 DOOR	28.000
2/6 DOOR	30.000
2/8 DOOR	32.000
2/10 DOOR	34.000
3/0 DOOR	36.000
3/6 DOOR	42.000
4/0 FRENCH 7/8" ASTRAGAL	48.718
4/8 FRENCH 7/8" ASTRAGAL	56.718
5/0 FRENCH 7/8" ASTRAGAL	60.718
5/4 FRENCH 7/8" ASTRAGAL	64.718
5/8 FRENCH 7/8" ASTRAGAL	68.718
6/0 FRENCH 7/8" ASTRAGAL	72.718
7/0 FRENCH 7/8" ASTRAGAL	84.718

Head Jamb - Single with 1 Sidelite and Double Doors



Frame Parts
& Packages



SINGLE WITH 1 SIDELITE				
UNIT DESCRIPTION	STANDARD MULLION	WIDE MULLION	STANDARD AND WIDE MULLION	
	A	A	B	C
2/4 L(R) WI-10" SL	39.000	39.500	9.490	27.490
2/4 L(R) WI-12" SL	41.000	41.500	11.490	
2/4 L(R) WI-14" SL	43.000	43.500	13.490	
2/6 L(R) WI-10" SL	41.000	41.500	9.490	29.490
2/6 L(R) WI-12" SL	43.000	43.500	11.490	
2/6 L(R) WI-14" SL	45.000	45.500	13.490	
2/8 L(R) WI-10" SL	43.000	43.500	9.490	31.490
2/8 L(R) WI-12" SL	45.000	45.500	11.490	
2/8 L(R) WI-14" SL	47.000	47.500	13.490	
2/10 L(R) WI-10" SL	45.000	45.500	9.490	33.490
2/10 L(R) WI-12" SL	47.000	47.500	11.490	
2/10 L(R) WI-14" SL	49.000	49.500	13.490	
3/0 L(R) WI-10" SL	47.000	47.500	9.490	35.490
3/0 L(R) WI-12" SL	49.000	49.500	11.490	
3/0 L(R) WI-14" SL	51.000	51.500	13.490	
3/6 L(R) WI-10" SL	53.000	53.500	9.490	41.490
3/6 L(R) WI-12" SL	55.000	55.500	11.490	
3/6 L(R) WI-14" SL	57.000	57.500	13.490	

DOUBLE MACHINING SPECIFICATIONS				
	STANDARD MULLION	WIDE MULLION	STANDARD AND WIDE MULLION	
	A	A	B	C
4/8 DOUBLE	57.000	57.500	27.490	27.490
5/0 DOUBLE	61.000	61.500	29.490	29.490
5/4 DOUBLE	65.000	65.500	31.490	31.490
5/8 DOUBLE	69.000	69.500	33.490	33.490
6/0 DOUBLE	73.000	73.500	35.490	35.490


Head Jambs

Triple and Single with 2 Sidelites

Head Jamb - Triple and Single with 2 Sidelites



STANDARD MULLION



WIDE MULLION



Frame Parts
& Packages

TRIPLE AND SINGLE WITH 2 SIDELITES				
UNIT DESCRIPTION	STANDARD MULLION	WIDE MULLION	STANDARD AND WIDE MULLION	
	A	A	B	C
7/0 TRIPLE	86.000	87.000	27.490	26.980
7/6 TRIPLE	92.000	93.000	29.490	28.980
8/0 TRIPLE	98.000	99.000	31.490	30.980
8/6 TRIPLE	104.000	105.000	33.490	32.980
9/0 TRIPLE	110.000	111.000	35.490	34.980
2/4 W/2-10" SL	50.000	51.000	9.490	26.980
2/4 W/2-12" SL	54.000	55.000	11.490	
2/4 W/2-14" SL	58.000	59.000	13.490	
2/6 W/2-10" SL	52.000	53.000	9.490	28.980
2/6 W/2-12" SL	56.000	57.000	11.490	
2/6 W/2-14" SL	60.000	61.000	13.490	
2/8 W/2-10" SL	54.000	55.000	9.490	30.980
2/8 W/2-12" SL	58.000	59.000	11.490	
2/8 W/2-14" SL	62.000	63.000	13.490	
2/10 W/2-10" SL	56.000	57.000	9.490	32.980
2/10 W/2-12" SL	60.000	61.000	11.490	
2/10 W/2-14" SL	64.000	65.000	13.490	
3/0 W/2-10" SL	58.000	59.000	9.490	34.980
3/0 W/2-12" SL	62.000	63.000	11.490	
3/0 W/2-14" SL	66.000	67.000	13.490	
3/6 W/2-10" SL	64.000	65.000	9.490	40.980
3/6 W/2-12" SL	68.000	69.000	11.490	
3/6 W/2-14" SL	72.000	73.000	13.490	

Head Jambs

Continuous with 2 Venting Sidelites

Head Jamb - Continuous with 2 Venting Sidelites




WIDE MULLION


Frame Parts
& Packages

SINGLE/FRENCH - VENTING SIDELITE (REQUIRES WIDE MULLION)			
UNIT DESCRIPTION	A	B	C
3/0 SINGLE W/2-12" VENTING SL	63.408	11.677	35.014
3/0 SINGLE W/2-14" VENTING SL	67.408	13.677	
5/8 FRENCH 7/8 AST W/2-12" VENTING SL	96.126	11.677	67.732
5/8 FRENCH 7/8 AST W/2-14" VENTING SL	100.126	13.677	
6/0 FRENCH 7/8 AST W/2-12" VENTING SL	100.126	11.677	71.732
6/0 FRENCH 7/8 AST W/2-14" VENTING SL	104.126	13.677	

Head Jamb - Spread Mullion




SPREAD MULLION															
			LENGTH "A"												
UNIT SIZE	"B"	"C"	S000	S025	S050	S075	S100	S125	S150	S175	S200	S225	S250	S275	S300
3/0 W/ 2-10" SIDELITES	9.490	34.980	59.000	59.500	60.000	60.500	61.000	61.500	62.000	62.500	63.000	63.500	64.000	64.500	65.000
3/0 W/ 2-12" SIDELITES	11.490		63.000	63.500	64.000	64.500	65.000	65.500	66.000	66.500	67.000	67.500	68.000	68.500	69.000
3/0 W/ 2-14" SIDELITES	13.490		67.000	67.500	68.000	68.500	69.000	69.500	70.000	70.500	71.000	71.500	72.000	72.500	73.000



Frame Parts
& Packages

SPREAD MULLION															
			LENGTH "A"												
UNIT SIZE	"B"	"C"	S000	S025	S050	S075	S100	S125	S150	S175	S200	S225	S250	S275	S300
3/0 W/ 1-10" SIDELITE	9.490	35.490	47.500	47.750	48.000	48.250	48.500	48.750	49.000	49.250	49.500	49.750	50.000	50.250	50.500
3/0 W/ 1-12" SIDELITE	11.490		49.500	49.750	50.000	50.250	50.500	50.750	51.000	51.250	51.500	51.750	52.000	52.250	52.500
3/0 W/ 1-14" SIDELITE	13.490		51.500	51.750	52.000	52.250	52.500	52.750	53.000	53.250	53.500	53.750	54.000	54.250	54.500




SPREAD MULLION

WIDTH "M" - FULL / SPREAD MULLION												
S000	S025	S050	S075	S100	S125	S150	S175	S200	S225	S250	S275	S300
2.520	2.770	3.020	3.270	3.520	3.770	4.020	4.270	4.520	4.770	5.020	5.270	5.520


Head Jamb - French Multipoint

Head Jamb Machining French 7/8" Astragals




NOTE: For Multipoint Lock Shootbolt System with Astragals.



Strike



Impact Strike




FRENCH MULTI-POINT 7/8" ASTRAGAL SYSTEM		
UNIT SIZE	A	B
4/0 FRENCH 7/8 ASTRAGAL	48.718	21.583
4/8 FRENCH 7/8 ASTRAGAL	56.718	25.583
5/0 FRENCH 7/8 ASTRAGAL	60.718	27.583
5/4 FRENCH 7/8 ASTRAGAL	64.718	29.583
5/8 FRENCH 7/8 ASTRAGAL	68.718	31.583
6/0 FRENCH 7/8 ASTRAGAL	72.718	33.583
7/0 FRENCH 7/8 ASTRAGAL	84.718	39.583

Head Jamb - French Multipoint

Head Jamb Machining French with Venting Sidelites

NOTE: For Multipoint Lock Shootbolt System with Astragals.





Frame Parts
& Packages

FRENCH MULTI-POINT WITH 2 VENTING SIDELITES (REQUIRES WIDE MULLION)				
UNIT SIZE	A	B	C	G
5/8 FR. 7/8 AST. W/2 12" VENTING SL	96.126	11.677	67.732	31.106
5/8 FR. 7/8 AST. W/2 14" VENTING SL	100.126	13.677		
6/0 FR. 7/8 AST. W/2 12" VENTING SL	104.126	11.677	71.732	33.106
6/0 FR. 7/8 AST. W/2 14" VENTING SL	104.126	13.677		

Side Jamb


Jamb Width

Two common jamb widths are shown.










INSWING SILL MACHINING

UNIT SIZE	LENGTH "A"	HEAD GAIN "B"
6/6	79.280	1.250
6/8	81.625	1.250
7/0	85.625	1.250
8/0	97.625	1.250
6/8 3/0 ARCH	75.948	1.570
6/8 3/6 ARCH	76.182	1.491
8/0 3/0 ARCH	91.948	1.570
8/0 3/6 ARCH	92.182	1.491
6/8 3/0 RADIUS	61.889	SEE FIGURE BELOW
6/8 3/6 RADIUS	58.889	
8/0 3/0 RADIUS	77.889	
8/0 3/6 RADIUS	74.889	



Side Jamb - Hinge Mortise
Square Top Doors.

JAMB HINGE MORTISE LOCATIONS					
	UNIT SIZE	HINGE 1	HINGE 2	HINGE 3	HINGE 4
STANDARD HINGE	6/6	9.125	38.875	68.625	N/A
	6/8				
	7/0		40.875	72.625	
	8/0		34.125	59.625	
ADJUSTABLE HINGE	6/6	9.400	38.650	67.900	N/A
	6/8				
	7/0				
	8/0		6.306	31.806	

Hinge Mortises

Standard Hinge

**Wood Jamb
Adjustable Hinge**

**Therma-Tru Composite
Jamb Adjustable Hinge**


Frame Parts
& Packages


Side Jamb - Hinge Mortise

Arch & Radius Top Doors.



	HINGE MORTISE LOCATIONS					
	UNIT HEIGHT	UNIT WIDTH	HINGE 1	HINGE 2	HINGE 3	HINGE 4
ARCH	6/8	3/0 or 3/6	9.860	37.297	64.735	N/A
	8/0		10.985	34.235	57.485	80.735
RADIUS	6/8	3/0	9.860	32.985	56.110	N/A
		3/6	8.860	30.985	53.110	
	8/0	3/0	10.985	31.360	51.735	72.110
		3/6		30.360	49.735	69.110

Frame Parts
& Packages

Hinge Mortises




Standard Hinge



Side Jamb - Lock Mortise


THIS PAGE APPLIES ONLY TO:
Single Units




STANDARD SIDE JAMBS	
UNIT SIZE	STRIKE
6/6	44.844
6/8	
7/0	48.844
8/0	60.844


COMMON DOUBLE BORE (DEADBOLT) SPACING	
DESCRIPTION	SPACING
5 1/2" ON CENTER	5.500
12" ON CENTER	12.000

ARCH & RADIUS SIDE JAMBS			
	UNIT HEIGHT	UNIT WIDTH	STRIKE
ARCH	6/8	3/0	39.167
		3/6	39.401
	8/0	3/0	55.167
		3/6	55.401
RADIUS	6/8	3/0	25.108
		3/6	22.110
	8/0	3/0	41.108
		3/6	38.110

Frame Parts
& Packages

Lock Mortises



LATCH MACHINING



OPTIONAL DEADBOLT MACHINING


Lever-Style Multi-Point Lock Jambs (Captured Strike)

Lock Mortises



JAMB MPLS LEVER STYLE LOCK MACHINING				
	UNIT SIZE	STRIKE	TONGUE 1	TONGUE 2
CAPTURED STRIKE	6/6	40.851	12.585	68.254
	6/8	40.648	12.382	68.051
	7/0	44.648	16.382	72.051
	8/0	56.648	10.664	84.051

Lever-Style Multi-Point Lock Jambs (Lip Strike)
Lock Mortises




Frame Parts
& Packages

JAMB MPLS LEVER STYLE LOCK MACHINING				
	UNIT SIZE	STRIKE	TONGUE 1	TONGUE 2
LIP STRIKE	6/6	40.851	12.614	68.283
	6/8	40.648	12.411	68.080
	7/0	44.648	16.411	72.080
	8/0	56.648	10.693	84.080


Grip-Style Multi-Point Lock Jambs

Lock Mortises




JAMB MPLS GRIP STYLE LOCK MACHINING			
UNIT SIZE	STRIKE	TONGUE 1	TONGUE 2
6/8	38.539	12.082	67.752
7/0	42.539	16.082	71.752
8/0	54.539	10.372	83.752

Mullions - Wood Profile





Frame Parts
& Packages


Sill End Details





Mullions - Composite Profile




Composite
Standard & Wide Mullion




Patio Standard & Wide Mullion
(Must be used with all screen applications)



Sill End Details




Composite Outswing Sill
(Patio Mullion Must Be Used)




Composite/Hardwood
Inswing Adjustable Sill
(Entry Mullion Shown)

Entry Mullion



ENTRY MULLION		
	UNIT SIZE	LENGTH "A"
IN SWING	6/6	77.671
	6/8	80.016
	7/0	84.016
	8/0	96.016
OUT SWING	6/6	USE PATIO MULLION
	6/8	
	7/0	
	8/0	


Patio Mullion




PATIO MULLION		
	UNIT SIZE	LENGTH "A"
IN SWING	6/6	77.671
	6/8	80.016
	7/0	84.016
	8/0	96.016
OUT SWING	6/6	77.128
	6/8	79.473
	7/0	83.473
	8/0	95.473

Frame Parts
& Packages


Spread Mullion



INSWING
HEAD/SILL GAIN



INSWING SILL/SILL GAIN
LEFT RAW CUTDOWN



INSWING SILL/SILL GAIN
RIGHT RAW CUTDOWN

Frame Parts
& Packages

WOOD SPREAD MULLION - HEAD AND SILL GAIN				
UNIT SIZE	LENGTH "A"	"B"		
		4-9/16"	5-1/4"	6-9/16"
6/6	77.291	77.834	77.906	78.044
6/8	79.636	80.179	80.251	80.389
7/0	83.636	84.179	84.251	84.389
8/0	95.636	96.179	96.251	96.389

COMPOSITE SPREAD MULLION - HEAD AND SILL GAIN						
UNIT SIZE	LENGTH "A"		"B"			
			4-1/8"	4-9/16"	5-1/4"	6-9/16"
6/6	77.291	77.788	77.834	77.906	78.044	78.116
6/8	79.636	80.133	80.179	80.251	80.389	80.461
7/0	83.636	84.133	84.179	84.251	84.389	84.461
8/0	95.636	96.133	96.179	96.251	96.389	96.461

Mullion - Hinge Mortise



**THIS PAGE
APPLIES ONLY TO:**




Continuous
One-Sidelite Units
Hinged at Mullion





Continuous
Two-Sidelite Units

	HINGE MORTISE LOCATIONS				
	UNIT SIZE	HINGE 1	HINGE 2	HINGE 3	HINGE 4
STANDARD HINGE	6/6	8.375	38.125	67.875	N/A
	6/8		40.125	71.875	
	7/0		33.375	58.875	83.875
	8/0				
ADJUSTABLE HINGE	6/6	8.650	37.900	67.150	N/A
	6/8				
	7/0				
	8/0	5.556	31.056	56.556	82.056



Hinge Mortises




Standard Hinge




Wood Jamb
Adjustable Hinge



Therma-Tru Composite
Jamb Adjustable Hinge




Mullion



8/0 Jamb Shown

Spread Mullion



Frame Parts
& Packages

Mullion - Lock Mortise



**THIS PAGE
APPLIES ONLY TO:**




Continuous
One-Sidelite Units
Lock at Mullion




Continuous
Two-Sidelite Units

Mullion




Spread Mullion




MULLION LOCK MACHINING	
UNIT SIZE	STRIKE
6/6	44.094
6/8	
7/0	48.094
8/0	60.094

COMMON DOUBLE BORE (DEADBOLT) SPACING	
DESCRIPTION	SPACING
5 1/2" ON CENTER	5.500
12" ON CENTER	12.000

Lock Mortises



LATCH MACHINING



OPTIONAL DEADBOLT MACHINING

Venting Sidelite Multi-Point Lock Mullions



**THIS PAGE
APPLIES ONLY TO:**




Continuous
One-Sidelite Units
Lock at Mullion



Continuous
Two-Sidelite Units

Lock Mortises



Frame Parts
& Packages

MPLS VENTING SIDELITE LOCK MACHINING			
UNIT SIZE	TONGUE 1	TONGUE 2	TONGUE 3
6/6	3.489	32.989	60.491
6/8	3.286	32.786	60.288
8/0	16.286	48.786	76.288

Lever-Style Multi-Point Lock Mullions/Spread Mullions (Captured Strike)



**THIS PAGE
APPLIES ONLY TO:**




Continuous
One-Sidelite Units
Lock at Mullion



Continuous
Two-Sidelite Units

Lock Mortises



MPLS LEVER STYLE LOCK MACHINING				
	UNIT SIZE	STRIKE	TONGUE 1	TONGUE 2
CAPTURED STRIKE	6/6	40.101	11.836	67.506
	6/8	39.898	11.633	67.303
	7/0	43.898	15.633	71.303
	8/0	55.898	9.915	83.303

Lever-Style Multi-Point Lock Mullions/Spread Mullions (Lip Strike)



**THIS PAGE
APPLIES ONLY TO:**








Continuous
One-Sidelite Units
Lock at Mullion



Continuous
Two-Sidelite Units

Lock Mortises



Frame Parts
& Packages

MPLS LEVER STYLE LOCK MACHINING				
	UNIT SIZE	STRIKE	TONGUE 1	TONGUE 2
LIP STRIKE	6/6	40.101	11.865	67.535
	6/8	39.898	11.662	67.332
	7/0	43.898	15.662	71.332
	8/0	55.898	9.944	83.332

Grip-Style Multi-Point Lock Mullions/Spread Mullions



**THIS PAGE
APPLIES ONLY TO:**






Continuous
One-Sidelite Units
Lock at Mullion




Continuous
Two-Sidelite Units

Lock Mortises


Tongue





Mullion



Spread Mullion




Strike




MPLS GRIP STYLE LOCK MACHINING


UNIT SIZE	STRIKE	TONGUE 1	TONGUE 2
6/8	37.789	11.332	67.002
7/0	41.789	15.332	71.002
8/0	53.789	9.622	83.002



Multi-Point Lock Manual Shootbolt



Frame Parts
& Packages




DOOR HEIGHT	INSWING ASTRAGAL OVERALL HEIGHT	OUTSWING ASTRAGAL OVERALL HEIGHT
6/6	76.702	76.702
6/8	79.047	79.047
7/0	83.047	83.047
8/0	95.047	95.047

Astragals come complete with the necessary hardware.
See Hardware section.


This Page Intentionally Left Blank.

This Page Intentionally Left Blank.

***7/8" Aluminum Outswing
Astragal Security Cover***




Frame Parts
& Packages



Standard Brickmould


Wood, Rot-Resistant,
Composite

Frame Parts
& Packages



Florida Brickmould

Composite




Flat Casing

Composite




Brickmould application may optionally be done after frame assembly, but before door installation.


Brickmould Type




STANDARD BRICKMOULD




FLORIDA BRICKMOULD




FLAT CASING




STANDARD
BRICKMOULD



FLORIDA
BRICKMOULD



MITER
FLAT CASING




NO-MITER
FLAT CASING


Frame Parts
& Packages

	UNIT SIZE	ALL	STANDARD	FLORIDA	FLAT CASING
		"A"	"B"	"B"	"B"
INSWING	6/6	78.530	80.530	80.155	82.030
	6/8	80.875	82.875	82.500	84.375
	7/0	84.875	86.875	86.500	88.375
	8/0	96.875	98.875	98.500	100.375
	6/6 WITH 14" TRANSOM	91.999	93.999	93.624	95.499
	6/8 WITH 14" TRANSOM	94.344	96.344	95.969	97.844
OUTSWING	ALUMINUM SILL	6/6	77.546	79.546	79.171
		6/8	79.891	81.891	81.516
		7/0	83.891	85.891	85.516
		8/0	95.891	97.891	97.516
	COMPOSITE SILL	6/6	78.121	80.121	79.746
		6/8	80.466	82.466	82.091
		7/0	84.466	86.466	86.091
		8/0	96.466	98.466	98.091

Head Brickmould




STANDARD BRICKMOULD



MITER FLAT CASING



FLORIDA BRICKMOULD



NON-MITER FLAT CASING

Frame Parts
& Packages

		SINGLE AND FRENCH HEAD FABRICATION									
		UNIT SIZE		INSWING				OUTSWING			
				ALL	STANDARD	FLORIDA	FLAT CASING	ALL	STANDARD	FLORIDA	FLAT CASING
SINGLE DOORS	FRENCH (7/8" ASTRAGAL)	2/0	24.000	28.000	27.250	31.000	24.500	28.500	27.750	31.500	
		2/4	28.000	32.000	31.250	35.000	28.500	32.500	31.750	35.500	
		2/6	30.000	34.000	33.250	37.000	30.500	34.500	33.750	37.500	
		2/8	32.000	36.000	35.250	39.000	32.500	36.500	35.750	39.500	
		2/10	34.000	38.000	37.250	41.000	34.500	38.500	37.750	41.500	
		3/0	36.000	40.000	39.250	43.000	36.500	40.500	39.750	43.500	
		3/6	42.000	46.000	45.250	49.000	42.500	46.500	45.750	49.500	
		4/0	48.718	52.718	51.968	55.718	49.218	53.218	52.468	56.218	
		4/8	56.718	60.718	59.968	63.718	57.218	61.218	60.468	64.218	
		5/0	60.718	64.718	63.968	67.718	61.218	65.218	64.468	68.218	
		5/4	64.718	68.718	67.968	71.718	65.218	69.218	68.468	72.218	
		5/8	68.718	72.718	71.968	75.718	69.218	73.218	72.468	76.218	
		6/0	72.718	76.718	75.968	79.718	73.218	77.218	76.468	80.218	
		7/0	84.718	88.718	87.968	91.718	85.218	89.218	88.468	92.218	

		HEAD FABRICATION - SINGLE WITH 1 SIDELITE										
		UNIT SIZE		INSWING				OUTSWING				
				ALL	STD	FLA	FLAT CASING	ALL	STD	FLA	FLAT CASING	
SINGLE WITH 1 SIDELITE	STANDARD MULLION	"A"	"B"	"B"	"B"	"A"	"B"	"B"	"B"			
		2/4 W/ 10" SL	39.000	43.000	42.250	46.000	39.500	43.500	42.750	46.500		
		2/4 W/ 12" SL	41.000	45.000	44.250	48.000	41.500	45.500	44.750	48.500		
		2/4 W/ 14" SL	43.000	47.000	46.250	50.000	43.500	47.500	46.750	50.500		
		2/6 W/ 10" SL	41.000	45.000	44.250	48.000	41.500	45.500	44.750	48.500		
		2/6 W/ 12" SL	43.000	47.000	46.250	50.000	43.500	47.500	46.750	50.500		
		2/6 W/ 14" SL	45.000	49.000	48.250	52.000	45.500	49.500	48.750	52.500		
		2/8 W/ 10" SL	43.000	47.000	46.250	50.000	43.500	47.500	46.750	50.500		
		2/8 W/ 12" SL	45.000	49.000	48.250	52.000	45.500	49.500	48.750	52.500		
		2/8 W/ 14" SL	47.000	51.000	50.250	54.000	47.500	51.500	50.750	54.500		
		2/10 W/ 10" SL	45.000	49.000	48.250	52.000	45.500	49.500	48.750	52.500		
		2/10 W/ 12" SL	47.000	51.000	50.250	54.000	47.500	51.500	50.750	54.500		
		2/10 W/ 14" SL	49.000	53.000	52.250	56.000	49.500	53.500	52.750	56.500		
		3/0 W/ 10" SL	47.000	51.000	50.250	54.000	47.500	51.500	50.750	54.500		
		3/0 W/ 12" SL	49.000	53.000	52.250	56.000	49.500	53.500	52.750	56.500		
		3/0 W/ 14" SL	51.000	55.000	54.250	58.000	51.500	55.500	54.750	58.500		
		3/6 W/ 10" SL	53.000	57.000	56.250	60.000	53.500	57.500	56.750	60.500		
		3/6 W/ 12" SL	55.000	59.000	58.250	62.000	55.500	59.500	58.750	62.500		
		3/6 W/ 14" SL	57.000	61.000	60.250	64.000	57.500	61.500	60.750	64.500		
			WIDE MULLION / BOXED	2/4 W/ 10" SL	39.500	43.500	42.750	46.500	40.000	44.000	43.250	47.000
				2/4 W/ 12" SL	41.500	45.500	44.750	48.500	42.000	46.000	45.250	49.000
2/4 W/ 14" SL	43.500			47.500	46.750	50.500	44.000	48.000	47.250	51.000		
2/6 W/ 10" SL	41.500			45.500	44.750	48.500	42.000	46.000	45.250	49.000		
2/6 W/ 12" SL	43.500			47.500	46.750	50.500	44.000	48.000	47.250	51.000		
2/6 W/ 14" SL	45.500			49.500	48.750	52.500	46.000	50.000	49.250	53.000		
2/8 W/ 10" SL	43.500			47.500	46.750	50.500	44.000	48.000	47.250	51.000		
2/8 W/ 12" SL	45.500			49.500	48.750	52.500	46.000	50.000	49.250	53.000		
2/8 W/ 14" SL	47.500			51.500	50.750	54.500	48.000	52.000	51.250	55.000		
2/10 W/ 10" SL	45.500			49.500	48.750	52.500	46.000	50.000	49.250	53.000		
2/10 W/ 12" SL	47.500			51.500	50.750	54.500	48.000	52.000	51.250	55.000		
2/10 W/ 14" SL	49.500			53.500	52.750	56.500	50.000	54.000	53.250	57.000		
3/0 W/ 10" SL	47.500			51.500	50.750	54.500	48.000	52.000	51.250	55.000		
3/0 W/ 12" SL	49.500			53.500	52.750	56.500	50.000	54.000	53.250	57.000		
3/0 W/ 14" SL	51.500			55.500	54.750	58.500	52.000	56.000	55.250	59.000		
3/6 W/ 10" SL	53.500	57.500	56.750	60.500	54.000	58.000	57.250	61.000				
3/6 W/ 12" SL	55.500	59.500	58.750	62.500	56.000	60.000	59.250	63.000				
3/6 W/ 14" SL	57.500	61.500	60.750	64.500	58.000	62.000	61.250	65.000				

		HEAD FABRICATION - SINGLE WITH 2 SIDELITES									
		UNIT SIZE	INSWING				OUTSWING				
			ALL	STD	FLA	FLAT CASING	ALL	STD	FLA	FLAT CASING	
SINGLE WITH 2 SIDELITES	STANDARD MULLION	"A"	"B"	"B"	"B"	"A"	"B"	"B"	"B"		
		2/4 W/2 10" SL	50,000	54,000	53,250	57,000	50,500	54,500	53,750	57,500	
		2/4 W/2 12" SL	54,000	58,000	57,250	61,000	54,500	58,500	57,750	61,500	
		2/4 W/2 14" SL	58,000	62,000	61,250	65,000	58,500	62,500	61,750	65,500	
		2/6 W/2 10" SL	52,000	56,000	55,250	59,000	52,500	56,500	55,750	59,500	
		2/6 W/2 12" SL	56,000	60,000	59,250	63,000	56,500	60,500	59,750	63,500	
		2/6 W/2 14" SL	60,000	64,000	63,250	67,000	60,500	64,500	63,750	67,500	
		2/8 W/2 10" SL	54,000	58,000	57,250	61,000	54,500	58,500	57,750	61,500	
		2/8 W/2 12" SL	58,000	62,000	61,250	65,000	58,500	62,500	61,750	65,500	
		2/8 W/2 14" SL	62,000	66,000	65,250	69,000	62,500	66,500	65,750	69,500	
		2/10 W/2 10" SL	56,000	60,000	59,250	63,000	56,500	60,500	59,750	63,500	
		2/10 W/2 12" SL	60,000	64,000	63,250	67,000	60,500	64,500	63,750	67,500	
		2/10 W/2 14" SL	64,000	68,000	67,250	71,000	64,500	68,500	67,750	71,500	
		3/0 W/2 10" SL	58,000	62,000	61,250	65,000	58,500	62,500	61,750	65,500	
		3/0 W/2 12" SL	62,000	66,000	65,250	69,000	62,500	66,500	65,750	69,500	
		3/0 W/2 14" SL	66,000	70,000	69,250	73,000	66,500	70,500	69,750	73,500	
		3/6 W/2 10" SL	64,000	68,000	67,250	71,000	64,500	68,500	67,750	71,500	
		3/6 W/2 12" SL	68,000	72,000	71,250	75,000	68,500	72,500	71,750	75,500	
		3/6 W/2 14" SL	72,000	76,000	75,250	79,000	72,500	76,500	75,750	79,500	
		SINGLE WITH 2 SIDELITES	WIDE MULLION / BOXED	2/4 W/2 10" SL	51,000	55,000	54,250	58,000	51,500	55,500	54,750
2/4 W/2 12" SL	55,000			59,000	58,250	62,000	55,500	59,500	58,750	62,500	
2/4 W/2 14" SL	59,000			63,000	62,250	66,000	59,500	63,500	62,750	66,500	
2/6 W/2 10" SL	53,000			57,000	56,250	60,000	53,500	57,500	56,750	60,500	
2/6 W/2 12" SL	57,000			61,000	60,250	64,000	57,500	61,500	60,750	64,500	
2/6 W/2 14" SL	61,000			65,000	64,250	68,000	61,500	65,500	64,750	68,500	
2/8 W/2 10" SL	55,000			59,000	58,250	62,000	55,500	59,500	58,750	62,500	
2/8 W/2 12" SL	59,000			63,000	62,250	66,000	59,500	63,500	62,750	66,500	
2/8 W/2 14" SL	63,000			67,000	66,250	70,000	63,500	67,500	66,750	70,500	
3/0 W/2 10" SL	67,000			71,000	70,250	74,000	67,500	71,500	70,750	74,500	
3/0 W/2 12" SL	71,000			75,000	74,250	78,000	71,500	75,500	74,750	78,500	
3/0 W/2 14" SL	75,000			79,000	78,250	82,000	75,500	79,500	78,750	82,500	
3/6 W/2 10" SL	73,000			77,000	76,250	80,000	73,500	77,500	76,750	80,500	

Frame Parts
& Packages



		HEAD FABRICATION - DOUBLE								
		UNIT SIZE	INSWING				OUTSWING			
			ALL	STD	FLA	FLAT CASING	ALL	STD	FLA	FLAT CASING
			"A"	"B"	"B"	"B"	"A"	"B"	"B"	"B"
DOUBLE	STD MULLION	4/8	57.000	61.000	60.250	64.000	57.500	61.500	60.750	64.500
		5/0	61.000	65.000	64.250	68.000	61.500	65.500	64.750	68.500
		5/4	65.000	69.000	68.250	72.000	65.500	69.500	68.750	72.500
		5/8	69.000	73.000	72.250	76.000	69.500	73.500	72.750	76.500
		6/0	73.000	77.000	76.250	80.000	73.500	77.500	76.750	80.500
DOUBLE	WIDE MULLION	4/8	57.500	61.500	60.750	64.500	58.000	62.000	61.250	65.000
		5/0	61.500	65.500	64.750	68.500	62.000	66.000	65.250	69.000
		5/4	65.500	69.500	68.750	72.500	66.000	70.000	69.250	73.000
		5/8	69.500	73.500	72.750	76.500	70.000	74.000	73.250	77.000
		6/0	73.500	77.500	76.750	80.500	74.000	78.000	77.250	81.000

		HEAD FABRICATION - TRIPLE PATIO AND DOUBLE PATIO PLUS MEU								
		UNIT SIZE	INSWING MITER				OUTSWING MITER			
			ALL	STD	FLA	FLAT CASING	ALL	STD	FLA	FLAT CASING
			"A"	"B"	"B"	"B"	"A"	"B"	"B"	"B"
DOUBLE PATIO PLUS MEU	STD MULLION	4/8 + 2/4 MEU	86.500	90.500	89.750	93.500	87.000	91.000	90.250	94.000
		5/0 + 2/6 MEU	92.500	96.500	95.750	99.500	93.000	97.000	96.250	100.000
		5/4 + 2/8 MEU	98.500	102.500	101.750	105.500	99.000	103.000	102.250	106.000
		5/8 + 2/10 MEU	104.500	108.500	107.750	111.500	105.000	109.000	108.250	112.000
		6/0 + 3/0 MEU	110.500	114.500	113.750	117.500	111.000	115.000	114.250	118.000
	WIDE MULLION	4/8 + 2/4 MEU	87.000	91.000	90.250	94.000	87.500	91.500	90.750	94.500
		5/0 + 2/6 MEU	93.000	97.000	96.250	100.000	93.500	97.500	96.750	100.500
		5/4 + 2/8 MEU	99.000	103.000	102.250	106.000	99.500	103.500	102.750	106.500
		5/8 + 2/10 MEU	105.000	109.000	108.250	112.000	105.500	109.500	108.750	112.500
		6/0 + 3/0 MEU	111.000	115.000	114.250	118.000	111.500	115.500	114.750	118.500
TRIPLE PATIO	STD MULLION	7/0	86.000	90.000	89.250	93.000	86.500	90.500	89.750	93.500
		7/6	92.000	96.000	95.250	99.000	92.500	96.500	95.750	99.500
		8/0	98.000	102.000	101.250	105.000	98.500	102.500	101.750	105.500
		8/6	104.000	108.000	107.250	111.000	104.500	108.500	107.750	111.500
		9/0	110.000	114.000	113.250	117.000	110.500	114.500	113.750	117.500
	WIDE MULLION	7/0	87.000	91.000	90.250	94.000	87.500	91.500	90.750	94.500
		7/6	93.000	97.000	96.250	100.000	93.500	97.500	96.750	100.500
		8/0	99.000	103.000	102.250	106.000	99.500	103.500	102.750	106.500
		8/6	105.000	109.000	108.250	112.000	105.500	109.500	108.750	112.500
		9/0	111.000	115.000	114.250	118.000	111.500	115.500	114.750	118.500

		HEAD FABRICATION - SINGLE/FRENCH WITH VENTING SIDELITES								
		UNIT SIZE	INSWING				OUTSWING			
			ALL	STD	FLA	FLAT CASING	ALL	STD	FLA	FLAT CASING
			"A"	"B"	"B"	"B"	"A"	"B"	"B"	"B"
SINGLE WITH SIDELITES	WIDE MULLION	3/0 W/1-12" VENTING SL	49.721	53.721	52.971	56.721	N/A	N/A	N/A	N/A
		3/0 W/1-14" VENTING SL	51.721	55.721	54.971	58.721	N/A	N/A	N/A	N/A
		3/0 W/2-12" VENTING SL	63.408	67.408	66.658	70.408	N/A	N/A	N/A	N/A
		3/0 W/2-14" VENTING SL	67.408	71.408	70.658	74.408	N/A	N/A	N/A	N/A
FRENCH 17/8" ASTRAGAL WITH SIDELITES	WIDE MULLION	5/8 W/2-12" VENTING SL	96.126	100.126	99.376	103.126	N/A	N/A	N/A	N/A
		5/8 W/2-14" VENTING SL	100.126	104.126	103.376	107.126	N/A	N/A	N/A	N/A
		6/0 W/2-12" VENTING SL	100.126	104.126	103.376	107.126	N/A	N/A	N/A	N/A
		6/0 W/2-14" VENTING SL	104.126	108.126	107.376	111.126	N/A	N/A	N/A	N/A

FLAT TRIM



"W"
3.5
5.5



"L"
55
90
108



CRAFTSMAN STEP

"W"
6.25
8.25








"L"
55
90



CRAFTSMAN COVE

















"L"
55
90



TRADITIONAL



"L"
55
90




Frame Parts
& Packages


Door Surround Pilasters, Plinth Blocks

THERMA TRU®
DOORS

FLAT TRIM




FRONT VIEW




END VIEW

"W"	"L"
3.5	90
5.5	108

PLAIN




5" PILASTER
FRONT VIEW




5" PILASTER
SECTION VIEW


"L"
90
108




7" PILASTER
FRONT VIEW




7" PILASTER
SECTION VIEW




5" PLINTH BLOCK
FRONT VIEW



5" PLINTH BLOCK
END VIEW



7" PLINTH BLOCK
FRONT VIEW




7" PLINTH BLOCK
END VIEW

FLUTED




5" PILASTER
FRONT VIEW




5" PILASTER
SECTION VIEW


"L"
90
108




7" PILASTER
FRONT VIEW




7" PILASTER
SECTION VIEW




5" PLINTH BLOCK
FRONT VIEW



5" PLINTH BLOCK
END VIEW




7" PLINTH BLOCK
FRONT VIEW




7" PLINTH BLOCK
END VIEW

Frame Parts
& Packages




Frame Parts
& Packages


Head Jamb Seal Pad 4-9/16" and 6-9/16" Jambs



Wood Mull Casing



Mull Casing
Inswing




Mull Casing
Outswing


Length: Standard = 81-1/4"
Transom = 95-3/4"
8/0 Height = 98"

Composite Mull Casing


Frame Parts
& Packages




Mull Casing
Standard Inswing



Mull Casing
Standard Outswing





Mull Casing
Spread Mull Inswing



Mull Casing
Spread Mull Outswing

UNIT DESCRIPTION	INSWING LENGTH	OUTSWING COMPOSITE LENGTH	OUTSWING ALUMINUM LENGTH
6/6	78.468	78.059	77.484
6/8	80.813	80.404	79.829
7/0	84.813	84.404	83.829
8/0	96.813	96.404	95.829
6/6 W/14" TRANSOM	91.937	78.059	77.484
6/8 W/14" TRANSOM	94.282	80.404	79.829



**Storm Door
Face Adaptor**



STORM DOOR FACE ADAPTOR		
UNIT DESCRIPTION	4 9/16	6 9/16
	"A"	"A"
6/6	77.960	78.170
6/8	80.311	80.521
7/0	84.311	84.521
8/0	96.311	96.521



**Storm Door
Base Adaptor
4-9/16"**

(TO BE FABRICATED FROM STANDARD
MULL CASING, TRIMMED AS SHOWN)




STORM DOOR BASE ADAPTOR		
UNIT DESCRIPTION	4 9/16	6 9/16
	"A"	"A"
6/6	77.348	77.558
6/8	79.699	79.909
7/0	83.699	83.909
8/0	95.699	95.909

**Storm Door
Base Adaptor
6-9/16"**



Frame Parts
& Packages

Screen Track




Screen Track

	Size	Length
Standard Mullion	4/8	56.938
	5/0	60.938
	5/4	64.938
	5/8	68.938
	6/0	72.938
Wide Mullion	4/8	57.438
	5/0	61.438
	5/4	65.438
	5/8	69.438
	6/0	73.438

Frame Parts
& Packages


Triple Patio Screen Stop



Triple Patio Screen Stop


	Base Length	Cover Length
6/6	77.141	77.906
6/8	79.485	80.250
7/0	83.485	84.250
8/0	95.485	96.250

Composite Jamb Patio Screen Track Cover




Composite Jamb
Patio Screen Track Cover

Unit Description	Length
6/6 Lineal	80.000
6/8 Lineal	84.000
7/0 Lineal	88.000
8/0 Lineal	99.000




Bottom Trim
Length = 37"


Frame Parts
& Packages



Direct Set Sidelite Trim Kit
Length = 80" or 96"


Standard Adjusta-Fit[®] 2 - Inswing






Standard Adjusta-Fit® 2 - No Sill

THERMA TRU®
DOORS





Frame Parts
& Packages

Package includes: Side Jambs Bracket
Head Jamb Instructions
Weatherstrip Spacers
Fasteners
Threshold (if applicable)
Sweep (if applicable)

THERMA-TRU®
DOORS

**Shop
Prehanging
Instructions
for
Adjusta-Fit® 2**


Read all instructions carefully before
pre-hanging your new Thermo-Tru
Adjusta-Fit 2 system.

Please note there are separate
"Installation Instructions" for your
Adjusta-Fit 2 system.

For information on where to purchase
Thermo-Tru entry door systems,
call 1-800-THERMA-TRU (847-7628)
or visit www.thermatru.com

Adjusta-Fit® 2 Frame Field Package

THERMA-TRU®
DOORS



Package includes: Side Trim Lock & Deadbolt Inserts
Head Trim Jamb Seal Pads
Aluminum Extender (if applicable)
Fasteners Instructions
Sweep (if applicable)

Max size inswing sill depth with extender is 7-1/2", inswing field packs 7-1/2" and larger contain 6-1/2" - 7-1/2" sill extender.
No extender for public access sill.
No sill/corridor applications.

THERMA-TRU®
DOORS


**Site
Installation
Instructions
for
Adjusta-Fit, 2**

Read all instructions carefully before installing your new Thermo-Tru Adjusta-Fit 2 system.
Please note there are separate "Prerequisite Instructions" to be reviewed and followed prior to completing the installation.


CODES
Building codes may vary from area to area. If a fire rating is required of the door and opening being fitted, the installer must use installation materials and methods to satisfy the authority having jurisdiction. Thermo-Tru provides labeled products, but bears no responsibility for installation.

Basic Fixed Sill	7.3
Composite/Hardwood Inswing Adjustable Sill	7.4
Composite/Hardwood Inswing Adjustable Sill Extenders	7.7
Basic Composite Inswing Adjustable Sill	7.8
Basic Composite Inswing Adjustable Sill Extenders	7.9
Composite Outswing Sill	7.10
Outswing Sill - Thermal Break.....	7.12
Outswing Sill - No Thermal Break.....	7.13
Public Access Sill - Thermal Break.....	7.15
Public Access Sill - No Thermal Break.....	7.16
Basic Fixed Sill Cover	7.17
Inswing Adjustable Sill Cover	7.18
Outswing Sill Cover.....	7.19
Sill End Seal Pads	7.20
Adjusta-Fit® 2 Inswing Sill	7.21
Adjusta-Fit® 2 Sill Extenders	7.22
Adjusta-Fit® 2 Public Access Sill.....	7.23




Sills



Sills



Sills



LENGTHS			"A"
SINGLE	-	2/4	28.000
		2/6	30.000
		2/8	32.000
		2/10	34.000
		3/0	36.000
		3/6	42.000
FRENCH (7/8" ASTRAGAL)	-	4/8	56.718
		5/0	60.718
		5/4	64.718
		5/8	68.718
		6/0	72.718
		7/0	84.718
DOUBLE	STANDARD MULLION	4/8	57.000
		5/0	61.000
		5/4	65.000
		5/8	69.000
		6/0	73.000
TRIPLE	STANDARD MULLION	7/0	86.000
		7/6	92.000
		8/0	98.000
		8/6	104.000
		9/0	110.000
SINGLE W/ 1 SIDELITE	STANDARD MULLION	2/4 W/1 10"	39.000
		2/4 W/1 12"	41.000
		2/4 W/1 14"	43.000
		2/6 W/1 10"	41.000
		2/6 W/1 12"	43.000
		2/6 W/1 14"	45.000
		2/8 W/1 10"	43.000
		2/8 W/1 12"	45.000
		2/8 W/1 14"	47.000
		2/10 W/1 10"	45.000
		2/10 W/1 12"	47.000
		2/10 W/1 14"	49.000
		3/0 W/1 10"	47.000
		3/0 W/1 12"	49.000
		3/0 W/1 14"	51.000
		3/6 W/1 10"	53.000
		3/6 W/1 12"	55.000
		3/6 W/1 14"	57.000
		2/4 W/2 10"	50.000
		2/4 W/2 12"	54.000
		2/4 W/2 14"	58.000
		2/6 W/2 10"	52.000
SINGLE W/ 2 SIDELITES	STANDARD MULLION	2/6 W/2 12"	56.000
		2/6 W/2 14"	60.000
		2/8 W/2 10"	54.000
		2/8 W/2 12"	58.000
		2/8 W/2 14"	62.000
		2/10 W/2 10"	56.000
		2/10 W/2 12"	60.000
		2/10 W/2 14"	64.000
		3/0 W/2 10"	58.000
		3/0 W/2 12"	62.000
		3/0 W/2 14"	66.000
		3/6 W/2 10"	64.000
		3/6 W/2 12"	68.000
		3/6 W/2 14"	72.000

LENGTHS			"A"
DOUBLE	WIDE MULLION	4/8	57.500
		5/0	61.500
		5/4	65.500
		5/8	69.500
		6/0	73.500
TRIPLE	WIDE MULLION	7/0	87.000
		7/6	93.000
		8/0	99.000
		8/6	105.000
		9/0	111.000
SINGLE W/ 1 SIDELITE	WIDE MULLION	2/4 W/1 10"	39.500
		2/4 W/1 12"	41.500
		2/4 W/1 14"	43.500
		2/6 W/1 10"	41.500
		2/6 W/1 12"	43.500
		2/6 W/1 14"	45.500
		2/8 W/1 10"	43.500
		2/8 W/1 12"	45.500
		2/8 W/1 14"	47.500
		2/10 W/1 10"	45.500
		2/10 W/1 12"	47.500
		2/10 W/1 14"	49.500
		3/0 W/1 10"	47.500
		3/0 W/1 12"	49.500
		3/0 W/1 14"	51.500
		3/6 W/1 10"	53.500
		3/6 W/1 12"	55.500
		3/6 W/1 14"	57.500
		2/4 W/2 10"	51.000
		2/4 W/2 12"	55.000
		2/4 W/2 14"	59.000
		2/6 W/2 10"	53.000
SINGLE W/ 2 SIDELITES	WIDE MULLION	2/6 W/2 12"	57.000
		2/6 W/2 14"	61.000
		2/8 W/2 10"	55.000
		2/8 W/2 12"	59.000
		2/8 W/2 14"	63.000
		2/10 W/2 10"	57.000
		2/10 W/2 12"	61.000
		2/10 W/2 14"	65.000
		3/0 W/2 10"	59.000
		3/0 W/2 12"	63.000
		3/0 W/2 14"	67.000
		3/6 W/2 10"	65.000
		3/6 W/2 12"	69.000
		3/6 W/2 14"	73.000
		3/0 W/2-12"	63.408
		3/0 W/2-14"	67.408
FRENCH WITH 2 VENTING SL	WIDE MULLION	5/8 W/2-12"	96.126
		5/8 W/2-14"	100.126
		6/0 W/2-12"	100.126
		6/0 W/2-14"	104.126


Sills

LENGTHS		"A"
SINGLE W/ 1 SIDELITE SPREAD MULLION	3/0 W/1 10" SPREAD 0.00"	47.500
	3/0 W/1 12" SPREAD 0.00"	49.500
	3/0 W/1 14" SPREAD 0.00"	51.500
	3/0 W/1 10" SPREAD 0.25"	47.750
	3/0 W/1 12" SPREAD 0.25"	49.750
	3/0 W/1 14" SPREAD 0.25"	51.750
	3/0 W/1 10" SPREAD 0.50"	48.000
	3/0 W/1 12" SPREAD 0.50"	50.000
	3/0 W/1 14" SPREAD 0.50"	52.000
	3/0 W/1 10" SPREAD 0.75"	48.250
	3/0 W/1 12" SPREAD 0.75"	50.250
	3/0 W/1 14" SPREAD 0.75"	52.250
	3/0 W/1 10" SPREAD 1.00"	48.500
	3/0 W/1 12" SPREAD 1.00"	50.500
	3/0 W/1 14" SPREAD 1.00"	52.500
	3/0 W/1 10" SPREAD 1.25"	48.750
	3/0 W/1 12" SPREAD 1.25"	50.750
	3/0 W/1 14" SPREAD 1.25"	52.750
	3/0 W/1 10" SPREAD 1.50"	49.000
	3/0 W/1 12" SPREAD 1.50"	51.000
	3/0 W/1 14" SPREAD 1.50"	53.000
	3/0 W/1 10" SPREAD 1.75"	49.250
	3/0 W/1 12" SPREAD 1.75"	51.250
	3/0 W/1 14" SPREAD 1.75"	53.250
	3/0 W/1 10" SPREAD 2.00"	49.500
	3/0 W/1 12" SPREAD 2.00"	51.500
	3/0 W/1 14" SPREAD 2.00"	53.500
	3/0 W/1 10" SPREAD 2.25"	49.750
	3/0 W/1 12" SPREAD 2.25"	51.750
	3/0 W/1 14" SPREAD 2.25"	53.750
	3/0 W/1 10" SPREAD 2.50"	50.000
	3/0 W/1 12" SPREAD 2.50"	52.000
	3/0 W/1 14" SPREAD 2.50"	54.000
	3/0 W/1 10" SPREAD 2.75"	50.250
	3/0 W/1 12" SPREAD 2.75"	52.250
	3/0 W/1 14" SPREAD 2.75"	54.250
	3/0 W/1 10" SPREAD 3.00"	50.500
	3/0 W/1 12" SPREAD 3.00"	52.500
	3/0 W/1 14" SPREAD 3.00"	54.500


LENGTHS		"A"
SINGLE W/ 2 SIDELITES SPREAD MULLION	3/0 W/2 10" SPREAD 0.00"	59.000
	3/0 W/2 12" SPREAD 0.00"	63.000
	3/0 W/2 14" SPREAD 0.00"	67.000
	3/0 W/2 10" SPREAD 0.25"	59.500
	3/0 W/2 12" SPREAD 0.25"	63.500
	3/0 W/2 14" SPREAD 0.25"	67.500
	3/0 W/2 10" SPREAD 0.50"	60.000
	3/0 W/2 12" SPREAD 0.50"	64.000
	3/0 W/2 14" SPREAD 0.50"	68.000
	3/0 W/2 10" SPREAD 0.75"	60.500
	3/0 W/2 12" SPREAD 0.75"	64.500
	3/0 W/2 14" SPREAD 0.75"	68.500
	3/0 W/2 10" SPREAD 1.00"	61.000
	3/0 W/2 12" SPREAD 1.00"	65.000
	3/0 W/2 14" SPREAD 1.00"	69.000
	3/0 W/2 10" SPREAD 1.25"	61.500
	3/0 W/2 12" SPREAD 1.25"	65.500
	3/0 W/2 14" SPREAD 1.25"	69.500
	3/0 W/2 10" SPREAD 1.50"	62.000
	3/0 W/2 12" SPREAD 1.50"	66.000
	3/0 W/2 14" SPREAD 1.50"	70.000
	3/0 W/2 10" SPREAD 1.75"	62.500
	3/0 W/2 12" SPREAD 1.75"	66.500
	3/0 W/2 14" SPREAD 1.75"	70.500
	3/0 W/2 10" SPREAD 2.00"	63.000
	3/0 W/2 12" SPREAD 2.00"	67.000
	3/0 W/2 14" SPREAD 2.00"	71.000
	3/0 W/2 10" SPREAD 2.25"	63.500
	3/0 W/2 12" SPREAD 2.25"	67.500
	3/0 W/2 14" SPREAD 2.25"	71.500
	3/0 W/2 10" SPREAD 2.50"	64.000
	3/0 W/2 12" SPREAD 2.50"	68.000
	3/0 W/2 14" SPREAD 2.50"	72.000
	3/0 W/2 10" SPREAD 2.75"	64.500
	3/0 W/2 12" SPREAD 2.75"	68.500
	3/0 W/2 14" SPREAD 2.75"	72.500
	3/0 W/2 10" SPREAD 3.00"	65.000
	3/0 W/2 12" SPREAD 3.00"	69.000
	3/0 W/2 14" SPREAD 3.00"	73.000

*NOTE: Spread mullion options only available with Composite Inswing Adjustable Sill.


1-3/8" Extender
for 4-9/16" sill only.




1" Extender
for 5-3/4" sill only.



2" Extender
for 5-3/4" sill only.







3-1/4" Extender
for 5-3/4" sill only.




Sills

Basic Composite Inswing Adjustable Sill


THERMA TRU®
DOORS




1-3/8" Extender
for 4-9/16" sill only.




1" Extender
for 5-3/4" sill only.








2" Extender
for 5-3/4" sill only.



3-1/4" Extender
for 5-3/4" sill only.



Sills






LENGTHS			"A" SILL LENGTH	"G" OVERALL LENGTH
SIDE LITES	-	10" SIDELITE	10.000	10.470
		12" SIDELITE	12.000	12.470
		14" SIDELITE	14.000	14.470
SINGLE	-	2/4 DOOR	28.000	28.470
		2/6 DOOR	30.000	30.470
		2/8 DOOR	32.000	32.470
		2/10 DOOR	34.000	34.470
		3/0 DOOR	36.000	36.470
		3/6 DOOR	42.000	42.470
FRENCH	7/8" ASTRAGAL	4/0 DOUBLE 7/8" ASTRAGAL	48.718	49.188
		4/8 DOUBLE 7/8" ASTRAGAL	56.718	57.188
		5/0 DOUBLE 7/8" ASTRAGAL	60.718	61.188
		5/4 DOUBLE 7/8" ASTRAGAL	64.718	65.188
		5/8 DOUBLE 7/8" ASTRAGAL	68.718	69.188
		6/0 DOUBLE 7/8" ASTRAGAL	72.718	73.188
		7/0 DOUBLE 7/8" ASTRAGAL	84.718	85.188
TRIPLE	STANDARD MULLION	7/0 TRIPLE PATIO	86.000	86.470
		7/6 TRIPLE PATIO	92.000	92.470
		8/0 TRIPLE PATIO	98.000	98.470
		8/6 TRIPLE PATIO	104.000	104.470
		9/0 TRIPLE PATIO	110.000	110.470
TRIPLE	WIDE MULLION	7/0 TRIPLE PATIO	87.000	87.470
		7/6 TRIPLE PATIO	93.000	93.470
		8/0 TRIPLE PATIO	99.000	99.470
		8/6 TRIPLE PATIO	105.000	105.470
		9/0 TRIPLE PATIO	111.000	111.470
SINGLE W/ 1 SIDELITE	STANDARD MULLION	2/4 WITH 1-10" SIDELITE	39.000	39.470
		2/4 WITH 1-12" SIDELITE	41.000	41.470
		2/4 WITH 1-14" SIDELITE	43.000	43.470
		2/6 WITH 1-10" SIDELITE	41.000	41.470
		2/6 WITH 1-12" SIDELITE	43.000	43.470
		2/6 WITH 1-14" SIDELITE	45.000	45.470
		2/8 WITH 1-10" SIDELITE	43.000	43.470
		2/8 WITH 1-12" SIDELITE	45.000	45.470
		2/8 WITH 1-14" SIDELITE	47.000	47.470
		2/10 WITH 1-10" SIDELITE	45.000	45.470
		2/10 WITH 1-12" SIDELITE	47.000	47.470
		2/10 WITH 1-14" SIDELITE	49.000	49.470
		3/0 WITH 1-10" SIDELITE	47.000	47.470
		3/0 WITH 1-12" SIDELITE	49.000	49.470
		3/0 WITH 1-14" SIDELITE	51.000	51.470
		3/6 WITH 1-10" SIDELITE	53.000	53.470
		3/6 WITH 1-12" SIDELITE	55.000	55.470
		3/6 WITH 1-14" SIDELITE	57.000	57.470


LENGTHS			"A" SILL LENGTH	"G" OVERALL LENGTH
SINGLE W/ 1 SIDELITE	WIDE MULLION	2/4 WITH 1-10" SIDELITE	39.500	39.970
		2/4 WITH 1-12" SIDELITE	41.500	41.970
		2/4 WITH 1-14" SIDELITE	43.500	43.970
		2/6 WITH 1-10" SIDELITE	41.500	41.970
		2/6 WITH 1-12" SIDELITE	43.500	43.970
		2/6 WITH 1-14" SIDELITE	45.500	45.970
		2/8 WITH 1-10" SIDELITE	43.500	43.970
		2/8 WITH 1-12" SIDELITE	45.500	45.970
		2/8 WITH 1-14" SIDELITE	47.500	47.970
		2/10 WITH 1-10" SIDELITE	45.500	45.970
		2/10 WITH 1-12" SIDELITE	47.500	47.970
		2/10 WITH 1-14" SIDELITE	49.500	49.970
		3/0 WITH 1-10" SIDELITE	47.500	47.970
		3/0 WITH 1-12" SIDELITE	49.500	49.970
		3/0 WITH 1-14" SIDELITE	51.500	51.970
		3/6 WITH 1-10" SIDELITE	53.500	53.970
		3/6 WITH 1-12" SIDELITE	55.500	55.970
		3/6 WITH 1-14" SIDELITE	57.500	57.970
SINGLE W/ 2 SIDELITES	STANDARD MULLION	2/4 WITH 2-10" SIDELITES	50.000	50.470
		2/4 WITH 2-12" SIDELITES	54.000	54.470
		2/4 WITH 2-14" SIDELITES	58.000	58.470
		2/6 WITH 2-10" SIDELITES	52.000	52.470
		2/6 WITH 2-12" SIDELITES	56.000	56.470
		2/6 WITH 2-14" SIDELITES	60.000	60.470
		2/8 WITH 2-10" SIDELITES	54.000	54.470
		2/8 WITH 2-12" SIDELITES	58.000	58.470
		2/8 WITH 2-14" SIDELITES	62.000	62.470
		2/10 WITH 2-10" SIDELITES	56.000	56.470
		2/10 WITH 2-12" SIDELITES	60.000	60.470
		2/10 WITH 2-14" SIDELITES	64.000	64.470
		3/0 WITH 2-10" SIDELITES	58.000	58.470
		3/0 WITH 2-12" SIDELITES	62.000	62.470
		3/0 WITH 2-14" SIDELITES	66.000	66.470
		3/6 WITH 2-10" SIDELITES	64.000	64.470
		3/6 WITH 2-12" SIDELITES	68.000	68.470
		3/6 WITH 2-14" SIDELITES	72.000	72.470
SINGLE W/ 2 SIDELITES	WIDE MULLION	2/4 WITH 2-10" SIDELITES	51.000	51.470
		2/4 WITH 2-12" SIDELITES	55.000	55.470
		2/4 WITH 2-14" SIDELITES	59.000	59.470
		2/6 WITH 2-10" SIDELITES	53.000	53.470
		2/6 WITH 2-12" SIDELITES	57.000	57.470
		2/6 WITH 2-14" SIDELITES	61.000	61.470
		2/8 WITH 2-10" SIDELITES	55.000	55.470
		2/8 WITH 2-12" SIDELITES	59.000	59.470
		2/8 WITH 2-14" SIDELITES	63.000	63.470
		2/10 WITH 2-10" SIDELITES	57.000	57.470
		2/10 WITH 2-12" SIDELITES	61.000	61.470
		2/10 WITH 2-14" SIDELITES	65.000	65.470
		3/0 WITH 2-10" SIDELITES	59.000	59.470
		3/0 WITH 2-12" SIDELITES	63.000	63.470
		3/0 WITH 2-14" SIDELITES	67.000	67.470
		3/6 WITH 2-10" SIDELITES	65.000	65.470
		3/6 WITH 2-12" SIDELITES	69.000	69.470
		3/6 WITH 2-14" SIDELITES	73.000	73.470

Sills

Outswing Sill - Thermal Break




		DOOR SIZE	A	"G" (REF)
SINGLE DOORS		2/4	28.000	28.470
		2/6	30.000	30.470
		2/8	32.000	32.470
		2/10	34.000	34.470
		3/0	36.000	36.470
		3/6	42.000	42.470
DOUBLE DOORS WITH 7/8" ASTRAGAL		4/8	56.718	57.188
		5/0	60.718	61.188
		5/4	64.718	65.188
		5/8	68.718	69.188
		6/0	72.718	73.188
		7/0	84.718	85.188
	4/8 FOR MULTI-POINT		56.718	57.188
	5/0 FOR MULTI-POINT		60.718	61.188
	5/4 FOR MULTI-POINT		64.718	65.188
	5/8 FOR MULTI-POINT		68.718	69.188
	6/0 FOR MULTI-POINT		72.718	73.188
CONTINUOUS	UNDERSIZED	2/4 W/2-10" SIDELITES	50.000	50.470
		2/4 W/2-12" SIDELITES	54.000	54.470
		2/4 W/2-14" SIDELITES	58.000	58.470
		2/6 W/2-10" SIDELITES	52.000	52.470
		2/6 W/2-12" SIDELITES	56.000	56.470
		2/6 W/2-14" SIDELITES	60.000	60.470
		2/8 W/2-10" SIDELITES	54.000	54.470
		2/8 W/2-12" SIDELITES	58.000	58.470
		2/8 W/2-14" SIDELITES	62.000	62.470
		3/0 W/2-10" SIDELITES	58.000	58.470
		3/0 W/2-12" SIDELITES	62.000	62.470
		3/0 W/2-14" SIDELITES	66.000	66.470
		2/4 W/1-10" SIDELITES	39.000	39.470
		2/4 W/1-12" SIDELITES	41.000	41.470
		2/4 W/1-14" SIDELITES	43.000	43.470
		2/6 W/1-10" SIDELITES	41.000	41.470
		2/6 W/1-12" SIDELITES	43.000	43.470
		2/6 W/1-14" SIDELITES	45.000	45.470
		2/8 W/1-10" SIDELITES	43.000	43.470
		2/8 W/1-12" SIDELITES	45.000	45.470
		2/8 W/1-14" SIDELITES	47.000	47.470
		3/0 W/1-10" SIDELITES	47.000	47.470
		3/0 W/1-12" SIDELITES	49.000	49.470
		3/0 W/1-14" SIDELITES	51.000	51.470




	DOOR SIZE	"A"
SINGLE	2/4	28"
	2/6	30"
	2/8	32"
	2/10	34"
	3/0	36"
	3/6	42"
FRENCH	4/8	56-23/32"
	5/0	60-23/32"
	5/4	64-23/32"
	5/8	68-23/32"
	6/0	72-23/32"
	7/0	84-23/32"

Sills



Sills


This Page Intentionally Left Blank.




Sills

Single Units	
Size	Length
3/0	36.000"

French Units	
Size	Length
6/0	72.718"







Sills

Single Units	
Size	Length
3/0	36.000"

French Units	
Size	Length
6/0	72.718"




Use for both inswing and outswing applications.



For Use With:
Basic Fixed Sills


Size	Length
2/0	23.250"
2/4	27.250"
2/6	29.250"
2/8	31.250"
2/10	33.250"
3/0	35.250"
3/6	41.250"

Sills



For Use With:
Composite Adjustable Sills
Basic Composite Adjustable Sills
Hardwood Adjustable Sills


Size	Length
2/4	26.500"
2/6	28.500"
2/8	30.500"
2/10	32.500"
3/0	34.500"




For Use With:
Outswing Composite Sills

Size	Length
2/4	26.500"
2/6	28.500"
2/8	30.500"
2/10	32.500"
3/0	34.500"


Sills




End Seal Pad - Basic Fixed Sills



**End Seal Pad - Composite/Hardwood Adjustable and Fixed Inswing Sills
Basic Composite Adjustable Inswing Sills**







End Seal Pad - Composite/Hardwood Outswing Sills




DESCRIPTION	LENGTH
3/6 BASE SILL	42.063"
3/0 BASE SILL	36.063"
2/10 BASE SILL	34.063"
2/8 BASE SILL	32.063"
2/6 BASE SILL	30.063"
2/4 BASE SILL	28.063"
2/0 BASE SILL	24.063"

Sills












Sills

DESCRIPTION	A
3/6 ADA SILL FOR UNDERSIZE STEEL FRAMES	42.063
3/0 ADA SILL FOR UNDERSIZE STEEL FRAMES	36.063
2/10 ADA SILL FOR UNDERSIZE STEEL FRAMES	34.063
2/8 ADA SILL FOR UNDERSIZE STEEL FRAMES	32.063
2/6 ADA SILL FOR UNDERSIZE STEEL FRAMES	30.063
2/4 ADA SILL FOR UNDERSIZE STEEL FRAMES	28.063
2/0 ADA SILL FOR UNDERSIZE STEEL FRAMES	24.063




Weatherstrip.....	8.3
Door Bottoms.....	8.4
Door Bottoms - Sidelites.....	8.5


Weatherstrip
and Door
Bottoms




Weatherstrip
and Door
Bottoms

Magnetic - Barbed







**Single Bulb
Kerf-Applied Door Bottom**




**Sweep/Replacement
Door Bottom**




**Dual Bulb Kerf-Applied
Door Bottom**



**Dual Bulb No Kerf
Door Bottom**




**Outswing Kerf-Applied
Door Bottom**




**Adjustable Door Bottom
for Steel Edge**

Weatherstrip
and Door
Bottoms




**Inswing Sidelite Seat for
U1 Door Slabs**

Slab Size	Length
2/0	23.977
2/4	27.977
3/0	35.977
3/6	41.977



**Inswing Sidelite Seat for
Standard Sidelite Slabs**


Slab Size	Length
10"	9.952
12"	11.952
14"	13.952



**Inactive Panel Door Bottom -
Composite Outswing Sill**

Slab Size	Length
10"	9.938
12"	11.938
14"	13.938
2/0	23.977
2/4	27.977
3/0	35.977
3/6	41.977


Weatherstrip
and Door
Bottoms






Slab Size	Length
10"	9.938
12"	11.938
14"	13.938
2/0	23.939
2/4	27.969
3/0	35.969
3/6	41.969

Sidelite Door Bottom -
Aluminum Outswing Sill

Standard Self-Aligning Hinge.....	9.3
Standard Self-Aligning Hinge with Security Tab	9.4
ANSI Standard Template Pattern Hinge - Undersize Steel Edge Door	9.5
Adjustable Hinge	9.6
UL Listed Spring Hinge.....	9.7
ANSI Standard Template Pattern UL Listed Spring Hinge - Steel Edge Door.....	9.8
Ball Bearing Hinge.....	9.9
Self Aligning NRP (Riveted) Pin Hinge	9.10
Classic-Craft Ball Bearing Hinge	9.11
Strike Plates.....	9.12
French Inswing Multi-Point Lock Shootbolt System Strike Plates.....	9.13
Lever Style Multi-Point Lock Tongue System Strike Plates	9.15
Grip Style Multi-Point Lock Tongue System Strike Plates	9.16
Vented Sidelite Multi-Point Lock Tongue System Strike Plates.....	9.17
Lever Style Multi-Point Lock - Gears & Extensions	9.18
Grip Style Multi-Point Lock - Gears & Extensions	9.21
Vented Sidelite Multi-Point Lock - Gears & Extensions.....	9.22
Lever Style Multi-Point Lock - Handle / Trim.....	9.23
Grip Style Multi-Point Lock - Handle / Trim.....	9.25
Vented Sidelite Multi-Point Lock - Handle / Trim	9.26
Lever Style 45mm Multi-Point Lock - Handle / Trim	9.27
Lever Style 60mm Multi-Point Lock - Handle / Trim	9.28
Grip Style 60mm Multi-Point Lock - Handle / Trim	9.29
Rustic Hardware	9.30
Rain Deflector (Inswing) / Rain Guard (Outswing)	9.31









Hardware




Standard Self-Aligning Hinge with Security Tab

THERMA TRU®
DOORS






*NOTE: 1/32" swage with
5/8" corner radius recommended
when using a Steel Edge door
with a wood frame.






Jamb
#10 x 3/4" Phillips
Flat Head Screw




#12-24 x 1/2"
with #10 Head
Machine Screw

Hardware


Adjustable Hinge




Jamb Leaf
#10 x 3/4" Phillips
Flat Head Screw



Door Leaf
#8 x 1-1/4" Phillips
Flat Head Screw




Jamb Leaf
#10 x 2-1/2" Phillips
Flat Head Screw




3/16" Allen Wrench


Screws and Allen Wrench are sold separately




Hardware



9/64" Allen Wrench





#10 x 1" Phillips
Flat Head Screw






Jamb Leaf
#10 x 3/4" Phillips
Flat Head Screw





ANSI Standard Template Pattern UL Listed Spring Hinge - Steel Edge Door

THERMA TRU®
DOORS



*NOTE: 1/32" swage with
5/8" corner radius recommended
when using a Steel Edge door
with a wood frame.







Hardware


Self Aligning NRP (Riveted) Pin Hinge

Hardware







Hardware



2-1/8" Rabbet Adjustable Security Strike Assembly
(Supplied with backing label, backing plate, & strike plate)



Adjustable Strike Plate
(supplied with backing plates)




Security Strike Screw
#8 x 2-1/2" Phillips
Flathead Screw
(Purchased Separately)




Jamb
#10 x 3/4" Phillips
Flat Head Screw



Astragal/Mullion
#8 x 1-1/2" Phillips
Flathead Screw
(Supplied with Astragal/Mullion
backing plate)












2-3/16" Rabbet Adjustable Security Strike Assembly
(Supplied with backing label, backing plate, & strike plate)



Adjustable Strike Plate
(Supplied with backing plates)


Hardware







Hardware


French Outswing Multi-Point Lock Shootbolt System Strike Plates

THERMA TRU®
DOORS





#8 x 5/8" Phillips
Flat Head Screw





#8 x 2-1/2" Phillips
Flat Head Screw

Hardware

Grip Style Multi-Point Lock Tongue System Strike Plates

THERMA TRU
DOORS





Vented Sidelite
Strike Plate





#8 x 1-1/4" Phillips
Flat Head Screw

Lever Style
Manual Shootbolt System
(Fixed Height)

Door Height	Inswing Handle Height	Inswing Overall Height
6/6	33-1/2"	76-25/32"
6/8	36-1/16"	79-5/32"
7/0	36-1/16"	83-5/32"
8/0	36-1/16"	95-5/32"

Door Height	Outswing Handle Height	Outswing Overall Height
6/6	33-7/16"	76-23/32"
6/8	36"	79-3/32"
7/0	36"	83-3/32"
8/0	36"	95-3/32"






Lever Style Manual Shootbolt System (Variable Height)

Variable Door Height	Handle Height	Maximum Trim
76-5/8" to 80-9/16"	36"	3.94"
82-1/2" to 86-15/32"	36"	3.94"
88-7/16" to 95-5/16"	36"	3.94"


Hardware




Stainless Steel
Mounting Screw

Lever Style
Manual Tongue System

Door Height	Inswing & Outswing Handle Height	Inswing & Outswing Overall Height
6/6	33-7/16"	76-25/32"
6/8	36"	79-1/8"
7/0	36"	83-5/32"
8/0	36"	95-5/32"






**Grip Style MPLS System
(Variable Height)**

VARIABLE DOOR HEIGHT	OVERALL HEIGHT	HANDLE HEIGHT
76-5/8" to 80-9/16"	79.043	36.000
82-1/2" to 86-15/32"	83.059	
88-7/16" to 95-5/16"	95.067	



Hardware



Vented Sidelite Tongue System

Door Height	Inswing Handle Height	Inswing Overall Height
6/6	33-7/16"	63"
6/8	36"	63"
8/0	36"	66"


Hardware




Mounting Screw

Active


available in both 45mm & 60mm backset



Inactive





Active
60mm backset




Hardware



Vented Sidelite





Thumb Turn




Thumb Turn








M5 x 35mm
Handle Screw






Hardware






Hardware

Round Clavos




A
1"
1-1/4"
1-3/4"


Pyramid Clavos



A
1"
1-1/4"
1-1/2"

Strap Hinge






AS ASSEMBLED

DOOR WIDTH	LENGTH
2/4	26.563
2/6	28.563
2/8	30.563
2/10	32.563
3/0	34.563



Rain Guard (Outswing)




Size	Length
2/4	28.000"
2/6	30.000"
2/8	32.000"
2/10	34.000"
3/0	36.000"
3/6	42.000"

Hardware

Composite Transom Sills.....	10.3
Elliptical Transoms.....	10.4
Elliptical Transoms Interior Casings	10.5
Rectangular Transoms.....	10.6
Transom Glass.....	10.7




Transoms





Mulled System Size	Width
3/0-(2) 12" SL	64-21/32"
3/0-(2) 14" SL	68-21/32"


Continuous Sill System Size	Width
3/0-(2) 12" SL	63-21/32"
3/0-(2) 14" SL	67-21/32"

Transoms







Description	Length
3/0 Continuous Sill w/12" SL	67-19/32"
3/0 Continuous Sill w/14" SL	71-19/32"
3/0 w/Boxed 12" SL	68-19/32"
3/0 w/Boxed 12" SL	72-19/32"




Description	Length
3/0 Continuous Sill w/12" SL	67-3/32"
3/0 Continuous Sill w/14" SL	71-3/32"
3/0 w/Boxed 12" SL	68-3/32"
3/0 w/Boxed 12" SL	72-3/32"




Description	Length
3/0 Continuous Sill w/12" SL	67-3/32"
3/0 Continuous Sill w/14" SL	71-3/32"
3/0 w/Boxed 12" SL	68-3/32"
3/0 w/Boxed 12" SL	72-3/32"



Description	Length
3/0 Continuous Sill w/12" SL	67-3/32"
3/0 Continuous Sill w/14" SL	71-3/32"
3/0 w/Boxed 12" SL	68-3/32"
3/0 w/Boxed 12" SL	72-3/32"




Description	Length
3/0 Continuous Sill w/12" SL	69-19/32"
3/0 Continuous Sill w/14" SL	73-19/32"
3/0 w/Boxed 12" SL	70-19/32"
3/0 w/Boxed 12" SL	74-19/32"




Description	Length
3/0 Continuous Sill w/12" SL	69-3/32"
3/0 Continuous Sill w/14" SL	73-3/32"
3/0 w/Boxed 12" SL	70-3/32"
3/0 w/Boxed 12" SL	74-3/32"


Rectangular Transoms



Mulled System Size	Width
12" Sidelite	13-1/2"
14" Sidelite	15-1/2"
3/0 Door	37-21/32"
3/0-(2) 12" SL	64-21/32"
3/0-(2) 14" SL	68-21/32"


Continuous Sill System Size	Width
3/0-(2) 12" SL	63-21/32"
3/0-(2) 14" SL	67-21/32"





Mulled System Size	DIMENSIONS	
	Width	Radius
3/0 WITH 2 12" SL	62-1/32"	94-31/32"
3/0 WITH 2 14" SL	66-1/32"	110-5/8"

Continuous System Size	DIMENSIONS	
	Width	Radius
3/0 WITH 2 12" SL	61-1/32"	91-7/32"
3/0 WITH 2 14" SL	65-1/32"	106-5/8"












Mulled System Size	Width
12" SL	11-13/16"
14" SL	13-13/16"
3/0 Door	35-31/32"
3/0 WITH 2 12" SL	62-31/32"
3/0 WITH 2 14" SL	66-31/32"


Continuous System Size	Width
3/0 WITH 2 12" SL	61-31/32"
3/0 WITH 2 14" SL	65-31/32"

Classic-Craft Oak Grilles Framed Grilles	11.3
Fiber-Classic & Smooth-Star Flush-Glazed Grilles	11.5
Fiber-Classic & Smooth-Star PVC Lineal Grilles	11.7
Fiber-Classic, Smooth-Star and Steel Doorlite Grilles	11.8
Transom Grille Sticks	11.10

Grilles




Grilles









9-Lite CG745NL9

Classic-Craft Oak Grilles
Flush-Glazed Grilles




Grilles



3-Lite
CPG743L3


Frame

Muntin Bar

Retaining Clip

3-Lite PG0836L3

9-Lite PG2236L9

9-Lite

	Size	A
PG2064L9	20 x 64	20-11/16"
PG2564L9	25 x 64	24-11/16"
PG2764L9	27 x 64	26-11/16"


**5-Lite
PG0864L5**

15-Lite

10-Lite


	Size	A	B
PG2064L15	20 x 64	20-11/16"	5-13/16"
PG2564L15	25 x 64	24-13/16"	7-3/16"
PG2764L15	27 x 64	26-11/16"	7-13/16"

	Size	A	B
PG2064L10	20 x 64	20-11/16"	9-7/32"
PG2564L10	25 x 64	24-13/16"	11-9/32"
PG2764L10	27 x 64	26-11/16"	12-7/32"

Grilles


Fiber-Classic & Smooth-Star Flush-Glazed Grilles

THERMA TRU®
DOORS




12 Lite

	Size	A	B
PG82580L12	24 x 80	24-1/2"	11-1/8"
PG82180L12	20 x 80	20-1/2"	9-1/8"




9-Lite

	Size	A
PG2180L9	20 x 80	20-1/8"
PG2580L9	24 x 80	24-1/2"




18 Lite

	Size	A	B
PG82580L18	24 x 80	24-1/2"	7-3/32"
PG82180L18	20 x 80	20-1/2"	5-3/4"




Muntin Bar


*Note: This muntin used for 4-Lite only.




4-Lite PG0847L4




Frame




Muntin Bar



Retaining Clip




**12 Lite
FG040L12**




**6 Lite
FG075L6**


Grilles




22 x 47 Frame




Frame




Muntin Bar




Retaining Clip




**12-Lite
(2247)**




**9-Lite
(2236)**



**9-Lite
(2036)**



**3-Lite
(2236)**




10-Lite (2264)

A=20-29/32"
B=9-11/32"

10-Lite (2064)

A=18-29/32"
B=8-11/32"




15-Lite (2264)


A=20-29/32"
B=5-31/32"

15-Lite (2064)


A=18-29/32"
B=5-9/32"




**5-Lite
Sidelite
(0764)**



**3-Lite
Sidelite
(0836)**



Pine Grille Stick




Pine Grille Stick

Dentil Shelves	12.3
Transport Clips	12.4
Corner Seal Pads.....	12.5
Jamb Spacer Shim	12.7
Lock Bore Sleeve.....	12.8
Outswing Jamb Kerf Plug.....	12.9
Hidden Fastener System Parts.....	12.10


4 Block Dentil Shelf

Available in:
Classic-Craft Canvas




4 Block Dentil Shelf

Available in:
Classic-Craft American




16 Block Dentil Shelf

Available in:
Classic-Craft American




4 Block Dentil Shelf


Available in:
Fiber-Classic Mahogany
Smooth-Star



Accessories




Fiber-Class, Smooth-Star and Steel Door Units
Part # MS00TPC




Classic-Craft Door Units
Part # MSCCTPC


Accessories




For Basic Fixed Sill
(Pads are handed)



For Adjusta-Fit 2




**Classic-Craft
for Hinge Jambs/Mullions**
(Pads are handed)




**Classic-Craft
for Lock Jambs/Mullions**
(Pads are handed)


Accessories




**Stepped Corner Seal Pad
for Composite/Hardwood
Adjustable Sill**
(Pads are handed)



Part Number: MS00JBS




Part Number: MSTBPLR




Composite Outswing Jamb Kerf Plug

JPSCREW



JPTOOL




JPCSN - WHITE PLUG
JPGSN - BUFF PLUG



Sliding Patio Screens.....	13.3
Hinged Patio Screens.....	13.4
Doorlite Parts	13.5
Sill Parts	13.6
Door Bottom & Hinge Parts.....	13.8
Steel Frame Parts	13.9
End Rails and Raised Panel Tape	13.11
Stainable & Standard Astragal Parts	13.12
Transom Parts & Cove Molding	13.14
Wood Frame Parts.....	13.15

SLIM PROFILE PATIO SCREENS



Hand Designations (Viewed from the exterior)


F	Fixed Panel
L	Left Hand
R	Right Hand

Designation	Screen Hand
LF	Left
RF	Left
FL	Right
FR	Right
RFF	Left
LFF	Left
FRF	Left
FLF	Right
FFR	Right
FFL	Right

SLIM PROFILE SLIDING SCREEN SIZING				
	SCREEN SIZE	WIDTH	HEIGHT	"A"
6/6 HEIGHT	2/4	28.594	77.172	38.586
	2/6	30.594	77.172	38.586
	2/8	32.594	77.172	38.586
	2/10	34.594	77.172	38.586
	3/0	36.594	77.172	38.586
6/8 HEIGHT	2/4	28.594	79.469	39.735
	2/6	30.594	79.469	39.735
	2/8	32.594	79.469	39.735
	2/10	34.594	79.469	39.735
	3/0	36.594	79.469	39.735
7/0 HEIGHT	2/4	28.594	83.469	40.000
	2/6	30.594	83.469	40.000
	2/8	32.594	83.469	40.000
	2/10	34.594	83.469	40.000
	3/0	36.594	83.469	40.000
8/0 HEIGHT	2/4	28.594	95.469	40.000
	2/6	30.594	95.469	40.000
	2/8	32.594	95.469	40.000
	2/10	34.594	95.469	40.000
	3/0	36.594	95.469	40.000

6/6 AND 6/8 SCREENS ARE UNHANDED.
7/0 AND 8/0 SCREENS ARE HANDED
(LEFT OR RIGHT).

TOP-HUNG WIDE PROFILE PATIO SCREENS



Hand Designations (Viewed from the exterior)

F	Fixed Panel
L	Left Hand
R	Right Hand


Designation	Screen Hand
LF	Left
RF	Left
FL	Right
FR	Right
RFF	Left
LFF	Left
FRF	Left
FLF	Right
FFR	Right
FFL	Right

TOP-HUNG WIDE PROFILE SLIDING PATIO SCREEN SIZING				
	SCREEN SIZE	WIDTH	HEIGHT	"A"
6/6 HEIGHT	2/4	28.594	76.047	38.024
	2/6	30.594	76.047	38.024
	2/8	32.594	76.047	38.024
	2/10	34.594	76.047	38.024
	3/0	36.594	76.047	38.024
6/8 HEIGHT	2/4	28.594	78.344	39.172
	2/6	30.594	78.344	39.172
	2/8	32.594	78.344	39.172
	2/10	34.594	78.344	39.172
	3/0	36.594	78.344	39.172
7/0 HEIGHT	2/4	28.594	82.344	40.000
	2/6	30.594	82.344	40.000
	2/8	32.594	82.344	40.000
	2/10	34.594	82.344	40.000
	3/0	36.594	82.344	40.000
8/0 HEIGHT	2/4	28.594	94.344	40.000
	2/6	30.594	94.344	40.000
	2/8	32.594	94.344	40.000
	2/10	34.594	94.344	40.000
	3/0	36.594	94.344	40.000

6/6 AND 6/8 SCREENS ARE UNHANDED.
7/0 AND 8/0 SCREENS ARE HANDED
(LEFT OR RIGHT).

Replacement
Parts

DOUBLE DOOR HINGED PATIO SCREENS



SYSTEM HEIGHT	DOOR WIDTH	SYSTEM WIDTH	SCREEN HEIGHT	SCREEN WIDTH
				7/8" ASTRAGAL
6/6 HEIGHT	2/4	4/8	77.235	27.891
	2/6	5/0		29.891
	2/8	5/4		31.891
	2/10	5/8		33.891
	3/0	6/0		35.891
6/8 HEIGHT	2/4	4/8	79.532	27.891
	2/6	5/0		29.891
	2/8	5/4		31.891
	2/10	5/8		33.891
	3/0	6/0		35.891
7/0 HEIGHT	2/4	4/8	83.532	27.891
	2/6	5/0		29.891
	2/8	5/4		31.891
	2/10	5/8		33.891
	3/0	6/0		35.891
8/0 HEIGHT	2/4	4/8	95.532	27.891
	2/6	5/0		29.891
	2/8	5/4		31.891
	2/10	5/8		33.891
	3/0	6/0		35.891

Replacement
Parts



SMC - Classic-Craft Frames
RP750CAP (Buff)
RPCCMCAP (Mahogany)



TCM - Fiber-Classic Frames &
Flat Frame
RPTCMCAP-B (Buff)



BTS 200 Oval Frames &
Flat Frame
RP200CAP-NT (White)



Pre 2006 - 270/DL137
Venetian Blind Door Lites
RPVBLCAP (White)




BTS/TCM Frames
RPBTSCAP (White)
RPBTSCAPB (Beige)
RPBTSCAP18 (White)




BTS 0842 Frame
PLUGJN12 (Buff)
PLUGJN1000 (Buff)
PLUGWJN18 (White)



Dentil Shelf Plugs
CCAPLUG (3 per bag)



#8 x 1-3/8"
SMC Doorlite Screw
SCSMC750




#8 x 1-1/8"
BTS Doorlite Screw
SCDL1125




#10 x 1-1/2"
Impact Lite Frame
& Dentil Shelf Screw
SCCCA150




#8 x 1-3/4"
SMC Doorlite Screw
SCSMCL



#8 x 1-1/2"
TCM/BTS Doorlite Screw
SCDL000




Venetian Blind Doorlites,
DL137 & 270
RPSCVB (11 per Bag)




#6 x 1-3/4"
Lineal Lite Frame Screw
RPSCFCLDL (Bronze)
RPSCLDL (White)



#10 x 2"
Wrought Iron Frame Screw
CCRSCREW




#8 x 1-1/2"
Flat Frame Screw
PVCSCREW15




Glazing Tape - Black
(glaze glass to lite frame)
RPGZGS 50ft.


Foam Glazing Tape - White
1/4" x 1/8" thick
(Foam tape used on edge of lite
frame to seal against door)
RPGLZTP 50ft. Roll




Classic-Craft
Grille Clip
RPCGC




1994 Wood Grille
Metal Clip
RPWGMCM2




Flush-Glazed Wood
Grille Metal Clip
RPFGGC




Sill Gasket - Composite/Hardwood
Adjustable Sill
3/0 - RPTDSLGSKT30
6/0 - RPTDSLGSKT60




Basic Composite Adjustable
Inswing Sill Plug
RPISLCOVER-D (Dark Wood)
RPISLCOVER-L (Light Wood)



Outswing Bumper Sill
(Anchoring to sub-floor)
#10 x 1-1/2"
RPSCOSS



Sill Screw
#8 x 2"
RPSCSBS




Adjustable Sill Nosing
3/0 - RPOAKBCK30A
6/0 - RPOAKBCK60A





Composite/Hardwood
Sill Nosing
RPTD _____



Basic Composite Adjustable Inswing Sill Nosing
(Dark Wood) RPISL30NOSING-D
(Light Wood) RPISL30NOSING-L




Replacement Vinyl
3/0 - ISL3FCAP330-R
6/0 - ISL3FCAP740-R





Cap - Composite/Hardwood
Adjustable
SCA____

Composite Hardwood Adjustable Sill Cap Screw Locations			
	OVERALL LENGTH "A"	CENTER SCREW "B"	FIRST SCREW LOCATION "C"
2/6 SINGLE	30.781	N/A	5.391
2/8 SINGLE	32.781		1.391
2/10 SINGLE	34.781		2.391
3/0 SINGLE	36.781		3.391
3/6 SINGLE	42.781		1.391
4/8 FRENCH	57.781	10.000	3.890
5/0 FRENCH	61.781	10.000	5.890
5/4 FRENCH	65.781	10.000	7.890
5/8 FRENCH	69.781	7.000	1.390
6/0 FRENCH	73.781	8.000	2.890
LINEAL	112.345	6.500	2.923


Composite Hardwood Adjustable Sill Cap Screw Locations (Before 2013)								
	"A"	"B"	"C"	"D"	"E"	"F"	"G"	"H"
4/8 FRENCH	10.000	10.000	10.000	N/A	2.953	4.734	26.073	57.687
5/0 FRENCH	5.000	5.000	10.000	10.000	2.453	4.234	28.073	61.687
5/4 FRENCH	10.000	10.000	10.000	5.000	2.844	2.844	30.073	65.687
5/8 FRENCH	5.000	5.000	10.000	10.000	1.453	3.234	32.073	69.687
6/0 FRENCH	8.000	8.000	10.000	10.000	2.844	2.844	34.073	73.687



Cap - Basic Composite Adjustable Inswing
(Dark Wood) RPISL30ACAP-D
(Light Wood) RPISL30ACAP-L




Kit - Basic Composite Adjustable Inswing
(Dark Wood) RPISL30AKIT-D
(Light Wood) RPISL30AKIT-L




Cap - Composite Outswing
(Dark Wood) - SCO____D
(Light Wood) - SCO____L
(Stone) - SCO____T

Door Bottom & Hinge Parts

DOOR BOTTOM




Sweep/Replacement Door Bottom
DB30SWP



Dual Bulbed Kerfless Door Bottom
RPDBDB300


HINGE PARTS



Hinge Pin
MS000HP




Spring Hinge - Cross Pin
MS0SLHP



Hinge Screw
#10 x 3/4"

RPSCJBB-AN - Antique Nickel
RPSCJBB-1C - Brushed Nickel
RPSCJBB-1D - Black Nickel
RPSCJBB-PC - Polished Chrome
RPSCJBB-SS - Stainless Steel
RPSCJBB-YZ - Yellow Zinc



Hinge Door
#10 x 1"

RPSCDRB-AN - Antique Nickel
RPSCDRB-1C - Brushed Nickel
RPSCDRB-1D - Black Nickel
RPSCDRB-PC - Polished Chrome
RPSCDRB-SS - Stainless Steel
RPSCDRB-YZ - Yellow Zinc
RPSCDRB-1A - Brass



Phillips Flat Head
#8 x 3/4"


SCSS875-AN - Antique Nickel
SCSS875-1C - Brushed Nickel
SCSS875-1D - Black Nickel
SCSS875-PC - Polished Chrome
SCSS875-SS - Stainless Steel




Phillips Flat Head
#8 x 1-1/4"

SCSS8125-AN - Antique Nickel
SCSS8125-1C - Brushed Nickel
SCSS8125-1D - Black Nickel
SCSS8125-PC - Polished Chrome
SCSS8125-SS - Stainless Steel


Replacement
Parts



Magnetic Weatherstrip
Head
WH30B08 - Bronze
Lock
WH00BL8 - Bronze



Adjusta-Fit 2
Converter Plate
FSLIP




10-24 x 1/2" Hinge Machine Screw
RPSCSF-1H - Oil Rubbed Bronze
RPSCSF-YZ - Zinc Dichromate
RPSCSF-1C - Brushed Nickel
RPSCSF-PC - Polished Chrome


Steel Frame Parts



(2) #8 x 3/4" Phillips
Flathead Wood Screws




(5) #10 x 3/4" Phillips
Panhead TEKS 2 Screws




(5) #8 x 1/2" Phillips
Panhead Spear tip Screws (white)



(3) 9/16" x 15/16" x 1/8"
Spacers



(1) "L" Bracket Transport Clip



(2) Lock Bore Sleeve

THERMA-TRU®
DOORS


**Shop
Prehanging
Instructions
for
Adjusta-Fit_® 2**

Read all instructions carefully before
pre-hanging your new Thermo-Tru
Adjusta-Fit_® 2 system.

Please note there are separate
"Installation Instructions" for your
Adjusta-Fit_® 2 system.

For information on where to purchase
Thermo-Tru entry door systems,
call 1-800-THERMA-TRU (628-7429)
or visit www.thermatru.com


**Pre-Hanging Hardware Package
TA2HS**




(6) #10 x 2-1/2" Phillips
Flathead Screws



(2) #8 x 3/4" Phillips
Flathead Wood Screws



(2) #12-24 x 3/4" Phillips
Flathead Type "A"
Machine Screw



(2) Jamb seal pads



Converter Plate



(2) #8-32 x 3/8" Self
tapping Screw
Type "F"



(2) #8 x 1-1/4" Phillips
Flathead Screws



Deadbolt Cover
(Door)
1-1/8" x 2-1/4"



Deadbolt Cover
(Frame)
1-1/8" x 2-3/4"



(2) 1-1/8" x 2-1/4"
Deadbolt Filler

THERMA-TRU®
DOORS

**Site
Installation
Instructions
for
Adjusta-Fit_® 2**


Read all instructions carefully before
installing your new Thermo-Tru
Adjusta-Fit_® 2 system.

Please note there are separate "Prehanging
Instructions" to be reviewed and followed
prior to completing the installation.


CODES
Building codes may vary from area to area.
If a fire rating is required of the door and
opening being framed, the installer must
use installation materials and methods to
satisfy the authority having jurisdiction.
Thermo-Tru provides labeled products,
but bears no responsibility for installation.

**Field Installation Hardware Package
TB2HF**


REPLACEMENT END RAILS




Classic-Craft
RPCCER30C (3/0)
RPCCER36SS (3/6)



8' Classic-Craft
RPCCER30SS




Steel
RPER30C (3/0)
RPER36C (3/6)




Fiber-Classic/Smooth-Star
RPSSFCER30C



8' Fiber-Classic
RPFCE308C




Classic-Craft Full Plank
CCER30SSPLK
CCER36SSPLK




Fire Door
RPSEDR26 (2/6)
RPSEDR28 (2/8)
RPSEDR21 (2/10)
RPSEDR30 (3/0)
RPSEDR36 (2/6)


RAISED PANEL PAD & TAPE




VHB Tape - 36 yds
Classic-Craft
Raised Panel
RPRPTAPECC



VHB Tape - 36 yds
Smooth-Star
Raised Panel &
Classic-Craft DP300CC
RPRPTAPESS




VHB Tape - 216 Ft. Roll
90 Minute Fire Door
Cutdown End Rails
RPSEDRTP216




Neoprene Pad
Classic-Craft Raised Panels
DP1244CC & DP1244STCC
RPRPPAD 14/PKG

Replacement
Parts

Stainable & Standard Astragal Parts




This Page Intentionally Left Blank




Exterior Elliptical Trim


3/0 w/2 12" SL Continuous	RPTME30D2050
3/0 w/2 14" SL Continuous	RPTME30D4050



Pre-1987
Grille Pin
RPFGPIN



Grille Stick Pin
RPTGNAIL




Elliptical
Grille Pin
RPTGNAILEP-R
RPTGNAILEP-L

For Prehung Unit Installation

Screw Package "A"


(Site Applied)

Part # MSSCRPA-XX



#10 x 2-1/2"
Phillips Flat Head

(2) Hinge - Jamb Leaf
Part # SC21BHS-XX



#8 x 2-1/2"
Phillips Flat Head

(2) Security Strike Plate
Part # SCSS821-XX

JAMB-JACK SCREW & CAP




#10 x 3-1/4"



Finish Cap
JJCAP100

Jamb-Jack Screw & Cap
JJJC06




Jamb-Jack Insert
Part # JJINS




Special Bit
Part # JJTDRVR

Transport Clip
Part # SCOOTCS




#6 x 3/4"
Phillips Flat Head

LITE DIVIDER TAPE



VHB Tape - 72 yds
Classic-Craft American
Lite Divider
TAPECCALDREVVH



VHB Tape - 27.3 yds
Classic-Craft American Shaker
Lite and Door Divider
RPTAPECCSLDDD

Replacement
Parts

Accessories

- Corner Seal Pads 12.5–12.6
- Dentil Shelves 12.3
- Hidden Fastener System Parts 12.10
- Jamb Spacer Shim 12.7
- Lock Bore Sleeve 12.8
- Outswing Jamb Kerf Plug 12.9
- Transport Clips 12.4

Adjusta-Fit 2

- Architectural Details 2.116–2.117
- Frame Details 6.48–6.52
- Sills 7.21–7.23

Architectural Details

- Adjusta-Fit 2 Frame 2.116–2.117
- Classic-Craft 2.26–2.69
- Direct Set Sidelite 2.115
- Fiber-Classic 2.70–2.81
- Impact 2.104–2.105
- Smooth-Star 2.82–2.107
- Steel Profiles 2.110–2.111
- Steel Traditions 2.108–2.109
- Transoms 2.112–2.113

Astragal 6.31–6.35

- Hardware & Replacement Parts 13.12–13.13

Brickmould 6.36–6.40
Classic-Craft

- Architectural Details 2.26–2.69
- Dimensional Data 3.3–3.45
- Doorlite Glass Sizes 5.22–5.23
- Exploded View and Part Identification 2.4–2.9
- Glass Sandwich Thickness 5.17
- Lite Frames 5.3–5.6
 - Wrought Iron 5.6
- Panels 5.5

Clavos 9.30
Corner Seal Pads 12.5–12.6
Cove Molding 6.43, 13.14
Dentil Shelves 12.3
Dimensional Data

- Classic-Craft
 - 6/8 3.3–3.25
 - 8/0 3.26–3.45
- Fiber-Classic/ Smooth-Star/ Steel
 - 6/8 4.3–4.39
 - 8/0 4.40–4.58
- Pulse
 - 6/8 4.59–4.66
 - 8/0 4.67–4.75

Door Bottoms 8.4–8.6

- Replacement Parts 13.8

Door Surrounds 6.41–6.42
End Rails 13.11
Exploded View and Part Identification

- Classic-Craft 2.4–2.9
- Fiber-Classic & Smooth Star 2.10–2.21
- Fire Door 2.21, 2.24
- Steel 2.22–2.25

Fiber-Classic

- Architectural Details 2.70–2.81
- Dimensional Data 4.3–4.75
- Doorlite Glass Sizes 5.24–5.25
- Exploded View and Part Id 2.10–2.21
- Glass Sandwich Thicknesses 5.18
- Lite Frames 5.7–5.12

Frame Parts

- Adjusta-Fit 2 6.48–6.52
- Astragal 6.31–6.35
- Brickmould 6.36–6.40
- Cove Molding 6.43
- Direct Set Sidelite 6.47
- Head Jambs 6.5–6.13
- Head Seal Pad 6.43
- Jamb Profiles 6.3–6.4
- Mull Casing 6.44
- Mullions 6.21–6.30
- Plugs 13.5
- Screen Track & Stop 6.46
- Screws 13.5
- Side Jambs 6.14–6.20
- Storm Adapters 6.45

Glass Specifications
Classic Craft

- Doorlite Glass Sizes 5.22–5.23
- Glass Sandwich Thickness 5.17

Fiber-Classic

- Doorlite Glass Sizes 5.24–5.25
- Glass Sandwich Thicknesses 5.18

Impact

- Doorlite Glass Sizes 5.26–5.27
- Glass Sandwich Thickness 5.21

Smooth-Star

- Doorlite Glass Sizes 5.24–5.25
- Glass Sandwich Thickness 5.19

Steel

- Doorlite Glass Sizes 5.24–5.25
- Glass Sandwich Thickness 5.19

Transom

- Glass Sandwich Thickness 5.20

Glazing Tape 13.5
Grille Profiles 1.39
Grilles

- Classic-Craft 11.3–11.4
- Doorlite Grilles 11.8–11.9
- Flush-Glazed 11.5–11.6
- Flush-Glazed Grille Locations 1.55–1.88
- Lip Lite Grille Locations 1.39–1.54
- PVC Lineal Grilles 11.7

Head Seal Pad 6.43
Hinges

- Adjustable 9.6
- Ball Bearing 9.9
- Classic-Craft Ball Bearing 9.11
- Replacement Parts 13.8
- Self Aligning NRP (Riveted) Pin 9.10
- Standard Self-Aligning 9.3
- Standard Self-Aligning with Security Tab 9.4
- UL Listed Spring 9.7

- Impact
 - Doorlite Glass Sizes 5.26–5.27
 - Glass Sandwich Thickness 5.21
- Jambs
 - Head Jambs 6.5–6.13
 - Jamb Profiles 6.3–6.4
 - Side Jambs 6.14–6.20
- Jamb Spacer Shim 12.7
- Lite Frames
 - Classic-Craft 5.3–5.6
 - Fiber-Classic, Smooth-Star, & Steel 5.7–5.12
 - Impact 5.13–5.16
- Lock Bore Sleeve 12.8
- Mull Casing 6.44
- Mullions 6.21–6.30
- Multi-Point
 - Gears & Extensions
 - Grip Style 9.21
 - Lever Style 9.18–9.20
 - Vented Sidelite 9.22
 - Handle / Trim
 - Grip Style 9.25, 9.29
 - Lever Style 9.23–9.24, 9.27–9.28
 - Vented Sidelite 9.26
 - Shootbolt System Strike Plates
 - Inswing 9.13
 - Outswing 9.14
 - Grip Style Strike Plates 9.16
 - Lever Style Strike Plates 9.15
 - Vented Sidelite Strike Plates 9.17
- Outswing Jamb Kerf Plug 12.9
- Pulse 4.59–4.75
- Rain Deflector 9.31
- Rain Guard 9.31
- Replacement Parts
 - Cove Molding 13.14
 - Door Bottoms 13.8
 - End Rails 13.11
 - Frame Plugs 13.5
 - Frame Screws 13.5
 - Glazing Tape 13.5
 - Grille Clips 13.5
 - Hinge Pin 13.8
 - Screens 13.3–13.4
 - Sill Parts
 - Caps 13.7
 - Gasket 13.6
 - Nosing 13.6
 - Plug 13.6
 - Replacement Vinyl 13.6
 - Screws 13.6
 - Stainable & Standard Astragal Parts 13.12
 - Steel Frame Parts 13.9–13.10
 - Tape, Raised Panel 13.11
 - Transom 13.14
- Rustic Hardware 9.30
- Screens
 - Hinged Patio 13.4
 - Sliding Patio 13.3
- Screws
 - Hinge 13.8
 - Lite Frame 13.5
 - Sill 13.6
 - Steel Frame 13.9–13.10
 - Wood Frame 13.15
- SDLs (See Grilles)
- Sills
 - Adjusta-Fit 2 Inswing 7.21
 - Sill Extenders 7.22
 - Basic Composite Inswing Adjustable 7.8
 - Sill Extenders 7.9
 - Basic Fixed 7.3
 - Composite/Hardwood Inswing Adjustable 7.4–7.6
 - Sill Extenders 7.7
 - Composite Outswing 7.10–7.11
 - Covers 7.17–7.19
 - End Seal Pads 7.20
 - Outswing Sill - No Thermal Break 7.13
 - Outswing Sill - Thermal Break 7.12
 - Public Access
 - Adjusta-Fit 2 7.23
 - No Thermal Break 7.16
 - Thermal Break 7.15
 - Replacement Parts 13.6–13.7
- Simulated Divided Lites. (See Grilles)
- Smooth-Star
 - Architectural Details 2.82–2.107
 - Dimensional Data 4.3–4.75
 - Doorlite Glass Sizes 5.24–5.25
 - Exploded View and Part Identification 2.12–2.21
 - Glass Sandwich Thickness 5.19
 - Lite Frames 5.7–5.12
- Steel
 - Architectural Details 2.108–2.111
 - Dimensional Data 4.3–4.75
 - Doorlite Glass Sizes 5.24–5.25
 - Exploded View and Part Identification 2.22–2.25
 - Frame Parts 13.9–13.10
 - Glass Sandwich Thickness 5.19
 - Lite Frames 5.7–5.12
- Strap Hinge 9.30
- Strike Plates 9.12–9.17
- Tape, Raised Panel 13.11
- Transom Arch Details 2.114–2.115
 - Transom Composite Sill 10.3
 - Elliptical 10.4–10.5
 - Glass 10.7
 - Glass Sandwich Thickness 5.20
 - Grille Sticks 11.10
 - Rectangular 10.6
 - Replacement Parts 13.14
- Transport Clips 12.4
- Unit and Rough Opening Sizing 1.3–1.37
- Weatherstrip 8.3
 - Magnetic 13.9
- Wood Frame Parts 13.15