



Entry & Patio Door Systems

Why Therma-Tru® Doors

Uncompromising quality, inside and out.

#1 Among Building Pros

It's a brand you can trust. Why? Because year after year, building professionals rank Therma-Tru #1 – as the brand they prefer most – in entry doors.*

Experience & Know-How

Behind every Therma-Tru door stands decades of experience and technical know-how. Therma-Tru makes or recommends every aspect – from the glass to the hinges – to bring your home durability and reliability through the years.

Lifetime Limited Warranty

When you pay close attention to every detail that goes into a door, you can stand behind its parts longer than the rest. That's why your Therma-Tru fiberglass door system is backed with a lifetime limited warranty – the industry's most comprehensive warranty of its kind.



Contributes to an energy-efficient home and is backed by the industry's most comprehensive lifetime limited warranty.

Front Cover: Classic-Craft American Style Collection, Low-E Glass with SDLs, Doors – CCA4940, Surround – TDS-CCCFLT

*Brand Use Study, 2019 *Builder* magazine.

†Excluding primed Pine and Oak frame components.

††Excluding improper assembly of components into a door system by the distributor, dealer, builder or remodeler, and the installation of the door system.

†††Excluding installations within 5 miles of a body of salt water and the finish.

††††Excluding normal wear and tear.

†*As tested by an independent laboratory. Not available on certain configurations.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Items denoted in **RED** add one week to existing lead time if not in stock.


A Therma-Tru door with genuine Therma-Tru components is more than a beautiful door – it's a complete door system. Each part of the system – from the glass to the hinges – is engineered to work together for weather resistance and energy efficiency.

And Therma-Tru can stand behind more parts of a door system for longer than other door companies because Therma-Tru makes or specifies everything that goes into it. A Therma-Tru fiberglass door system is backed by the industry's most comprehensive lifetime limited warranty.

Backed by our lifetime limited warranty.

Therma-Tru. Fiberglass Doors


All of these genuine Therma-Tru components are included in our lifetime limited warranty.† The homeowner has one source, Therma-Tru, to turn to if an issue arises with the door system.††



Our Lifetime Limited Warranty

Other Fiberglass & Wood Doors

Other companies that only supply the door panel either don't warrant as many parts of the door system or warrant them for a shorter period. That could leave the homeowner without coverage and confused about who to turn to if issues arise.




Other Door Companies' Warranties

Door System Components


It's a complete system,

backed by the industry's most comprehensive lifetime limited warranty (slab, lite insert, sill, weatherstrip, etc.)



1 Weatherstrip
Foam filled compression weatherstrip remains flexible and helps seal your entryway against moisture and air infiltration. Removable for finishing. Available in white or bronze.

Long reach is applied to strike and head jamb for superior seal that competitors do not offer;
medium reach is applied to hinge side (reduces hinge-bind).



2 Seven Shape Corner Seal Pad
Its innovative design creates an air pocket that helps prevent air and water infiltration.



3 Door Bottom Sweeps
Features dual bulbs with dual fins that sit tightly on the sill to help prevent air and water infiltration.



4 Composite Sills
Profiled design for a tighter fit with the door to help eliminate the destructive effects of water. Inswing uses a composite adjustable sill.

An outswing uses a fixed composite sill.



5 Adjustable Security Strike Plate* Provided to Match Hinge Color
Tested to withstand up to three times the force of standard strike plates, offers both security and adjustability.



6 Hinges
Available in ball-bearing, spring-loaded and self-aligning tabs and non-removable pin (NRP).



7 Transport Clip
When attached to the slab and frame with screws, guarantees a consistent reveal, provides for ease of installation and pre-drilled for door hardware.



8 End Sill Pads
Provide a gasket between the frame and sill to prevent leaking...performs better than caulk.



9 2 - 2-1/2" Long Screws to Apply in Top Hinge for better performance.
2 - 2-1/2" Long Screws to Apply in Strike Plate for better security.



Screws
Boise uses 1" screws into the slab and 3/4" screws in the frame when applying the hinges...better holding power.

Door Options

Choose from our many fiberglass doors to create an entry that complements the architectural style of your home. Options include wood-grained, stained or smooth, painted surfaces.

Classic-Craft® Premium Entryways

These premium fiberglass entryways come in four wood grains or a smooth surface that all rival the look of custom wood. Classic-Craft entry doors are rated a *Consumers Digest* Best Buy.



Architecturally correct for true classic beauty.

Doors designed to be architecturally correct, with proportions modeled after classic architectural principles, to create a more premium entryway.

Up to 25% wider panels*



Classic-Craft Premium Door



Standard Fiberglass Door



Premium – right down to the edge.
A solid hardwood square edge delivers a genuine wood appearance.



Standard fiberglass bullnose edge.
The bullnose profile, typical of other fiberglass doors, detracts from the authentic wood look.

*Compared to other standard fiberglass doors.

Classic-Craft®
American Style Collection™

Classic-Craft®
Mahogany Collection™

Shown in Rustic Clay stain

Shown in New Earth stain

Classic-Craft®
Rustic Collection™

Classic-Craft®
Oak Collection™

Classic-Craft®
Canvas Collection®

Shown in Driftwood stain

Shown in Barley stain

Door Options

Fiber-Classic® Doors

Get the look and feel of rich Mahogany or warm Oak with excellent performance and value.



Smooth-Star® Doors

Get a smooth surface for plenty of color options with exceptional performance and value.

Steel Doors

Bring style and affordability together to create very attractive results with our steel doors.

Pulse®

Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.

Fiber-Classic®
Mahogany
Collection™

Fiber-Classic®
Oak Collection™

Smooth-Star®

Shown in
Autumn Harvest stain

Shown in Barley stain

Profiles™ Steel

Traditions Steel

Pulse®

Door Options

Shown in
Ruby Red paint

Door Construction

Architecturally correct for true classic beauty.

Doors designed to be architecturally correct, with proportions modeled after classic architectural principles, to create a more premium entryway.



Premium – right down to the edge.

A solid hardwood square edge delivers a genuine wood appearance.



Standard fiberglass bullnose edge.

The bullnose profile, typical of other fiberglass doors, detracts from the authentic wood look.

More than 10% wider glass*



Classic-Craft Premium Glass



Standard Glass

Up to 25% wider panels*



Classic-Craft Premium Door



Standard Fiberglass Door

Entry Door Systems Data

| Feature | Classic-Craft® | Fiber-Classic® | Smooth-Star® | Profiles™ | Traditions |
|-------------------|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| Skin Material | Fiberglass | Fiberglass | Fiberglass | 24 Gauge Steel | 25 Gauge Steel |
| Skin Texture | Oak, Mahogany, Fir Grain, High Detail Smooth | Oak, Mahogany Grain | High Detail Smooth | White Primer | White Primer |
| Finishing Options | Stain or Paint | Stain or Paint | Paint | Paint | Paint |
| Lock Block | 4" LSL Full Length Stile | Wood 25" | Wood 12-1/2" | Wood 12-1/2" | Wood 12-1/2" |
| Limited Warranty | Lifetime | Lifetime | Lifetime | 10 Years | 5 Years; I.G. 10 Years |
| Hinges | Ball-Bearing Radius/Radius | Self-Aligning Radius/Square | Self-Aligning Radius/Square | Self-Aligning Radius/Square | Self-Aligning Radius/Square |
| Top Rail | Composite | Composite | Composite | Composite | Composite |
| Bottom Rail | Composite | Composite | Composite | Composite | Composite |
| Lock Stile | 4-1/8" LSL Full Length Stile | 1-1/4" LVL | 1-1/4" LVL | 1-1/4" Pine | 1-1/4" Pine |

*Comparison of Classic-Craft to other standard fiberglass doors with similar styles. Visit www.thermatru.com for details.

Specialty Glass

Geometric (XG)



Privacy Rating



Satin Etch (XE)



Privacy Rating



Chord (XC)



Privacy Rating



Chinchilla (XJ)



Privacy Rating



Rainglass (XR)



Privacy Rating



Granite (XN)



Privacy Rating



Internal Blinds



Screen Vented



Specialty Glass

Simulated Divided Lites (SDL)




Grilles Between Glass (GBG)



Fixed Grilles (FXG)



Flush-Glazed Glass (▲)





Flat Profile Lite Frame



Flat Frame is available by special order in selected Geometric glass only.

Scrolled Frame




Design Pressure (DP) Rated Door Units

Boise is licensed for DP Rated Door Units...Design Pressure (DP) ratings are based on a Therma-Tru door systems' performance in Structural Wind Load. Almost all of Therma-Tru's Classic-Craft®, Fiber-Classic® and Smooth-Star® fiberglass door systems with or without clear and decorative glass doorlites have been tested and approved for coastal use. This includes configured door systems with one sidelite, two sidelites and double doors.

High-Power Testing

Our Impact-rated doors pass a large missile impact test. We blast a 9 lb. 2" x 4" stud into the doors at 34 mph to prove they're the better choice for strength and stability.



Impact Lip-Lite Frame

Features durable, paintable aluminum construction. An attractive scrolled profile gives a thin, sleek appearance and a screw channel cover helps hide unsightly screws.



Sill Pans

Sill pan flashing helps to eliminate problems associated with water infiltration. Recommended for doors exposed directly to water. Available in 4-9/16" or 6-9/16" in 6 or 9 feet.



Right: Fiber-Classic Mahogany Collection, Saratoga Glass, Door – FCM602, Sidelite – FCM815SL



Impact Glass




Features / Options Key

- No Stile Lines
- Vented Sidelite
- ▲ Flush-Glazed Glass
- 1D Black Nickel Caming
- 1C Brushed Nickel Caming

Full-Glass Options

Classic-Craft.

All doors on this page available in 6'8" height and 3'0" width.
Sidelites on this page available in 6'8" height and 12" & 14" widths.



Arcadia
CCM109-1C
CCM3409SL-1C ▲



Bella
CCM110B-1D
CCM3410BSL-1D ▲



Longford
CCM103-1D, 1C
CCM3403SL-1D, 1C ▲



Borrassa
CCM152B
CCM3400XHSL ▲
(SL features hammered glass)

Classic-Craft Transoms



12"-3/0-12"-1D

Arcadia
CC620T-1D



12"-3/0-12"-1D, 1C,
14"-3/0-14"-1D

Longford
LFRT-1D, 1C

Left: Classic-Craft Mahogany Collection, Bella Glass, Door – CCM110B, Sidelites – CCM3410BSL

Fiber-Classic® & Smooth-Star®

All doors on this page available in 6'8" height and 2'8" & 3'0" widths. Sidelites on this page available in 6'8" height and 10" & 12" widths.



Blackstone
FCM108-1D, 1C
FCM808SL-1D, 1C ■ ●



Saratoga
FCM905-1D, 1C
FCM815SL-1D, 1C ■ ●



Wellesley
FCM104-1D, 1C
FCM818SL-1D, 1C ●




Concorde
FCM910-1C
FCM809SL-1C ■ ●



Kensington
S160-1D, 1C
S160SL-1D / S6132SL-1D ■ ● 14"




Maple Park
FCM900-1D, 1C
FCM812SL-1D, 1C ■ ●




Axis
S1652-1D 2'4", 2'6"
S1652SL-1D / S1651SL-1D ■ ● 14"

Fiber-Classic & Smooth-Star Transoms




Blackstone
BSRT-1D, 1C

12"-3/0-12"-1D, 1C



Wellesley
19730T-1D, 1C

*10"-3/0-10"-1D, 1C,
12"-3/0-12"-1C



Concorde
CNRT-1D, 1C

*10"-3/0-10"-1D, 1C,
12"-3/0-12"-1C



Maple Park
FWRT-1D, 1C

12"-3/0-12"-1D, 1C

*Sash set transoms in 10" (all others direct set)

Note: Transoms shown on this page are direct set glass for continuous sidelite sill. Items denoted in RED add one week to existing lead time if not in stock.

Full-Glass with SDL Grilles

Fiber-Classic® & Smooth-Star®

EnLiten™ Flush-Glazed Designs

All doors on this page available in 6'8" height and 2'0", 2'6", 2'8", and 3'0" widths. Smooth-Star doors on this page also available with Low-E in 6'6" and 6'8" height in 2'10" widths.



S2000-2W1H
(XE, XC, LE, CL, SDL)

Flush-Glazed 2-Lite
Privacy / Low-E / Clear
FC2000-2W1H ▲
(XE, XC, LE, CL, SDL)



S2000-3W1H
(XE, XC, LE, CL, SDL)

Flush-Glazed 3-Lite
Privacy / Low-E / Clear
FC2000-3W1H ▲
(XE, XC, LE, CL, SDL)



S2000-2W2H
(XE, XC, LE, CL, SDL)

Flush-Glazed 4-Lite
Privacy / Low-E / Clear
FC2000-2W2H ▲
(XE, XC, LE, CL, SDL)



S2000-2W3H
(XE, XC, LE, CL, SDL)

Flush-Glazed 6-Lite
Privacy / Low-E / Clear
FC2000-2W3H ▲
(XE, XC, LE, CL, SDL)



S2000-2W4H
(XE, XC, LE, CL, SDL)

Flush-Glazed 8-Lite
Privacy / Low-E / Clear
FC2000-2W4H ▲
(XE, XC, LE, CL, SDL)



S2000-2W5H
(XE, XC, LE, CL, SDL)

Flush-Glazed 10-Lite
Privacy / Low-E / Clear
FC2000-2W5H ▲
(XE, XC, LE, CL, SDL)



S2000-3W5H*
(XE, XC, LE, CL, SDL)

Flush-Glazed 15-Lite
Privacy / Low-E / Clear
FC2000-3W5H ▲
(XE, XC, LE, CL, SDL)



S2000-3LT
Craftsman
(XE, XC, LE, CL, SDL)

Flush-Glazed Craftsman
Privacy / Low-E / Clear
FC2000-3LT Craftsman ▲
(XE, XC, LE, CL, SDL)



S2000-7LT
(XE, XC, LE, CL, SDL)

Flush-Glazed Double Cottage
Privacy / Low-E / Clear
FC2000-7LT ▲
(XE, XC, LE, CL, SDL)



S2000-1W5H
(XE, XC, LE, CL, SDL)

Flush-Glazed 5-Lite
Privacy / Low-E / Clear
FC2000-1W5H ▲
(XE, XC, LE, CL, SDL)



S2000-9Lt**
(XE, XC, LE, CL, SDL)

Flush-Glazed Prairie
Privacy / Low-E / Clear
FC2000-9Lt ▲
(XE, XC, LE, CL, SDL)



7/8" OG SDL



Historical
7/8" Putty SDL



1-1/4" OG SDL

* See style S2050 on page 17 for GBG options.


** See style S2009 on page 17 for GBG options.

Note: Items denoted in **RED** add one week to existing lead time if not in stock.

Smooth-Star®

EnLiten™ Flush-Glazed Designs

All doors on this page available in 6'8" height and 2'0", 2'6", 2'8", and 3'0" widths. Smooth-Star doors on this page also available with Low-E in 6'6" and 6'8" height in 2'10" widths.



**Flush-Glazed
Privacy / Low-E / Clear**
S2000-5130G
(XE, XC, LE, CL, SDL)



**Flush-Glazed
Privacy / Low-E / Clear**
S2000-5044G
(XE, XC, LE, CL, SDL)



**Flush-Glazed
Privacy / Low-E / Clear**
S2000-5082G
(XE, XC, LE, CL, SDL)



**Flush-Glazed
Privacy / Low-E / Clear**
S2000-5030G3R
(XE, XC, LE, CL, SDL)



**Flush-Glazed
Privacy / Low-E / Clear**
S2000-5032G
(XE, XC, LE, CL, SDL)



**Flush-Glazed
Privacy / Low-E / Clear**
S2000-5030GCM
(XE, XC, LE, CL, SDL)



**Flush-Glazed
Privacy / Low-E / Clear**
S2000-5040G
(XE, XC, LE, CL, SDL)



**Flush-Glazed
Privacy / Low-E / Clear**
S2000-5055G
(XE, XC, LE, CL, SDL)



**Flush-Glazed
Privacy / Low-E / Clear**
S2000-5010G
(XE, XC, LE, CL, SDL)



**Flush-Glazed
Privacy / Low-E / Clear**
S2000-5013G
(XE, XC, LE, CL, SDL)



**Flush-Glazed
Privacy / Low-E / Clear**
S2000-5083G
(XE, XC, LE, CL, SDL)



**Flush-Glazed
Privacy / Low-E / Clear**
S2000-5086G
(XE, XC, LE, CL, SDL)



**Flush-Glazed
Privacy / Low-E / Clear**
S2000-5080G
(XE, XC, LE, CL, SDL)



**Flush-Glazed
Privacy / Low-E / Clear**
S2000-5033G
(XE, XC, LE, CL, SDL)

Features / Options Key

| | | |
|----------------------|----------------|-----------------------------|
| ● Flush-Glazed Glass | XC Chord Glass | CL Clear Glass |
| XE Satin Etch Glass | LE Low-E | SDL Simulated Divided Lites |

Full-Glass Options

Classic-Craft® Shaker

EnLiten™ Flush-Glazed Designs

All doors in CC section available in 6'8" height and 3'0" width. Sidelites in CC section available in 6'8" height and 12" & 14" widths.



Flush-Glazed Shaker
CCA2400 (XE, LE)
CCA2400SL (XE, LE)




**Flush-Glazed Shaker
3-Lite SDLF4**
CCA2300 (XE, LE, SDLF4)
CCA2300SL (XE, LE, SDLF4)



**Flush-Glazed Shaker
6-Lite SDLF3**
CCA2330 (XE, LE, SDLF3)



**Flush-Glazed Shaker
3-Lite Craftsman SDLF5**
CCA2350 (XE, LE, SDLF5)



**Flush-Glazed Shaker
2-Lite SDLF4**
CCA2370 (XE, LE, SDLF4)



**Flush-Glazed Shaker
X-Brace SDLF3**
CCA4900 (XE, LE, SDLF3)



Flush-Glazed Shaker Z-Brace SDLF3
CCA4910L (XE, LE, SDLF3) / CCA4910R (XE, LE, SDLF3)



Flush-Glazed Shaker Double-Z SDLF5
CCA4920L (XE, LE, SDLF5) / CCA4920R (XE, LE, SDLF5)



**Flush-Glazed Shaker
Double-X SDLF5**
CCA4930 (XE, LE, SDLF5)




**Flush-Glazed Shaker
Bottom-X SDLF5**
CCA4940 (XE, LE, SDLF5)

Features / Options Key

| | | | | | |
|----------------------|---------------------|------------------|-------------------------------|---|-------------------|
| ■ No Stile Lines | XC Chord Glass | XN Granite Glass | SDL Simulated Divided Lites | SDLF5 Simulated Divided Lites | FXG Fixed Grilles |
| ● Flush-Glazed Glass | XJ Chinchilla Glass | LE Low-E | SDLF3 Simulated Divided Lites | GBG-A Grilles Between Glass Almond Flat Bar | |
| XE Satin Etch Glass | XR Rainglass | CL Clear Glass | SDLF4 Simulated Divided Lites | GBG-W Grilles Between Glass White Flat Bar | |

Fiber-Classic® & Smooth-Star®

All doors on this page available in 6'8" height. Sidelites on this page available in 6'8" height and 12" width. 10" and 14" Sidelites available where noted.



Low-E / Clear 15-Lite

S108-GBG-W (LE) 2'6", 2'8", 2'10", 3'0", 2'4" (CL)
GBG-A (LE) 2'8", 2'10", 3'0"; FXG (LE, CL) 2'6", 2'8", 2'10", 3'0"
S308SL / S1170SL GBG-W (LE, CL), GBG-A (LE, CL),
FXG (LE, CL) ■ 10", 14"



Low-E / Clear 10-Lite

S128 ■
FXG (CL) 2'0"; FXG (LE) 2'0";
FXG (LE) 2'8", 2'10", 3'0"
S100SL / S601SL (LE, CL) ■ 10", 14"



Internal Blinds

FCM141 2'8", 3'0"
S130SL 14" / S6128SL 10"
Insert Style Blind




Privacy / Low-E / Clear

FCM10 (XC, XR, XN, LE, CL) 2'8", 3'0"
FCM12101SL (LE, CL) ■ 10"

Clear Transoms with Grilles



19220T-2 Lite
(LE, CL, SDL)
10"-3/0-10",
12"-3/0-12"
2'8", 3'0"



19220T-3 Lite
(LE, CL, SDL)
10"-3/0-10",
12"-3/0-12"



19220T-4 Lite
(LE, CL, SDL)
10"-3/0-10",
12"-3/0-12"




19220T-5 Lite
(LE, CL, SDL, GBG)
10"-3/0-10",
12"-3/0-12"

~2'10" also available in 6'6" height. ~2'4" x 6'8" and 6'6" are in VBR clear only. Note: Items denoted in **RED** add one week to existing lead time if not in stock.

Fiber-Classic® & Smooth-Star®

EnLiten™ Flush-Glazed Designs

All doors on this page available in 6'8" height. Sidelites on this page available in 6'8" height and 12" width. 10" and 14" Sidelites available where noted.



Flush-Glazed Privacy / Low-E / Clear

FC2000 (XE, XC, LE, CL) 2'0", 2'6", 2'8", 3'0"
FC2000SL (XE, XC, LE)



S2000 (XE, XC, LE, CL)
2'0", 2'6", 2'8",
2'10", 3'0", 2'10"
x 6'6"
S2000SL (XE, XC, LE, CL)
10", 14"




Flush-Glazed Internal Blinds

S2600 (CL) 2'6", 2'8", 3'0"



Flush-Glazed Prairie

S2009LE-GBG-A, GBG-W 3'0"
S2000SL 10"
(LE, CL, GBG-LE)



Flush-Glazed 15-Lite

S2050-LE-GBG-W 2'6", 2'8", 3'0"
S2010SL-LE-GBG-W 10"



3/4-Glass Options

Classic-Craft®

All doors on this spread available in 6'8" height and 3'0" width. Sidelites on this spread available in 6'8" height and 12" & 14" widths. 10" Sidelites available where noted.



Arcadia
CCM209-1D, 1C
CCM3309SL-1D, 1C 10"



Arcadia
CCM309-1D
CCM3409SL-1D 10"



Bella
CCM210B-1D
CCM3310BSL-1D 10"



Bella
CCM310B-1D
CCM3410BSL-1D 10"

Classic-Craft Transoms



12"-3/0-12"-1D

Arcadia
CC620T-1D



12"-3/0-12"-1D, 1C

Longford
LFRT-1D, 1C

Left: Classic-Craft Oak Collection, Lucerna Glass, Door – CC922, Sidelites – CC3412SL

Note: Product images show exterior side of door.



Longford
CCM203-1D, 1C
CCM3303SL-1D, 1C 10"



Longford
CCM303-1D, 1C
CCM3403SL-1D, 1C 10"



Zaha
CCM1842-1D, 1C
CCM1843SL-1D, 1C 10"



Zaha
CCV1843-1C
CCV1851SL-1C 10"




Lucerna
CCM204-1D, 1C
CCM3302SL-1D, 1C 10"



Lucerna
CCM302-1D, 1C
CCM3412SL-1D, 1C 10"



Lucerna
CC922-1D, 1C
CC3412SL-1D, 1C 10"



CCV05022-1D, 1C
CCV3412SL-1D, 1C 10"



Longford
LFRT-1D, 1C

12"-3'0"-12"-1D, 1C,
14"-3'0"-14"-1D



Zaha
ZHRT-1D, 1C

12"-3'0"-12"-1D, 1C



Lucerna
LCRT-1D, 1C

10"-3'0"-10"-1D, 1C

Features / Options Key

10" Flush-Glazed Glass 1D Black Nickel Caming 1C Brushed Nickel Caming

*This transom is built from SL and the glass is 1-13/16" short on the outside edge of the SL glass on each side.
*This decorative transom is built as a sash set in 10". All other 12", 14" decorative transoms are direct set glass.
Note: Items denoted in RED add one week to existing lead time if not in stock.

3/4-Glass Options

Fiber-Classic® & Smooth-Star®

All doors on this page available in 6'8" height and 3'0" width. 2'8" Available where noted. Sidelites on this page available in 6'8" height and 12" width. 10" & 14" Sidelites available where noted.



Blackstone
FCM765-1D, 1C
FCM765SL-1D, 1C



Blackstone
FC770-1D, 1C 2'8"
FC765SL-1D, 1C



Wellesley
FCM147-1D, 1C
FCM147SL-1D



Wellesley
FC779-1D, 1C 2'8"
FC147SL-1D



Concorde
FCM912-1D, 1C
FCM912SL-1D, 1C



Concorde
FC780-1D, 1C 2'8"
FC912SL-1D, 1C



Kensington
S20042-1D 2'8"
S1442SL-1D 14"



Kensington
S156-1D
S160SL-1D / S6132SL-1D 10", 14"

Fiber-Classic & Smooth-Star Transoms



12"-3/0-12"-1D, 1C

Blackstone
BSRT-1D, 1C



*10"-3/0-10"-1D, 1C,
12"-3/0"-12"-1C,
12"-3/0"-12"-1C

Wellesley
19730T-1D, 1C



*10"-3/0-10"-1D, 1C,
12"-3/0-12"-1C

Concorde
CNRT-1D, 1C

*Transom built as sash set in 10" decorative. All other decorative transoms built as direct set.
Note: Items denoted in **RED** add one week to existing lead time if not in stock.

3/4-Glass Wrought Iron Options

Classic-Craft®

All doors in this CC section available in 6'8" height and 3'0" width.
Sidelites in this CC section available in 6'8" height and 12" & 14" widths.



Borrassa
CCM1475
CCM3400XHSL (Door and SL feature hammered glass)



Borrassa
CCV1519
CCV100XHSL (Door and SL feature hammered glass)



Augustine
CCM1495XN Arch top glass
CCM1485XN Square top glass
CCM3400XNSL



Augustine
CCV05027XN
CCV100XNSL

Features / Options Key

- | | |
|------------------------|--------------------------|
| ■ No Stile Lines | 1C Brushed Nickel Caming |
| ● Flush-Glazed Glass | XN Granite Glass |
| 1D Black Nickel Caming | XH Hammered Glass |



Above: Classic-Craft Canvas Collection, Augustine Glass, Door – CCV05027; Granite Glass, Sidelite – CCV100XNSL

3/4-Glass with SDL Grilles

Classic-Craft®

All doors on this page available in 6'8" height and 3'0" width. Sidelites on this page available in 6'8" height and 12" width. 10" Sidelites available where noted.



Low-E 4-Lite
CCM200-2W2H (LE, SDL)
CCM3300SL-1W2H (LE, SDL) 10"



Low-E 6-Lite
CCM200-2W3H (LE, SDL)
CCM3300SL-1W3H (LE, SDL) 10"



Low-E 8-Lite
CCM200-2W4H (LE, SDL)
CCM3300SL-1W4H (LE, SDL) 10"



Low-E 12-Lite
CCM200-3W4H (LE, SDL)
CCM3300SL-1W4H (LE, SDL) 10"



Low-E Prairie Lite
CCM200-PR (LE, SDL)
CCM3300SL-PR (LE, SDL) 10", 14"



Low-E 4-Lite
CC90-2W2H (LE, SDL)
CC2020SL (LE) 14"



Low-E 6-Lite
CC90-2W3H (LE, SDL)
CC2020SL (LE) 14"



Low-E 12-Lite
CC90-3W4H (LE, SDL)
CC2025SL (LE, SDL) 14"

Classic-Craft Transoms with Grilles



19220T-2 Lite
(LE, CL, SDL)

10"-3/0-10",
12"-3/0-12"
2'8", 3'0"



19220T-3 Lite
(LE, CL, SDL)

10"-3/0-10",
12"-3/0-12"
2'8", 3'0"



19220T-4 Lite
(LE, CL, SDL)

10"-3/0-10",
12"-3/0-12"



19220T-5 Lite
(LE, CL, SDL)

10"-3/0-10",
12"-3/0-12"

Note: Items denoted in **RED** add one week to existing lead time if not in stock.

Fiber-Classic®

All doors on this page available in 6'8" height and 3'0" width. Sidelites on this page available in 6'8" height and 12" width. 14" Sidelites available where noted.



Low-E / Clear 4-Lite
FCM32-2W2H
FCM32SL-1W2H
(LE, CL, SDL)



Low-E / Clear 4-Lite
FC766-2W2H 2'8"
FC32SL-1W2H 14"
(LE, CL, SDL)



Low-E / Clear 6-Lite
FCM32-2W3H
FCM32SL-1W3H
(LE, CL, SDL)



Low-E / Clear 6-Lite
FC766-2W3H 2'8"
FC32SL-1W3H 14"
(LE, CL, SDL)



Low-E / Clear 12-Lite
FCM32-3W4H
FCM32SL-1W4H
(LE, CL, SDL)



Low-E / Clear 12-Lite
FC766-3W4H 2'8"
FC32SL-1W4H
(LE, CL, SDL)



Low-E / Clear Prairie Lite
FCM32-PR
FCM32SL-PR
(LE, CL, SDL)



Low-E / Clear Prairie Lite
FC766-PR 2'8"
FC32SL-PR
(LE, CL, SDL)

Fiber-Classic Transoms with Grilles



19220T-2 Lite
(LE, CL, SDL)

10"-3/0-10", 12"-3/0-12"
2'8", 3'0"



19220T-3 Lite
(LE, CL, SDL)

10"-3/0-10", 12"-3/0-12"
2'8", 3'0"



19220T-4 Lite
(LE, CL, SDL)

10"-3/0-10", 12"-3/0-12"



19220T-5 Lite
(LE, CL, SDL)

10"-3/0-10", 12"-3/0-12"

Features / Options Key

LE Low-E CL Clear Glass SDL Simulated Divided Lites

3/4-Glass with Grilles

Smooth-Star®

EnLiten™ Flush-Glazed Designs

All doors on this page are Flush-Glazed and available in 6'8" height and 3'0" width except where noted. Sidelites on this page are Flush-Glazed and available in 6'8" height and 12" width. 10" Sidelites available where noted.



Flush-Glazed 4-Lite

S2200-2W2H ▲ (LE, CL, SDL) 2'6", 2'8"
S90SL-1W2H ▲ (LE, SDL)
S2103-LE-GBG ▲ (Almond, White)



Flush-Glazed 6-Lite

S2200-2W3H ▲ (LE, CL, SDL) 2'6", 2'8"
S90SL-1W3H ▲ (LE, SDL)
S2104-LE-GBG ▲ (Almond, White)



Flush-Glazed Prairie

S2200-PR ▲ (LE, CL, SDL) 2'6", 2'8"
S90SL-PR ▲ (LE, SDL)
S1401-LE-GBG ▲ (Almond, White)



Flush-Glazed 12-Lite

S2200-3W4H ▲ (LE, CL, SDL) 2'6", 2'8"
S90SL-1W4H ▲ (LE, SDL)
S2250-LE-GBG ▲ (Almond, White)
S92SL-LE-GBG ▲ (Almond, White)



Flush-Glazed 2-Lite

S2200-2W1H ▲ (LE, CL, SDL) 2'6", 2'8"
S90SL ▲ (LE, CL)



Flush-Glazed 3-Lite

S2200-3W1H ▲ (LE, CL, SDL) 2'6", 2'8"
S2000SL-1W5H-SDL (LE, CL)
S2010SL-LE-GBG-W ▲ (Almond 10", White)



Flush-Glazed Modified Trellis

S2200-13Lt ▲ (LE, CL, SDL) 2'6", 2'8"
S2000SL ▲ (LE, CL) 10"



Flush-Glazed Trellis

S2200-19Lt ▲ (LE, CL, SDL) 2'6", 2'8"
S2000SL ▲ (LE, CL) 10"

Smooth-Star Transoms with Grilles



10"-3/0-10", 12"-3/0-12"
2'8", 3'0"

19220T-2 Lite
(LE, CL, SDL)



10"-3/0-10", 12"-3/0-12"
2'8", 3'0"

19220T-3 Lite
(LE, CL, SDL)



10"-3/0-10",
12"-3/0-12"

19220T-4 Lite
(LE, CL, SDL)



10"-3/0-10",
12"-3/0-12"

19220T-5 Lite
(LE, CL, SDL, GBG)

3/4-Glass Options

Classic-Craft®

All doors in this CC section available in 6'8" height and 3'0" width.



Low-E Glass
CCM200 (LE)



Low-E Glass
CC90 (LE)



Low-E Glass
CCV05020 (LE)

Fiber-Classic® & Smooth-Star®

All doors in this section available in 6'8" height and 3'0" width.



FC32 (XR, XN,
LE, CL)



S80 (XR, XN,
LE, CL)

Privacy / Low-E / Clear
FCM32 (XR, XN, LE, CL)



S90 (XE, XR,
XN, LE, CL)
2'8"

Privacy / Low-E / Clear
FC766 (XR, XN, LE, CL) 2'8"

Note: Product images show exterior side of door.

Smooth-Star®

EnLiten™ Flush-Glazed Designs

All doors in this section available in 6'8" height and 3'0" width except where noted.



Flush-Glazed
Low-E / Clear
S2200 (LE, CL) 2'6", 2'8"

Features / Options Key

| | | | |
|---------------------|------------------|----------------|-----------------------------|
| Flush-Glazed Glass | XR Rainglass | LE Low-E | SDL Simulated Divided Lites |
| XE Satin Etch Glass | XN Granite Glass | CL Clear Glass | GBG Grilles Between Glass |

Note: Items denoted in RED add one week to existing lead time if not in stock.



2/3-Glass Options

Note: Product images show exterior side of door.

2/3-Glass Options

Classic-Craft®

All doors on this page available in 6'8" height and 3'0" width.



CCV20522-
1D, 1C

Lucerna
CCR20522-1D, 1C



CCV22022-
1D, 1C

Lucerna
CCR20022-1D, 1C



Augustine
CCR04027



CCR20527

Augustine
CCR20527



CCR20537

Augustine
CCR20537



Augustine
CCR20537A



CCR20027

Augustine
CCR20027

Features / Options Key

- 1D Black Nickel Caming
- 1C Brushed Nickel Caming

Note: Items denoted in RED add one week to existing lead time if not in stock.

Left Page: Classic-Craft Canvas Collection, Lucerna Glass, Doors – CCV22022, ©TheHouseDesigners.com



1/2-Glass Options

1/2-Glass Options

Fiber-Classic® & Smooth-Star®

All doors on this page available in 6'8" height and 3'0" width except where noted.



Maple Park
FCM6107-1D, 1C



Maple Park
FCM6108-1D, 1C



Wellesley
FCM105-1C, 1A 2'8"



FC105-1C,
1A 2'8"



S214-1C,
1A 2'8"



Wellesley
FCM6030-1C, 1A



S6030-1C,
1A



Wellesley
FCM6050-1C, 1A 2'8"



S6050-1C,
1A 2'8"



Concorde
FCM911-1C, 1A 2'8"



FC911-1C,
1A 2'8"



S426-1D,
1C, 1A 2'8"

Left: Fiber-Classic Oak Collection, Wellesley Glass, Door – FC105, Sidelites – FC104SL

Note: Product images show exterior side of door.



S6026-1D,
1C, 1A

Concorde
FCM6026-1C, 1A



S6046-1D,
1C, 1A
2'8"

Concorde
FCM6046-1C, 1A 2'8"



Kensington
S161-1D, 1C



FC678

Internal Blinds
FCM678
Insert Style Blind



S6035

Internal Blinds
FCM6035 3'0" only
Insert Style Blind



S6055

Internal Blinds
FCM6055
Insert Style Blind



Screen Vented
S243



Screen Vented
S6034



Screen Vented
S6054



Screen Vented
S137

Features / Options Key

1D Black Nickel Caming 1A Brass Caming
1C Brushed Nickel Caming

Note: Items denoted in RED add one week to existing lead time if not in stock.



1/2-Glass Options

1/2-Glass Options

Fiber-Classic® & Smooth-Star®

All doors on this page available in 6'8" height and 2'8" & 3'0" widths except where noted.



FC65
(LE, SDL)



S262
(LE, SDL,
GBG, FXG)
2'6"

9-Lite Insert Type Glass
FCM65
(LE, SDL)



S6022
(LE, SDL,
GBG)

9-Lite Insert Type Glass
FCM6022
(LE, SDL) 3'0" only



S6042
(LE, SDL,
GBG)

9-Lite Insert Type Glass
FCM6042
(LE, SDL)



Prairie Insert Type Glass
S1408 (LE, SDL, GBG)



Prairie Insert Type Glass
S1405 (LE, SDL, GBG)



Prairie Insert Type Glass
S1406
(LE, SDL, GBG)



FC62
(LE, CL)



S206
(LE, CL)
2'6"

Insert Type Glass
FCM62
(LE, CL)



S6021
(LE, CL)

Insert Type Glass
FCM6021
(LE, CL) 3'0" only



S6041
(LE, CL)

Insert Type Glass
FCM6041
(LE, CL)



Insert Type Glass
S104
(LE, CL) 2'6", 2'4" single bore only

Features / Options Key

| | | |
|--------------------|-----------------------------|---------------------------|
| Flush-Glazed Glass | CL Clear Glass | GBG Grilles Between Glass |
| LE Low-E | SDL Simulated Divided Lites | FXG Fixed Grilles |

Fiber-Classic® & Smooth-Star.

EnLiten™ Flush-Glazed Designs

All doors on this page available in 6'8" height and 2'8" & 3'0" widths except where noted.



Insert Type Glass
S289
(LE, CL) 3'0" only



Flush-Glazed 9-Lite
FC2100-3W3H
(LE, SDL) 2'8" LE only



S2100-3W3H
(LE, SDL) 2'6"



FC2150
(CL, GBG)
3'0" only



S2150-LE
(GBG) 2'6"



Flush-Glazed 4-Lite
FC2100-2W2H
(LE, SDL) 2'8" LE only



S2100-2W2H
(LE, SDL) 2'6"



Flush-Glazed Prairie
FC2100-PR
(LE, SDL) 2'8" LE only



S2100-PR
(LE, SDL) 2'6"



Flush-Glazed
FC2100
(LE, CL) 2'8" LE only



S2100
(LE, CL)
2'6"



Flush-Glazed
S2100-5144G
(LE, SDL) 2'6"



Flush-Glazed
S2100-5142G
(LE, SDL) 2'6"



Oval Options


Classic-Craft®

All doors in this CC section available in 6'8" height and 3'0" width. Sidelites in this CC section available in 6'8" height and 12" & 14" widths. 10" Sidelites available where noted.



Arcadia

CCM709-1D, 1C, 1A
CCM3309SL-1D, 1C, 1A 10"



Bella

CCM710B-1D
CCM3310BSL-1D 10"



Longford

CCM703-1D, 1C
CCM3303SL-1D, 1C 10"



Lucerna

CCM702-1D, 1C
CCM3302SL-1D, 1C 10"

Classic-Craft Transoms



Arcadia
CC620T-1D

12"-3'0"-12"-1D



Longford
LFRT-1D, 1C

12"-3'0"-12"-1D, 1C

Left: Classic-Craft Mahogany Collection, Longford Glass, Door – CCM703, Sidelites – CCM3303SL, Transom – LFET (call for lead time on Elliptical Transom)

*Decorative Transom built as sash set in the 10". All others built direct set glass. Note: Items denoted in RED add one week to existing lead time if not in stock.

Fiber-Classic® & Smooth-Star®

All doors on this page available in 6'8" height and 3'0" width. Sidelites on this page available in 6'8" height and 12" width. 10" & 14" Sidelites available where noted.



Blackstone
FCM110-1D, 1C
FCM808SL-1D, 1C ■ 10"



FC714-1D, 1C
FC108SL /
FC808SL ■
-1D, 1C
10"

S771-1D, 1C
S6002 /
S4570SL ■
-1D, 1C
10", 14"



Blackstone
FCM164-1D, 1C



FC164-1D, 1C



S6085-1D, 1C



Wellesley
FCM106-1D, 1C
FCM818SL-1D, 1C ■ 10"



FC713-1D, 1C
FC104SL /
FC818SL ■
-1D, 1C
10"

S774-1D, 1C
S155SL /
S5870SL ■
-1D, 1C
10", 14"



Wellesley
FCM163-1D, 1C
FCM818SL-1D, 1C ■ 10"



FC163-1D, 1C
FC104SL /
FC818SL ■
-1D, 1C 10"



S6082-1D, 1C
S155SL /
S5870SL ■
-1D, 1C
10", 14"



Concorde
FCM916-1D, 1C
FCM809SL-1C ■ 10"



FC916-1D, 1C
FC104SL /
FC818SL -1C ■
10"

S773-1D, 1C
S416SL /
S4070SL ■
-1D, 1C
10", 14"



Concorde
FCM915-1D, 1C
FCM912SL-1D, 1C



FC915-1D, 1C
FC912SL-1D, 1C



S6084-1D, 1C
S97SL-1C
S757SL-1C 14"



Kensington
FCM151-1D, 1C
FCM813SL-1D 10"



FC709-1D, 1C
FC148SL /
FC813SL ■
-1D 10"



S709-1D, 1C
S160SL /
S6132SL ■
-1D 10", 14"



Kensington
FCM789-1C, 1D
FCM1442SL-1C



FC151-1C, 1D
FC1442SL-1C



S163-1C, 1D
S1442SL-1C
14"

Fiber-Classic & Smooth-Star Transoms



12"-3'0"-12"-1D, 1C

Blackstone
BSRT-1D, 1C



*10"-3'0"-10"-1D, 1C,
12"-3'0"-12"-1D, 1C

Wellesley
19730T-1D, 1C



*10"-3'0"-10"-1D, 1C,
12"-3'0"-12"-1D, 1C

Concorde
CNRT-1D, 1C



12"-3'0"-12"-1C,
14"-3'0"-14"-1C

Kensington
KNRT-1C

Features / Options Key

■ No Stile Lines

● Flush-Glazed Glass

1D Black Nickel Caming

1C Brushed Nickel Caming

1A Brass Caming



Craftsman Options

Classic-Craft®

EnLiten™ Flush-Glazed Designs

All doors on this page available in 6'8" height and 3'0" width. Sidelites on this page available in 6'8" height and 12" width.



Flush-Glazed Prairie
CCA210-PR (LE, SDL)
CCA3400SL-4PR (LE, SDL)



Flush-Glazed 6-Lite
CCA260 (LE, SDL)
CCA3400SL-3CF (LE, SDL)



Flush-Glazed 4-Lite
CCA240 (LE, SDL)
CCA220SL (LE, SDL)



Flush-Glazed 3-Lite
CCA230 (LE, SDL)
CCA210SL (LE)



Flush-Glazed 2-Lite
CCA220 (LE, SDL)
CCA210SL (LE)



Flush-Glazed
CCA210 (LE)
(shown with optional 4-block dentil shelf)
CCA3400SL (LE)



Optional Dentil Shelf



American Style 4-Block

Features / Options Key

- Flush-Glazed Glass
- LE Low-E
- SDL Simulated Divided Lites

Craftsman Options

Classic-Craft®

EnLiten™ Flush-Glazed Designs

All doors in this section available in 6'8" height and 3'0" width. Sidelites in this section available in 6'8" height and 12" width.



Flush-Glazed Prairie
CCV910-PR ▲ (LE, SDL)
CCV9010SL-3PR ▲ (LE, SDL)



Flush-Glazed 6-Lite
CCV960 ▲ (LE, SDL)
CCV100SL-3CF ▲ (LE, SDL)




Flush-Glazed 4-Lite
CCV940 ▲ (LE, SDL)
CCV9020SL ▲ (LE, SDL)



Flush-Glazed 3-Lite
CCV930 ▲ (LE, SDL)
CCV9010SL ▲ (LE)



Flush-Glazed 2-Lite
CCV920 ▲ (LE, SDL)
CCV9010SL ▲ (LE)



Flush-Glazed
CCV910 ▲ (LE)
CCV100SL ▲ (LE)



Optional Dentil Shelf



CCV 4-Block Dentil Shelf

Features / Options Key

- No Stile Lines
- ▲ Flush-Glazed Glass

- 1D Black Nickel Caming
- 1C Brushed Nickel Caming

- XG Geometric Glass
- XE Satin Etch Glass

- XR Rainglass
- XN Granite Glass

- LE Low-E
- SDL Simulated Divided Lites

Fiber-Classic® & Smooth-Star®

All doors in this section available in 6'8" height and 2'8" & 3'0" widths. Sidelites in this section available in 6'8" height and 10" & 12" widths.



S609-1D, 1C
3'0", 2'8"

Maple Park
FCM609-1D
FCM812SL-1D, 1C ■



S1650

Axis
FCM1650
FCM1651SL ■



S605 (XG, XE,
XR, XN, LE,
SDL)
S100 (XE, XR,
XN, LE) SL
14"

Privacy / Low-E 2-Lite
FCM605 (XR, XN, LE, SDL)
FCM12101SL (XR, XN, LE) ■



S606 (XG, XE,
XR, XN, LE,
SDL)
S2000SL
▲ (LE)

Privacy / Low-E 3-Lite
FCM606 (XR, XN, LE, SDL)
FCM12101SL (XR, XN, LE) ■



S607 (XG, XE,
XR, XN, LE, SDL)
S100-R6CF (XE,
XR, XN, LE) SL
14"

Privacy / Low-E 4-Lite
FCM607 (XR, XN, LE, SDL)
FCM12101-R6CFSL (XR, XN, LE, SDL) ■



S608 (XG, XE,
XR, XN, LE,
SDL)
S2000SL
▲ (LE)

Privacy / Low-E 6-Lite
FCM608 (XR, XN, LE, SDL)
FCM12101-R6CFSL (XR, XN, LE, SDL) ■



S601-PR (XG,
XE, XR, XN,
LE, SDL)
S100SL-6PR
(XE, XR, XN,
LE, SDL)
14"

Privacy / Low-E Prairie
FCM601-PR (XR, XN, LE, SDL)
FCM12101-6PRSL (XR, XN, LE, SDL) ■



Privacy / Low-E
FCM601 (XR, XN, LE)
FCM12101SL (XR, XN, LE) ■

Fiber-Classic & Smooth-Star Transoms



Maple Park
FWRT-1D, 1C

12"-3'0"-12"-1D, 1C,
14"-3'0"-14"-1D, 1C



Axis
AXRT-1D

12"-3'0"-12"-1D,
14"-3'0"-14"-1D



Low-E / Clear
19220T (LE, CL)

10"-3'0"-10",
12"-3'0"-12",
14"-3'0"-14"

Craftsman Options

Note: Product images show exterior side of door.

Smooth-Star®

All doors in this section available in 6'8" height and 2'8" & 3'0" widths. Sidelites in this section available in 6'8" height and 10" & 12" widths.



Privacy / Low-E

S601 (XE, XR, XN, LE)

S100SL (XE, XR, XN, LE) 14"

S2000SL (LE)

Smooth-Star®

EnLiten™ Flush-Glazed Designs


All doors in this section available in 6'8" height and 2'8" & 3'0" widths. Sidelites in this section available in 6'8" height and 12" width. 10" Available where noted.



Flush-Glazed 3-Panel SDLF1 Craftsman Shaker

S4813 (LE, SDLF1)


S2000SL (LE) 10"



Flush-Glazed 6-Panel SDLF1 Craftsman Shaker

S4816 (LE, SDLF1)

S4812SL (LE, SDLF1)



Flush-Glazed Craftsman Shaker

S4810 (LE)

S4810SL (LE)

Optional Dentil Shelves



FCM 4-Block Dentil Shelf*



SS 4-Block Dentil Shelf*

Features / Options Key

| | | |
|----------------------|------------------|-------------------------------|
| ● Flush-Glazed Glass | XR Rainglass | SDLF1 Simulated Divided Lites |
| ● Vented Sidelite | XN Granite Glass | |
| XE Satin Etch Glass | LE Low-E | |

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Right Page: Smooth-Star, Low-E Glass with SDLs, Door – S4816, Sidelites – S2000SL





Center-Arch & Camber Top Options

Classic-Craft®

All doors on this page available in 6'8" height and 3'0" width.
Sidelites on this page available in 6'8" height and 12" & 14" widths.



Arcadia
CCM809-1D, 1C, 1A
CCM3509SL-1D, 1C, 1A



CC19-1D,
1C, 1A
CC1019SL
1D, 1C, 1A



Bella
CCM810B-1D
CCM3410BSL-1D



Provincial
CC17-1D, 1C, 1A
CC1017SL-1D, 1C, 1A



Longford
CCM803-1D, 1C
CCM3503SL-1D, 1C



Cambridge
CC16-1D, 1C, 1A
CC1016SL-1D, 1C, 1A



Lucerna
CCM822-1D, 1C
CCM3502SL-1D, 1C



CC822-1D, 1C
CC3502SL-
1D, 1C

Classic-Craft Transoms



Arcadia
CC620T-1D

12"-3/0"-12"-1D



Longford
LFRT-1D, 1C

12"-3/0"-12"-1D, 1C,
14"-3/0"-14"-1D



Cambridge
CC920T-1C, 1A

12"-3/0"-12"-1C, 1A

Note: Items denoted in **RED** add one week to existing lead time if not in stock. All decorative 12" & 14" transoms on this page are built as direct set.
Above: Classic-Craft Mahogany Collection, Longford Glass, Door – CCM803

Fiber-Classic® & Smooth-Star®

All doors on this page available in 6'8" height and 3'0" width. Sidelites on this page available in 6'8" height and 10" & 12" widths except where noted.



Blackstone
FCM760-1D, 1C
FCM808SL-1D, 1C ■



FC801-1D, 1C
FC108SL /
FC808SL ■
-1D, 1C



S6111-1D, 1C




Sedona
S12-1D
S139SL-1D ■ 14"



Maple Park
FCM904-1D, 1C
FCM812SL-1D, 1C ■



FC904-1D, 1C
FC900SL /
FC812SL ■
-1D, 1C



S6106-1C



Saratoga
FCM909-1D, 1C
FCM815SL-1D, 1C ■



FC909-1D, 1C
FC905SL /
FC815SL ■
-1D, 1C



S20-1D, 1C



Wellesley
FCM125-1C, 1A
FCM818SL-1C ■



FC125-1C, 1A
FC104SL /
FC818SL ■
-1C



S6117-1D, 1C,
1A
S155SL /
S5870SL ■
-1D, 1C
14"



Concorde
FCM914-1C, 1A
FCM809SL-1C, 1A ■



FC914-1C, 1A
FC910SL /
FC809SL ■
-1C, 1A



S17-1C, 1A
S416SL /
S4070SL ■
-1C 14"



Wellesley
S721-1D, 1C 2'8"
S155SL / S5870SL-1D ■ 14"



Prairie Fixed Grilles
S704 (FXG) 2'8"
S100SL / S601SL ■ (CL) 14"



Fiber-Classic® & Smooth-Star® Transoms



12"-3'0"-12"-1D, 1C

Blackstone
BSRT-1D, 1C



12"-3'0"-12"-1D, 1C

Maple Park
FWRT-1D, 1C



*10"-3'0"-10"-1D, 1C,
12"-3'0"-12"-1C

Wellesley
19730T-1D, 1C



*10"-3'0"-10"-1D, 1C,
12"-3'0"-12"-1C

Concorde
CNRT-1D, 1C

Features / Options Key

■ No Stile Lines

1D Black Nickel Caming

1C Brushed Nickel Caming

1A Brass Caming

CL Clear Glass

FXG Fixed Grilles


*10" Decorative transoms are built as sash set.

Pulse® Options

All smooth doors on this page available in 6'8" height and 2'6", 2'8", 2'10" and 3'0" widths.


All mahogany grain doors on this page available in 6'8" height and 3'0" width. All oak grain doors on this page available in 6'8" height and 2'8" and 3'0" widths.

Ari




Axis
S2AX
FCM2AX
FC2AX
(1D)

Línea



Maple Park
S1LFW
FCM1LFW
FC1LFW
(1D, 1C)




Saratoga
S1LSG
FCM1LSG
FC1LSG
(1D, 1C)



Privacy / Low-E
S1L (XG, XE, XR, XN, LE)
FCM1L
FC1L
(XG, XC, XJ, XR, XN, LE)


Features / Options Key

1D Black Nickel Caming
1C Brushed Nickel Caming




Maple Park
S1FW
FCM1FW
FC1FW
(1D, 1C)

AX Axis Glass
SG Saratoga Glass



Saratoga
S1SG
FCM1SG
FC1SG
(1D, 1C)


FW Maple Park Glass
XG Geometric Glass




Privacy / Low-E
S1 (XG, XE, XR, XN, LE)
FCM1
FC1
(XG, XC, XJ, XR, XN, LE)

XE Satin Etch Glass
XC Chord Glass

XJ Chinchilla Glass
XR Rainglass



Maple Park
S1RFW
FCM1RFW
FC1RFW
(1D, 1C)



Saratoga
S1RSG
FCM1RSG
FC1RSG
(1D, 1C)



Privacy / Low-E
S1R (XG, XE, XR, XN, LE)
FCM1R
FC1R
(XG, XC, XJ, XR, XN, LE)

Echo



Axis
S5RAX
FCM5RAX
FC5RAX
(1D)



Axis
S5LAX
FCM5LAX
FC5LAX
(1D)



Privacy / Low-E / Clear
S5L
FCM5L
FC5L
(XE, XC, XR, XN, LE, CL)
(XG, XJ in S5L only)



Privacy / Low-E / Clear
S5R
FCM5R
FC5R
(XE, XC, XR, XN, LE, CL)
(XG, XJ in S5R only)



Axis
S8LAX
FCM8LAX
FC8LAX
(1D)



Privacy / Low-E / Clear
S8L
FCM8L
FC8L
(XE, XC, XR, XN, LE, CL)
(XG, XJ in S8L only)



Axis
S8RAX
FCM8RAX
FC8RAX
(1D)



Privacy / Low-E / Clear
S8R
FCM8R
FC8R
(XE, XC, XR, XN, LE, CL)
(XG, XJ in S8R only)

XN Granite Glass CL Clear Glass
LE Low-E

Note: Items denoted in RED add one week to existing lead time if not in stock.

Solid Panel Options

Classic-Craft® Shaker

All doors in this section available in 6'8" height and 3'0" width.



1-Panel Shaker
CCA1100



3-Panel Shaker
CCA1133



2-Panel Craftsman Shaker
CCA1125



2-Panel Square Top Shaker
CCA1127



X-Brace Shaker
CCA4905



Bottom-X Shaker
CCA4945



Double-Z-Right Shaker
CCA4925R



Z-Brace-Left Shaker
CCA4915L

Classic-Craft Transoms



Longford
LFRT-1D, 1C
12"-3/0"-12"-1D, 1C,
14"-3/0"-14"-1D



Clear with Grilles
19220T - 5-Lite
12"-3/0"-12"
(LE, CL, SDL, GBG)



Clear Glass
12"-3/0"-12"
(LE, CL)

Classic-Craft®

All doors in this section available in 6'8" height and 3'0" width.
Sidelites in this section available in 6'8" height and 12" & 14" widths.



6-Panel
CCM60
CCM3400SL (XC, XJ, XR, XN, XH, LE)



CC60



CCV060
CCV100SL
(XH, XC, XJ, XR, XN, LE)



4-Panel Round Top
CCR040
CCR3407SL-1D, 1C



2-Panel Soft Arch
CCR200
CCR3412SL-1D, 1C



2-Panel Plank Soft Arch
CCR205
CCR3400SL (XC, XJ, XR, XN, XH, LE)



CCV205
CCV100SL-
(XC, XJ, XR, XN, XH, LE)



Full Plank
CCR100



8-Panel
CCM801



Arched 2-Panel Plank Soft Arch
CCR205A
(optional clavos & strap hinges)



Radiused Full Plank
CCR100R



2-Panel 3/4 Top
CC91



5-Panel
CCV050

Left Page: Classic-Craft Rustic Collection Door – CCR205; Rainglass, Sidelites – CCR3400XRSL; Clavos & Strap Hinges
Note: Items denoted in RED add one week to existing lead time if not in stock.
Longford decorative transom 12" & 14" transoms are built as direct set.

Features / Options Key

| | | | | | | | |
|----|-----------------------|----|------------------|----|----------------|-----|-------------------------|
| 1D | Black Nickel Caming | XJ | Chinchilla Glass | XH | Hammered Glass | SDL | Simulated Divided Lites |
| 1C | Brushed Nickel Caming | XR | Rainglass | LE | Low-E | GBG | Grilles Between Glass |
| XC | Chord Glass | XN | Granite Glass | CL | Clear Glass | | |

Solid Panel Options

Fiber-Classic® & Smooth-Star®

All doors in this section available in 6'8" height and 3'0" width except where noted. Sidelites in this section available in 6'8" height and 10" and 12" widths. 14" Sidelites available as noted.



FC31
FC18SL /
FC12102SL ■
(LE, CL, SDL)

3-Panel Square Top

FCM31
FCM12102SL ■ (LE, CL, SDL)



FC755
FC47SL /
FC12101SL ■
(LE, CL)

S755
S100SL /
S601SL ■
(XG, LE, CL)
14"

3-Panel Scroll

FCM755
FCM12101SL ■ (LE, CL)



S93
2'8"
S2010SL ■
(LE, CL, SDL,
GBG-W,
GBG-A)

2-Panel 3/4 Top


FC809 3'0"
FC2050SL ■ (CL, SDL) 12" only



S600
2'8"
S601SL ■
(XG, XE, XR,
XN) 14"

2-Panel Craftsman

FCM600 3'0"
FCM12101SL (XC, XJ, XR, XN) ■




FC134
FC104SL /
FC818SL ■
-1D, 1C

S11
S155SL /
S5870SL ■
-1D, 1C
14"

8-Panel

FCM134
FCM818SL-1D, 1C ■



FC60
2'8", 2'6"
FC148SL
/ FC813SL
■ -1D

S210
2'8", 2'6"
S160SL /
S6132SL ■
-1D 14"

6-Panel

FCM60 2'8"
FCM813SL-1D ■



S220
2'8"

2-Panel Square Top

FCM220
FCM808SL-1D, 1C ■



S205
2'8"
S6100SL /
S6131SL-1D, 1C ■
14"

2-Panel Plank Soft Arch

FCM205
FCM812SL-1D, 1C ■

Fiber-Classic & Smooth-Star Transoms



Blackstone
BSRT-1D, 1C

12"-3'0"-12"-1D, 1C



Wellesley
19730T-1D, 1C

*10"-3'0"-10"-1D, 1C,
12"-3'0"-12"-1D, 1C



Kensington
KNRT-1D, 1C

12"-3'0"-12"-1D, 1C

*Decorative transom built as sash set in the 10". All other decorative transoms built direct set glass.
Note: Items denoted in RED add one week to existing lead time if not in stock.

Note: Product images show exterior side of door.

Fiber-Classic® & Smooth-Star®

Sidelites in this section available in 6'8" height and 12" width. 10" and 14" Sidelites available as noted.



1-Panel Shaker

S1100 2'8"


S2000SL (XE, XC, LE, CL) 10", 12"
(XG in 12" only)



2-Panel Square Top Shaker

S120 2'8"

S2000SL (XE, XC, LE, CL) 10", 12"
(XG in 12" only)



2-Panel Craftsman Shaker

S4800

S4810SL (LE)



4-Panel Square Top

S960 2'8"


S161SL-1D 12", 14" only



2-Panel Soft Arch

S200 2'8"

S292SL-1C 12", 14" only



Flush Panel

FCM1000

1000
2'10", 2'6"

S100
2'0", 2'4",
2'6", 2'8",
2'10"



Solid Panel Options

Features / Options Key

■ No Stile Lines

● Flush-Glazed Glass

1D Black Nickel Caming

1C Brushed Nickel Caming

XG Geometric Glass

XE Satin Etch Glass

XC Chord Glass

XJ Chinchilla Glass

XR Rainglass

XN Granite Glass

LE Low-E

CL Clear Glass

SDL Simulated Divided Lites

GBG-W White Grilles Between Glass


GBG-A Almond Grilles Between Glass

Right: Smooth-Star Door – S120; Doors – S2000

7'0" Options

Smooth-Star®

All doors in this section available in 7'0" height and 3'0" width except where noted.



Blackstone
S6002-1D, 1C



Maple Park
S6100-1D, 1C



Wellesley
S155-1D, 1C



Kensington
S160-1D, 1C



Axis
S1652-1D



Internal Blinds
S130 (LE, CL)
Insert Style Blind



Low-E 6-Lite
S118-2W3H (LE, SDL)



Low-E 8-Lite
S118-2W4H (LE, SDL)



Low-E 10-Lite
S128 (LE, SDL, FXG, GBG)



Low-E 15-Lite
S108 (LE, SDL, FXG, GBG)

Note: Product images show exterior side of door.



Privacy / Low-E / Clear
S118 (XE, **XC, XJ, XR, XN**, LE, CL)



Blackstone
S6000-**1D, 1C**



Kensington
S6036-**1D, 1C**



Low-E / Clear 4-Lite
S206-2W2H (LE, CL, SDL)



Low-E / Clear 9-Lite
S262 (LE, CL, SDL, FXG, GBG)



Privacy / Low-E / Clear
S206 (**XC, XJ, XR, XN**, LE, CL)



Wellesley
S721-1D
2'8"



6-Panel
S210



2-Panel Square Top
S220

Features / Options Key

| | | | | | |
|--------------------------|---------------------|---------------------|------------------|-----------------------------|---------------------------|
| 1D Black Nickel Caming | XE Satin Etch Glass | XJ Chinchilla Glass | XN Granite Glass | CL Clear Glass | GBG Grilles Between Glass |
| 1C Brushed Nickel Caming | XC Chord Glass | XR Rainglass | LE Low-E | SDL Simulated Divided Lites | FXG Fixed Grilles |



8'0" Options

Classic-Craft® Shaker

EnLiten™ Flush-Glazed Designs

All doors on this page available in 8'0" height and 3'0" width.

Sidelites on this page available in 8'0" height and 12" & 14" widths.



**Privacy / Low-E 3-Lite
SDLF4 Shaker**

CCA82300 ▲ (XE, LE, SDLF4)
CCA82300SL ▲ (XE, LE, SDLF4)




**Privacy / Low-E 4-Lite
SDLF4 Shaker**

CCA82310 ▲ (XE, LE, SDLF4)
CCA82310SL ▲ (XE, LE, SDLF4)



**Privacy / Low-E 5-Lite
SDLF3 Shaker**

CCA82320 ▲ (XE, LE, SDLF3)
CCA82400SL ▲ (XE, LE)




**Privacy / Low-E 8-Lite
SDLF5 Shaker**

CCA82380 ▲ (XE, LE, SDLF5)
CCA82310SL ▲ (XE, LE, SDLF4)



**Privacy / Low-E X-Brace
SDLF3 Shaker**

CCA84900 ▲ (XE, LE, SDLF3)
CCA82400SL ▲ (XE, LE)



**Privacy / Low-E Double-X
SDLF5 Shaker**

CCA84930 ▲ (XE, LE, SDLF5)
CCA82400SL ▲ (XE, LE)



**Privacy / Low-E Bottom-X
SDLF5 Shaker**

CCA84940 ▲ (XE, LE, SDLF5)
CCA82400SL ▲ (XE, LE)



Privacy / Low-E Shaker

CCA82400 ▲ (XE, LE)
CCA82400SL ▲ (XE, LE)

Note: Product images show exterior side of door.

Fiber-Classic® & Smooth-Star®

All doors on this page available in 8'0" height and 2'8" & 3'0" widths.
Sidelites on this page available in 8'0" height and 12" width.



S894-1C

Blackstone
FC81952P-1D
FC81952PSL-1D



S85898-1D, 1C

Maple Park
FC81957P-1D, 1C
FC81957PSL-1C, 1D



Saratoga
FC81956P-1D, 1C
FC81956PSL-1D, 1C



S892-1D, 1C
S892SL-1D, 1C

Wellesley
FC81959P-1D, 1C
FC81959SL-1D, 1C




Kensington
S902-1D
S902SL-1D



FC81964P

Internal Blinds
S8682 (LE, CL)
S8682SL (CL)
Insert Style Blind



Low-E 10-Lite SDF2 Shaker
FC8685L / FC8685R (LE, SDF2)

Features / Options Key

| | |
|------|-------------------------|
| ● | Flush-Glazed Glass |
| 1D | Black Nickel Caming |
| 1C | Brushed Nickel Caming |
| XE | Satin Etch Glass |
| LE | Low-E |
| CL | Clear Glass |
| SDF2 | Simulated Divided Lites |
| SDF3 | Simulated Divided Lites |
| SDF4 | Simulated Divided Lites |
| SDF5 | Simulated Divided Lites |

Note: Items denoted in **RED** add one week to existing lead time if not in stock.
Transom options for Blackstone, Maple Park, and Wellesley Glass are on page 41.

8'0" Options

Classic-Craft®

All doors in this section available in 8'0" height and 3'0" width. Sidelites in this section available in 8'0" height and 12" width. 14" Available where noted.



Low-E 8-Lite
CCM891-2W4H (LE, SDL)
CCM8000SL (LE) 14"



Low-E 6-Lite
CCM891-2W3H (LE, SDL)
CCM8000SL (LE) 14"



Low-E 4-Lite
CCM891-2W2H (LE, SDL)
CCM8000SL (LE) 14"



Low-E
CCM891 (LE)

Fiber-Classic® & Smooth-Star®

All doors in this section available in 8'0" height and 2'8" & 3'0" widths. Sidelites in this section available in 8'0" height and 12" width.



Privacy / Low-E / Clear 15-Lite
FC81946P (XC, XR, XN, LE, CL, SDL)
FC81946PSL (XC, XR, XN, LE, CL, SDL)



S882
(LE, CL,
GBG, FXG)
S881SL
(LE, CL,
GBG, FXG)



Privacy / Low-E / Clear 10-Lite
FC81945P (XC, XR, XN, LE, CL, SDL)
FC81946PSL (XC, XR, XN, LE, CL, SDL)



S881
(LE, CL,
GBG, FXG)
S881SL
(LE, CL,
GBG, FXG)



Privacy / Low-E / Clear 8-Lite
FC8316 (XC, XR, XN, LE, CL, SDL)
FC8310SL (XC, XR, XN, LE, CL, SDL)



Privacy / Low-E / Clear 6-Lite
FC8313 (XC, XR, XN, LE, CL, SDL)
FC8313SL (XC, XR, XN, LE, CL, SDL)



Note: Items denoted in RED add one week to existing lead time if not in stock.
Transom options are shown on pages 22 - 24.

Smooth-Star®

EnLiten™ Flush-Glazed Designs

All doors on this page available in 8'0" height and 2'6", 2'8" & 3'0" widths. Sidelites available where noted.



Privacy / Low-E / Clear 4-Lite (Insert Glass)
FC81943P-2W2H (XC, XR, XN, LE, CL, SDL)
FC81943PSL-1W2H (XC, XR, XN, LE, CL, SDL) 12"



Low-E / Clear (Insert Glass)
FC81943P (LE, CL)

Features / Options Key

▲ Flush-Glazed Glass XR Rainglass
XC Chord Glass XN Granite Glass



Flush-Glazed 2-Lite
S82200-2W1H ▲
(LE, CL, SDL)



Flush-Glazed 3-Lite
S82200-3W1H ▲
(LE, CL, SDL)



Flush-Glazed 4-Lite
S82200-2W2H ▲
(LE, CL, SDL)



Flush-Glazed 9-Lite
S82200-Prairie ▲
(LE, CL, SDL)



Flush-Glazed 6-Lite
S82200-2W3H ▲
(LE, CL, SDL)



Flush-Glazed 3-Lite
S85730-SDLF2 ▲
(LE, CL, SDLF2)



Flush-Glazed 8-Lite
S82200-2W4H ▲
(LE, CL, SDL)



Flush-Glazed 19-Lite
S82200-Trellis ▲
(LE, CL, SDL)



Flush-Glazed 12-Lite
S82200-3W4H ▲
(LE, CL, SDL)



Flush-Glazed
S82200 ▲ (LE, CL)
S8000SL ▲ (LE)

8'0" Options

Classic-Craft®

All doors on this page available in 8'0" height and 3'0" width except where noted.



Low-E 4-Lite
CCR804020-2W2H (LE, SDL)



Low-E 6-Lite
CCR804020-2W3H (LE, SDL)



Low-E 4-Lite
CCR820520-2W2H (LE, SDL)



Low-E 6-Lite
CCR820520-2W3H (LE, SDL)



Low-E Prairie
CCR820520 (LE, SDL)



Low-E 4-Lite
CCR820030A-2W2H (LE, SDL)



Low-E 6-Lite
CCR820030A-2W3H (LE, SDL)



Low-E
CCR804020 (LE)



Low-E 4-Lite
CCV822020-2W2H (LE, SDL)



Low-E 6-Lite
CCV822020-2W3H (LE, SDL)



Low-E 12-Lite
CCV822012 (LE, SDL)



Low-E
CCV822020 (LE)

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: Items denoted in **RED** add one week to existing lead time if not in stock.
Transom options are shown on pages 22 - 24.

Features / Options Key

| | | | | | |
|----|-----------------------|----|-----------------|----|------------------|
| 1C | Brushed Nickel Caming | XG | Geometric Glass | XC | Chord Glass |
| 1D | Black Nickel Caming | AX | Axis Glass | XE | Satin Etch Glass |
| | | | | XR | Rainglass |


Note: Product images show exterior side of door.

Fiber-Classic® & Smooth-Star®

All doors on this page available in 8'0" height and 3'0" width.



FC8322
(LE, CL,
SDL)




S8322
(LE, CL,
SDL)
2'8"

Low-E / Clear 4-Lite
FCM8322 (LE, CL, SDL)



FC8323
(LE, CL,
SDL)




S8323
(LE, CL,
SDL)
2'8"

Low-E / Clear 6-Lite
FCM8323 (LE, CL, SDL)



FC8324
(LE, CL,
SDL)




S8324
(LE, CL,
SDL)
2'8"

Low-E / Clear 8-Lite
FCM8324 (LE, CL, SDL)



FC8321
(LE, CL,
SDL)




S8321
(LE, CL,
SDL, GBG)
2'8"

Low-E / Clear 12-Lite
FCM8321 (LE, CL, SDL)



FC81929P
(LE, CL)



S81929P
(LE, CL)
2'8"

Low-E / Clear
FCM862 (LE, CL)

Fiber-Classic® & Smooth-Star® EnLiten™ Flush-Glazed Designs

All doors on this page available
in 8'0" height and 3'0" width.



Flush-Glazed Low-E
8000 (LE) 2'6", 2'8"




Internal Blinds
S81225 (CL) 2'8"
Insert Style Blind




Flush-Glazed Blinds
S82600 (CL) 2'6", 2'8"



Low-E / Clear
S818 (LE, CL) 2'8"



Maple Park
S8609-1D, 1C



Axis / Privacy / Low-E
S83 (AX, XG, XE, XR, XN, LE)



Flush-Glazed Privacy /
Low-E / Clear
S8000 (XG, XE, XC, LE, CL)
2'0", 2'6", 2'8"

XN Granite Glass CL Clear Glass GBG Grilles
LE Low-E SDL Simulated Divided Lites Between Glass

Optional
Dentil Shelf



SS 4-Block Dentil Shelf*

8'0" Options

8'0" Options

Classic-Craft®

All doors in this section available in 8'0" height and 3'0" width except where noted.



2-Panel 3/4 Top
CCM890



Radiused 2-Panel Plank Round Top
CCR8225R



4-Panel Round Top
CCR8040



2-Panel Square Top
CCR8222 3'6"



Arched 2-Panel Soft Arch
CCR8200A



Full Plank
CCR8100 3'6"



Radiused Full Plank
CCR8100R



2-Panel Square Top
CCV8220

Classic-Craft®

EnLiten™ Flush-Glazed Designs

All doors in this section available in 8'0" height and 3'0" width except where noted. Sidelites available where noted.



Craftsman 2-Lite
CCA8220 ▲ (LE, SDL)



Craftsman 2-Lite
CCA87200 ▲ (LE, SDL) 3'6"




Craftsman 3-Lite
CCA8230 ▲ (LE, SDL)



Craftsman 3-Lite
CCA87300 ▲ (LE, SDL) 3'6"

Optional Dentil Shelves



American Style 4-Block



SS 4-Block Dentil Shelf*

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: Items denoted in **RED** add one week to existing lead time if not in stock.
Transom options are shown on pages 22 - 24.

Note: Product images show exterior side of door.

Fiber-Classic® & Smooth-Star®

All doors in this section available in 8'0" height and 3'0" width.



Craftsman 4-Lite
CCA8240 ▲ (LE, SDL)



Craftsman 4-Lite
CCA87400 ▲ (LE, SDL) 3'6"



Craftsman 6-Lite
CCA8260 ▲ (LE, SDL)



Craftsman 6-Lite
CCA87600 ▲ (LE, SDL) 3'6"
CCA3500SL ▲ (LE) 12", 14"



Craftsman Low-E
CCA8210 ▲ (LE)



Craftsman Low-E
CCA87100 ▲ (LE) 3'6"




Clear Glass
FCM861 (CL)




FC861
(CL)




S896
(XG, LE, CL)
2'8"



**Privacy / Low-E
Craftsman 3-Lite**
S8606 (XG, XR, XN, LE, SDL) 2'8"



**Privacy / Low-E
Craftsman 6-Lite**
S8608 (XG, XR, XN, LE, SDL) 2'8"



Privacy / Low-E
S8601 (XG, XR, XN, LE) 2'8"



Fixed Grilles
S8704 (FXG) 2'8"



Axis
S81645-1D 2'8"

Features / Options Key

| | | | |
|------------------------|--------------------|------------------|-----------------------------|
| ▲ Flush-Glazed Glass | XG Geometric Glass | XN Granite Glass | CL Clear Glass |
| 1D Black Nickel Caming | XR Rainglass | LE Low-E | SDL Simulated Divided Lites |

FXG Fixed Grilles

8'0" Options

8'0" Options

Classic-Craft®

All doors in this section available in 8'0" height and 3'0" width except where noted.
Sidelites in this section available in 8'0" height and 12" width.



1-Panel Shaker
CCA81100
CCA82400SL (LE)



4-Panel Shaker
CCA81145
CCA82310SL (LE, SDLF4)



5-Panel Shaker
CCA81150
CCA82320SL (LE, SDLF3)



2-Panel Craftsman Shaker
CCA81125



X-Brace Shaker
CCA84905



Bottom-X Shaker
CCA84945

Fiber-Classic® & Smooth-Star®

All doors on this page available in 8'0" height and 3'0" width except where noted.



6-Panel
FCM860



FC860



S810
2'8"



2-Panel Square Top
S8200




2-Panel Soft Arch
S897




2-Panel Plank Soft Arch
S8201

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Transom options for 8'0" doors are shown on pages 22 - 24.

Note: Product images show exterior side of door.




2-Panel Craftsman Shaker
S84800



2-Panel Craftsman
S8600




1-Panel Shaker
S81100



Flush Panel
S81000 ■ 2'6", 2'8"

Optional Dentil Shelf



SS 4-Block Dentil Shelf*

Features / Options Key

- No Stile Lines
- Flush-Glazed Glass


- | | | | |
|----|------------------|-------|-------------------------|
| XE | Satin Etch Glass | LE | Low-E |
| XC | Chord Glass | SDLF1 | Simulated Divided Lites |

Smooth-Star® EnLiten™ Flush-Glazed Designs


All doors on this page available in 8'0" height and 3'0" width. Sidelites available where noted.




Flush-Glazed Craftsman 3-Lite SDLF1
S84813 ● (XE, XC, LE, SDLF1)
S8000SL ● (XE, XC, LE)



Flush-Glazed Craftsman 6-Lite SDLF1
S84816 ● (LE, SDLF1)
S84812SL ● (LE, SDLF1)



Flush-Glazed Craftsman 4-Lite SDLF1
S84814 ● (LE, SDLF1)
S84812SL ● (LE, SDLF1)



Flush-Glazed Craftsman Low-E
S84810 ● (LE)
S84810SL ● (LE)

- | | |
|-------|-------------------------|
| SDLF3 | Simulated Divided Lites |
| SDLF4 | Simulated Divided Lites |

8'0" Options



20-Minute Fire Doors

Smooth-Star®, Profiles™ & Traditions

All doors on this page available in 6'8" height and 2'8" & 3'0" widths except where noted.



Fiberglass 6-Panel
SSF160



Steel 3-Panel Scroll
969HD 3'0" only



Steel 2-Panel Square Top
978HD



Steel 2-Panel Soft Arch
1005HD




Steel 6-Panel
210HD



Steel 2-Panel Plank Soft Arch
205HD



Steel 6-Panel
TS210 2'6"



Steel Flush Panel
TS100 2'4", 2'10" x 6'6"
2'0", 2'4", 2'6" x 6'8"



Steel Options

Profiles™

All doors in this section available in 6'8" height and 3'0" width except where noted. Sidelites in this section available in 6'8" height and 12" width except where noted.



Wellesley
620-1D, 1C 2'8"
620SL-1D, 1C 10"



Concorde
1028-1C 2'8"




Kensington
626-1D 2'8"



Privacy / Low-E
118 (LE) 2'0", 2'4", 2'6"
(XC, XJ, XR, XN) 2'8"
100SL (XR, LE) 10"





Internal Blinds
130 2'4", 2'6", 2'8", 2'10"
130SL 10"
 Insert Style Blinds



Low-E 15-Lite
108 (LE, SDL, GBGFW, FXG, RG)
 2'4" (GBGFW only), 2'6", 2'8"



Concorde
967HD-1D, 1C
967SLHD-1D, 1C



Kensington
03142HD-1D



Clear 12-Lite
961HD (GBGFW, A)



Privacy / Low-E
959HD (XC, XJ, XR, XN, LE)
959HDSL (XC, XR, XN)



Privacy / Low-E
206HD (XC, XJ, XR, XN, LE) 2'8"



Internal Blinds
132HD 2'8"
 Insert Style Blinds



Internal Blinds
984HD 2'8"
 Insert Style Blinds



Screen Vented
243HD 2'8"

Features / Options Key

| | | | | | |
|--------------------------|---------------------|------------------|-----------------------------|---|---------------------------|
| 1D Black Nickel Caming | XC Chord Glass | XR Rainglass | LE Low-E | GBGFW Flat White Grilles Between Glass Only | FXG Fixed Grilles |
| 1C Brushed Nickel Caming | XJ Chinchilla Glass | XN Granite Glass | SDL Simulated Divided Lites | A Flat Almond Grilles Between Glass | RG Removable Wood Grilles |

Steel Options

Profiles™

All doors in this section available in 6'8" height and 3'0" width except where noted. Sidelites in this section available in 6'8" height and 12" width except where noted.



Screen Vented
1004HD 2'8"



Screen Vented
1102HD 2'8"



Screen Vented
137HD 2'8"



Low-E 9-Lite
262HD (LE, SDL, GBGFW, FXG, RG) 2'8"
263SLHD (SDL, FXG, GBGFW)



Clear 9-Lite
982HD (SDL, GBGFW, FXG)
2'8"



Clear Prairie
1408HD (SDL, GBGFW)
2'8"



Clear Prairie
1405HD (SDL, GBGFW)
2'8"



Clear Prairie
1406HD (SDL, GBGFW)
2'8"



Wellesley
1022HD-1D, 1A



Concorde
1024HD-1D, 1C
416SL-1D, 1C 10"

Features / Options Key

| | | | | | | | | | | | | | |
|----|-----------------------|----|-----------------|----|------------------|----|---------------|----|-------------|-------|---------------------------------------|-----|------------------------|
| 1D | Black Nickel Caming | 1A | Brass Caming | XC | Chord Glass | XR | Rainglass | LE | Low-E | SDL | Simulated Divided Lites | FXG | Fixed Grilles |
| 1C | Brushed Nickel Caming | XG | Geometric Glass | XJ | Chinchilla Glass | XN | Granite Glass | CL | Clear Glass | GBGFW | Flat White Grilles Between Glass Only | RG | Removable Wood Grilles |

Note: Product images show exterior side of door.



Kensington
630HD-1D



Privacy / Low-E / Clear
289HD (XJ, LE, CL) 2'8"
210SLHD (XJ, LE, CL)



Clear 6-Lite
263HD (SDL, GBGFW, FXG)
2'8"



Privacy
296HD (XG, XC, XJ, XR, XN)
2'8"



3-Panel Scroll
969HD




2-Panel Square Top
978HD 2'8"



2-Panel Soft Arch
1005HD 2'8"












6-Panel
210HD 2'8"



Flush Panel
100

Steel Options

All doors in this section available in 6'8" height and 3'0" width except where noted. Sidelites in this section available in 6'8" height and 10" and 12" widths.





Privacy
TS289 **XJ** 2'6", 2'8"
TS210 **XJSL** 12" only



Low-E Glass
TS263 (LE, SDL, GBGFW,
GBGF / GBGC, FXG)
2'6", 2'8"



Privacy Glass
TS296 (XG, **XC, XJ, XR, XN**)
2'6", 2'8"



Clear Glass
TS255 (GBGF / GBGC, FXG)




Clear Glass
TS236 (FXG) 2'8", 2'10"



4-Panel Square Top
TS214 2'8"



6-Panel
TS210 2'6", 2'8"



Flush Panel
TS100 2'0", 2'6", 2'8"

Features / Options Key

XG Geometric Glass XJ Chinchilla Glass
XC Chord Glass XR Rainglass

XN Granite Glass
LE Low-E

CL Clear Glass
SDL Simulated Divided Lites

GBGFW Flat White Grilles
Between Glass Only

GBGF / GBGC Flat or Contoured White or
Color Grilles Between Glass

FXG Fixed Grilles
RG Removable Wood Grilles

Patio Doors

Smooth-Star®

Retro Size & Full Size

Any of the 5/4 or larger width doors are also capable of using decorative glass.



**Insert Type Glass Doors
Low-E**
S108 (LE, SDL, GBGFW, FXG)
4'8", 5'0", 5'4", 5'8", 6'0" x 6'6", 6'8"



**Insert Type Glass Doors
Low-E**
S128 (LE, SDL, GBGF / GBGC)
4'8", 5'0", 5'4", 5'8", 6'0" x 6'6", 6'8"



**Insert Type Glass Doors
Low-E**
S118 (LE)
4'0", 4'8", 5'0", 5'4", 5'8", 6'0" x 6'6", 6'8"



**Insert Type Glass Doors
Internal Blinds**
S130 (LE)
4'8", 5'0", 5'4", 5'8", 6'0" x 6'6", 6'8"
S2600 Flush-Glazed Internal Blind Option

Features / Options Key

| | | |
|----------------------|---|--|
| ▲ Flush-Glazed Glass | SDL Simulated Divided Lites | GBGF / GBGC Flat or Contoured White or Color Grilles Between Glass |
| LE Low-E | GBGFW Flat White Grilles Between Glass Only | FXG Fixed Grilles |

Smooth-Star®

EnLiten™ Flush-Glazed Designs

Retro Size & Full Size

Any of the 5/4 or larger width doors are also capable of using decorative glass.



**Flush-Glazed
Low-E**
S2000 ▲ (LE, SDL)
4'0", 5'0", 5'4", 5'8", 6'0" x 6'6", 6'8", 8'0"



**Flush-Glazed
Low-E**
S2000-2W2H ▲ (LE, SDL)
4'0", 5'0", 5'4", 5'8", 6'0" x 6'6", 6'8", 8'0"



**Flush-Glazed
Low-E**
S2000-2W3H ▲ (LE, SDL)




**Flush-Glazed
Low-E**
S2200-2W2H ▲ (LE, SDL)
Available 5'0", 5'4", 6'0" or 5'0" makeover size outside of frame 60 1/2" x 82". Height can be cut down further. Makeover size replaces a 60 1/2" width or larger 10"-3/0-10" sidelite unit. Please specify outside jamb width.

EnLiten™ Flush-Glazed Internal Blinds

for Smooth-Star® Doors


Smooth-Star® doors with internal blinds featuring EnLiten™ flush-glazed designs deliver simplicity and convenience with contemporary appeal. Discover attractive, durable entry solutions for around the house, including patio, side and back doors allowing for optimal daylight and outdoor views, or complete privacy.

Flush-glazed internal blinds are available in Smooth-Star full size width 3/0, 2/8, 2/6, 6/0, 5/4, 5/0 x 6/8, 6/6, and 8/0 in clear IG.




| Opening | Description | Retro Inswing Patio Actual Size* | Full Size |
|-----------|----------------------------------|-------------------------------------|--|
| 4/8 x 6/6 | Patio Door Unit (with mull) | 58 13/16" x 79 1/2" | see page 83 for Full Size Patio Dimensions |
| 5/8 x 6/6 | Patio Door Unit (with mull) | 70 13/16" x 79 1/2" | |
| 4/8 x 6/6 | Double Door Unit (with astragal) | 58 9/16" x 79 1/2" | |
| 5/8 x 6/6 | Double Door Unit (with astragal) | 70 9/16" x 79 1/2" | |


Retro size screens available.




Left Hand
Astragal




Astragal
Right Hand




Left Hand
Fixed Panel



Right Hand
Fixed Panel



Fixed Panel
Left Hand



Fixed Panel
Right Hand










*Outswing units are 78-5/8" in height.
Right: Smooth-Star, Internal Blinds, Doors – S2600



Patio Doors

10" Sidelites & Transoms

10" x 6'8" EnLiten™ Flush-Glazed Sidelites – Classic-Craft® Mahogany Collection™ & Smooth-Star®.

| | | | | | | | | |
|---|---|---|---|--|---|---|---|---|
|  |  |  |  |  |  |  |  |  |
| Arcadia CCM3309SL ▲ (1D, 1C, 1A) | Bella CCM3310BSL ▲ (1D) | Longford CCM3303SL ▲ (1D) | Longford CCM3303SL ▲ (1C) | Lucerna CCM3302SL ▲ (1D, 1C) | Zaha CCM1843SL ▲ (1D, 1C) | Low-E CCM3300SL-4LT-SDL ▲ (LE, SDL) (Any SDL pattern available) | Low-E CCM3300SL ▲ (LE) | Privacy / Low-E / Clear S2000SL ▲ (XC, XN, LE, CL) |



10" x 6'8" Fiber-Classic®, Smooth-Star® & Steel Sidelites – Insert Glass

| | | | | | | | | |
|--|--|--|--|---|--|--|--|--|
|  |  |  |  |  |  |  |  |  |
| Blackstone FCM808SL FC108SL (1D, 1C) | Maple Park FCM812SL FC900SL (1D, 1C) | Saratoga FCM815SL FC905SL (1D, 1C) | Wellesley FCM818SL FC104SL (1D, 1C) | Wellesley S5870SL TS620SL (1D, 1C) | Concorde S4070SL TS416SL (1D) | Kensington S6132SL TS626SL (1D) | Axis S1651SL TS1651SL (1D) | Privacy / Low-E / Clear S601SL TS100SL (XG, XE, XR, XN, LE, CL) |

Note: Items denoted in RED add one week to existing lead time if not in stock.

Fiber-Classic®, Smooth-Star® & Steel Transoms

(Fits over 10" - 3/0 - 10" width opening.) Note: Transoms will require extended leadtime. All are sash set transoms.

| | |
|---|---|
|  |  |
| Concorde CNRT-1D (Black Nickel Glass) | Wellesley 19730T-1D (Black Nickel Glass) |
|  |  |
| Concorde CNRT-1C (Brushed Nickel Glass) | Wellesley 19730T-1C (Brushed Nickel Glass) |

| Description | Size | Actual Unit Size | Rough Opening |
|----------------------|-------------|---------------------|-------------------|
| Door w/(2) Sidelites | 10" 3/0 10" | 59 21/32" x 82" | 60 1/2" x 82 1/2" |
| with 10" Transom | 10" 3/0 10" | 59 21/32" x 93 1/2" | 60 1/2" x 94" |
| with 12" Transom | 10" 3/0 10" | 59 21/32" x 95 1/2" | 60 1/2" x 96" |

Note: Based on Standard Mull Configuration

Features / Options Key

| | | | |
|--------------------------|--------------------|------------------|-----------------------------|
| ▲ Flush-Glazed Glass | 1A Brass Caming | XC Chord Glass | LE Low-E |
| 1D Black Nickel Caming | XG Geometric Glass | XR Rainglass | CL Clear Glass |
| 1C Brushed Nickel Caming | XE Etched Glass | XN Granite Glass | SDL Simulated Divided Lites |

NEW

Therma-Tru® Door Surrounds

Polished style for the entryway.

Add a beautiful, finished look to the entry with stylish,

low-maintenance door surrounds from Therma-Tru.

Discover a hand-selected assortment designed to complement the architectural details of virtually any home style. Create a cohesive look in the entry with authentic details for enhanced curb appeal.



TDS-CCCPLN

Plain Pilaster – with End Cap



TDS-CRCPLN

Plain Pilaster



TDS-CCCFLT

Flat Trim – with End Cap



TDS-CRCFLT

Flat Trim



TDS-CRSFLT

Flat Trim



TDS-FLTFLT

Flat Trim



TDG-FLTFLT

Flat Trim



Therma-Tru® Door Surrounds

Right: Classic-Craft Canvas Collection, Homeward Glass, Door – CCV89922, Door Surround – TDS-CCCFLT

Frames & Sills

Frames

Boise offers a wide variety of frames to choose from:



Primed Finger-Joint Pine for your Builder Grade needs.



DuraFrame...the Boise standard. A primed Finger-Joint Pine with Alaskan Yellow Cypress and Dura-Seal at the bottom to offer a durable rot resistant frame. (Limited lifetime warranty)



DuraPlast is polyfiber formulated, closed cellular structure alternative. Available in both a smooth (paintable) and a textured (stainable). (Limited lifetime warranty)



Timbers Collection is a premium, stain-grade frame available in Pine, Hem Fir, Mahogany and Red Oak.

Boise Partners with*:



Sills

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door. Featuring a variety of materials and options to meet the needs of different climates and exposures.

Inswing Options



Basic Composite Adjustable Sill

Wood-grained composite cap and nosing resist rot, dual-durometer weather seal adds protection, and zinc dichromate screws with removable screw caps adjust to maintain a tight seal.



Composite Adjustable Sill

Thick, through-colored wood-grained composite cap and nosing resist wear and rot, U-shaped weather seal adds protection, and flush stainless steel screws adjust to maintain a tight seal.



Composite Adjustable Sill

Wood-grained composite cap and nosing resist rot, dual-durometer weather seal adds protection, and zinc dichromate screws with removable screw caps adjust to maintain a tight seal.



Public Access Sill (Mill, Non Thermal Break)



Public Access Sill (Bronze, Non Thermal Break)

Outswing Options




Aluminum Sill with Thermal Break

All-aluminum construction resists corrosion, and integrated weatherstrip forms a tight seal under wind pressure. Also available without thermal break.




Composite Outswing Sill (Mill, Light Wood Cap)

Thick, through-colored wood-grained composite cap and nosing resist wear and rot, and integrated weatherstrip forms a tight seal under wind pressure.



Composite Outswing Sill (Bronze, Dark Wood Cap)

Outswing Sill Extender



Finishes:
Lightwood (Premium)
Darkwood (Premium)

Boise will typically build on a continuous sill, but boxed units are available upon request. Continuous sills are limited to 12 foot.

SDL Bars / Design Pressure (DP) & Impact Rated

SDL Bars

Each bar is coped and mitred for a precision fit...with numerous patterns available to select from. Boise stocks 7/8" Colonial (stainable & paintable), 1-1/4" Colonial (stainable & paintable), 7/8" Putty (paintable) and Therma-Tru. CCA & CCV 1-5/8" SDL bars available on CCA and CCV Craftsman doors and sidelites only.



1-1/4" Colonial Paintable



7/8" Colonial Paintable



1-1/4" or 7/8" Putty Glazed
(Historical) Paintable



1-1/4" Colonial Stainable



7/8" Colonial Stainable



1-5/8" CCA Stainable



1-5/8" CCV Paintable

SDL Bar Options – High Heat Composite

Classic-Craft



(40.64 mm / 1.6 in.)
Look for the (SDL)
designation.



(107.95 mm / 4.25 in.)
Look for the (SDF3)
designation.



(139.70 mm / 5.5 in.)
Look for the (SDF4)
designation.



(40.64 mm / 1.6 in.)
Look for the (SDL)
designation.


Note: Some door styles use a combination of 4-1/4" and 5-1/2" divider bars. Look for the (SDF5) designation.

Fiber-Classic




(1.25 in. / 1.125 in.)
Look for the (SDL) designation.
HHC SDL will come in black
and can be painted.

Smooth-Star



Smooth-Star



(1.25 in. / 1.125 in.)
Look for the (SDF1) designation.
HHC SDL will come in black
and can be painted.

Fiber-Classic



Smooth-Star



(88.9 mm / 3.5 in.)
Look for the (SDF2)
designation.

Capabilities

Multiple Mull Options

Boise has the ability to incorporate various "Mull" configurations to meet specific sizing requirements. And if under 12 feet in width for inswing (10 feet for outswing), Boise will use a continuous sill for better performance and a better overall look. Available in Standard, Patio, Fat Boy, Back-to-Back and Spread mull configurations.



FRONT:
1. Back-to-Back 2. Fat Boy 3. Patio 4. Standard 5. Spread



BACK:
5. Spread 4. Standard 3. Patio 2. Fat Boy 1. Back-to-Back

Mull Adders

| Description | Add Per Mull |
|-----------------|----------------|
| Standard | 0" |
| Patio | 0" |
| Fat Boy | 1/2" |
| Back-to-Back | 1/2" |
| Spread | 1/2" + Spread* |
| * max 3" spread | |

Size Modifications (cut or trim)

Boise can modify the size of all fiberglass doors to help meet your exact needs...without voiding the warranty from Therma-Tru.. All cut down doors are "re-railed" to maintain their integrity. Whether in the width or in the height, modifications can be made. The amount which can be trimmed depends on the particular design style of the door or the interior make-up of the door. Boise also stocks several Retro size doors.



Access Doors

Boise can build smaller doors to accommodate access areas.



Doggy Doors

Boise can cut and/or install Doggy Doors to meet your exact needs.



Dutch Doors

Boise can build selected Fiberglass into Dutch style doors.



Same-Day® Stain

Create the authentic look of real wood in just a few simple steps.


- Achieve professional-looking results with an easy-to-use, quick-drying formula.
- Colorfast stain resists fading, bleaching and yellowing to create a beautiful finish.
- Finish colors can be applied in a variety of shades to complement multiple home styles.
- Specially formulated for Therma-Tru® fiberglass doors.




5 YEAR
LIMITED
WARRANTY

For Therma-Tru fiberglass doors. For complete details on the Same-Day Stain and topcoat limited warranty, go to www.samedaystain.com or ask your seller for more details.


Shown on Classic-Craft American Style Collection™




Light Oak




Mahogany




Natural Oak




Cherry



Walnut



Cedar



English Walnut



Unfinished rose color Classic-Craft mahogany skin



Unfinished tan colored Classic-Craft and Fiber-Classic skin



Finished for Lasting Beauty

- 1 It starts with the realistic wood grains and deep embossments of a Therma-Tru® door.
- 2 A base coat provides an even, consistent color across the surface of the door.
- 3 A wiping stain enhances the base coat to reflect the natural beauty of wood.
- 4 A durable topcoat enhances the color while protecting against scratches and color fading.
- 5 A second application of the topcoat provides added durability.



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller for details on the PrismaGuard warranty and exclusions.

Above: Classic-Craft American Style Collection, Low-E Glass with SDLs, Door – CCA230, Sidelites – CCA210SL

10YEAR
LIMITED
WARRANTY

10-Year Warranty



Durable Topcoat



Professional Application

PrismaGuard® Stain

Brings the authentic look of wood to life with rich tones that add dimension to enhance wood-grained doors.

Stains are shown on Classic-Craft® Rustic Collection™ grain.



Wildflower Honey



Rustic Clay



Barley



New Earth



Autumn Harvest



Redwood



Mulberry



Driftwood



Raven



Boise Cascade®

Finish-Rite®

Our different grains give a varying appearance on stains, so we are showing a sample of New Earth on all grains below.



Classic-Craft®
American-Style
Collection™



Classic-Craft®
Mahogany Collection™



Classic-Craft®
Rustic Collection™



Classic-Craft®
Oak Collection™




Fiber-Classic®
Mahogany Collection™



Fiber-Classic®
Oak Collection™

PrismaGuard® Paint

Delivers a pop of color, allowing you to tailor the look of the entry to make a beautiful lasting impression.



Alpine




Cypress



Granite




Ruby Red



Cabernet



Indigo




Chestnut



Onyx

Finished for Lasting Beauty

- 1 It starts with the realistic wood grains or premium smooth surface of a Therma-Tru® door.
- 2 A base coat provides an even, consistent color across the surface of the door.
- 3 A durable topcoat enhances the color while protecting against scratches and color fading.
- 4 A second application of the topcoat provides added durability.



10YEAR
LIMITED
WARRANTY

10-Year Warranty



Durable Topcoat




Professional Application

Multi-Point Locking Systems (MPLS)

Lever-Style MPLS

(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors. Strike plate packages available to meet the installation needs of various MPLS applications.)

Exterior Handlesets



Heirloom Venture* Millennium*
Backplates: Wide / Narrow; Locking: Active / Inactive (Not Shown)


Standard Door Options



Tongue



Shootbolt
(For door systems with an astragal.)



Exterior view of door with lever-style MPLS.

- ① Self-lubricating locks.
- ② 1" premium stainless steel deadbolt.
- ③ Integrated mishandling device.

Finish Options



Bright Brass Brushed Nickel** Black Nickel Oil-Rubbed Bronze**

Hinges are available in the above colors as well as Stainless Steel. Black Nickel not available in self-aligning inswing hinge. Adjustable Security Strike Plates available in Oil-Rubbed Bronze, Brushed Nickel, Zinc Dichromate (brass finish), and Stainless Steel.

Hinges




Classic-Craft Ball-Bearing Spring-Loaded Self-Aligning

*Venture and Millennium are special order. **Stock colors
Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing.

Grip-Style MPLS

(Highly recommended for 8'0" fiberglass doors. Active option only. Not available for door systems with an astragal. Not recommended for steel doors. Strike plate package available. Grip style handlesets are special order.)


Handlesets



Standard Door Options



Tongue
Heights: 6'8" 7'0" 8'0"
Configurations: Inswing Outswing



- ① Self-lubricating locks.
- ② 1" premium stainless steel deadbolt.
- ③ Integrated mishandling device.

Finish Options



Brushed Nickel Black Nickel Oil-Rubbed Bronze

Grip Style MPLS is NOT available for double doors.



Therma-Tru® Door Systems

Independent Laboratory Performance Testing

At the time of manufacture, Therma-Tru exterior door systems (properly assembled with all genuine Therma-Tru components) have been tested under one or more of the following performance specifications: structural load, uniform load deflection, vertical load resistance, air infiltration, water penetration resistance, forced entry resistance, operating forces, force to latch, deglazing resistance, operating cycle performance, impact resistance, sound transmission, thermal performance and solar heat gain performance. Therma-Tru exterior door systems conform to the applicable Performance Standards / Test Methods that may include ANSI/AAMA/NWWDA 101/I.S.2, AAMA/WDMA 101/I.S.2/NAFS, AAMA/WDMA/CSA 101/I.S.2-A440, ASTM E330, ASTM E547, ASTM E283, ASTM E 331, ANSI/BHMA A156.2, AAMA 1304, AAMA 920, AAMA 925, ASTM E2068, ASTM F842, ASTM E987, ASTM E1300, ASTM E90, ASTM E413, ASTM E1332, ASTM E1886, ASTM E1996, PA/TAS 201, PA/TAS 202, PA/TAS 203, HUD UM89, AAMA 1702.2, 24 CFR 3280, 24 CFR 3282, NFRC 100 and NFRC 200. Refer to www.thermatru.com for design pressure and other performance ratings.

Doors

Recommended Door Overhang – For best performance, all doors should be protected by an overhang. The recommended size is half the distance from the base of the door to the bottom of the overhang. So, as an example, a distance of 10' for this dimension would require an overhang of 5' minimum. For wetter climates, southern or western exposures, and for double doors, the overhang should be the same as the distance from the base of the door to the bottom of the overhang. In this same example, the dimension is 10' so the overhang should be 10'.

For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect entry unit from exposure. Multi-point locking systems are highly recommended for 8'0" and double door applications.

Doorlites

Doorlites are insulated, and exposed panes are tempered. Optional wood grilles available for clear doorlites and transoms.

Inserts – All glass (except flush-glazed styles) shall be bedded with glazing mastic and secured in doors with screws. Therma-Tru's SMC and BTS doorlite frames are available for most styles except where noted. SMC and BTS frames shall resist significant deformation by heat up to 200 degrees Fahrenheit, regardless of paint or stain color or placement behind a storm door.

PVC doorlite frames and dividers must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty. PVC doorlite frames and dividers are not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Decorative Glass & Wrought Iron – Each Therma-Tru decorative glass unit is handcrafted by skilled artisans replicating Old World techniques. Each piece is a unique work of art and many things that would appear to be imperfections (small bubbles, lines and waves within the glass) are normal and are part of the Old World charm.

Condensation occurs naturally in the home, caused by excessive humidity in the air. Often this harmless water vapor can be seen collecting on glass surfaces, such as doorlites. Energy-efficient glass units in Therma-Tru door systems are constructed to keep the glass as warm as possible, reducing condensation build-up. However, there is no such thing as a condensation-free window or doorlite in high-humidity conditions.

NOTE: Glass privacy ratings are determined by the 1/2-lite glass size. As a result, the amount of privacy / glass transparency may be more or less than indicated by the privacy rating, based on the glass design and size of the glass that is inserted into the door, sidelite or transom.

Glass designs may differ from depiction due to the size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more details.

Components

Adjustable Security Strike Plate – Proprietary adjustable type, permitting in-out adjustment of door in frame, up to 3/16".

Hinges – Minimum hinge size 4" x 4" x .098".

Ball-bearing hinges are recommended for 8'0" doors, doors using heavy lites (e.g., wrought

iron), all 20-Minute Fire-rated fiberglass doors, Impact-rated doors and glass, and all Classic-Craft doors.

Use of the multi-point locking system is highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.

Please be aware that single door units built with public access sills have little resistance to water penetration, and double doors built with these sills have a potential to leak if installed exposed to weather. We recommend that units be installed away from weather under large soffits or overhangs.

Use of a sill pan is recommended.

Fiber-Classic and Smooth-Star dentil shelves are not recommended for placement behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Impact-Rated Products

Impact-rated products must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Visit www.thermatru.com for product approvals and full details on WBDP- (Wind-Borne Debris Region) / HVHZ- (High Velocity Hurricane Zone) compliant products. Follow weather and news reports in order to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

Fire-Rating Performance Standards

Fire and building codes vary throughout the country and acceptance of products and labels is left to the discretion of the local authorities.

MODIFICATION OF PRODUCTS DESCRIBED IN THIS BROCHURE WHICH CARRY FIRE RATINGS (DOORS AND FRAMES) MAY VOID THE FIRE RATINGS.

Test conducted by Intertek, Warnock-Hersey.

Limited Warranties

Please be aware of the applicable Therma-Tru Limited Warranty which contains important restrictions, disclaimers, exclusions and conditions, as well as the below listed Installation, Finishing & Maintenance documents, related to the Therma-Tru product purchased (e.g., Fiberglass, Steel, Patio Door Systems), all of which can be obtained from your Therma-Tru seller or found in their entirety at www.thermatru.com:

- Therma-Tru. Fiberglass and Steel Door Systems Residential Limited Warranty: Fiberglass – Classic-Craft, Fiber-Classic, Smooth-Star, and Pulse. Door Systems; Steel – Pulse, Profiles, Traditions and Therma-Tru. Fire Door (TR 12-24) Steel Edge Door Systems.
- Therma-Tru. Tru-Defense. Door System Rider to Fiberglass Door Systems Limited Warranty: Classic-Craft, Fiber-Classic, Smooth-Star, and Pulse. Fiberglass Door Systems.
- EnLiten. Flush-Glazed Construction & Installation Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic-Craft, Fiber-Classic, and Smooth-Star. Flush-Glazed Fiberglass Door Systems.
- EnLiten. Flush-Glazed Homeowner Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic-Craft, Fiber-Classic, and Smooth-Star. Flush-Glazed Fiberglass Door Systems.
- PrismaGuard. Limited Warranty Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic-Craft and Fiber-Classic. Door Systems.
- Same-Day. Stain 5-Year Limited Warranty: Same-Day. Stain and Topcoat for Use on Therma-Tru. Fiberglass Door Systems and Fypon. Stainable Polyurethane Products.

Installation, Finishing & Maintenance

Installation, finishing and maintenance must be performed according to Therma-Tru's recommendations to comply with warranty requirements. Obtain a copy of the following documents outlining recommendations from your Therma-Tru seller or find them in their entirety at www.thermatru.com:

- Installation Instructions
- Therma-Tru Fiberglass and Steel Door Systems Recommendations for Proper Finishing and Painting or Staining

NOTE: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. See your Therma-Tru seller or visit www.thermatru.com for more details.

Therma-Tru. Owner's Manual & Warranties

www.thermatru.com/warranty


Please note: Due to ongoing product development, Therma-Tru Corp. reserves the right to make changes in design, materials and specifications without notice.

Left Page: Smooth-Star, Clear Glass with GBGs, Doors – S808; Shown Right – Fiber-Classic Oak Collection, Clear Glass with SDLs, Door – 81946P, Sidelites – 81946PSL


Handing

All units viewed from exterior of the home.


Inswing



Outswing



Fixed



***For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect patio unit from exposure.**

Options Key

F = Fixed Panel A = Astragal L = Left Hand R = Right Hand

Standard Boise Pre-hung Features:

1. 4-9/16" Primed DuraFrame frame (rot-free; limited lifetime warranty) and PVC brickmould.
2. Therma-Tru® bronze door sweep and composite cap adjustable mill finish sill with stainless steel adjustment screws.
3. In-swing unit with corner seal pads.
4. (3) 4x4 Brushed nickel 5/8" radius/square hinges (Classic-Craft® door systems have ball-bearing radius/radius hinges).
5. Compression bronze weatherstrip.
6. Adjustable strike plate. Transport clip.
7. Double bore for lockset and deadbolt prep with double strike prep on frame.
8. Sill cover (not included on fixed doors).
9. (2) 2-1/2" Hinge screws and (2) 2-1/2" security strike screws on units with security adjustable strike.
10. Installation instructions.
11. Double doors include standard aluminum T-astragal with bronze weatherstrip and strike plates installed.
12. Inactive door is not bored.
13. Door with sidelites feature continuous composite adjustable sill.

Standard Boise Cascade Pre-hung features include:

4-9/16" Primed Duraframe Frame (Rot-Free; limited lifetime warranty), PVC Brickmould, Composite Cap Adjustable Mill Finish Sill, Inswing. Three 4x4 Brushed Nickel 5/8" Radius/Square Hinges [Classic-Craft® (Ball Bearing Radius/Radius Hinge)], Compression Bronze Weatherstrip, Adjustable Security Strike Plate, Double Bore for Lockset and Deadbolt Prep with Double Strike Prep on Frame, Therma-Tru® Bronze Door Sweep, Sill Cover, Transport Clip, (2) 2-1/2" Hinge Screws, Installation Instructions, Corner Seal Pads, Double Doors include standard Aluminum T-Astragal with Bronze Weatherstrip, Inactive Door is not Bored, and door with sidelites feature Continuous Composite Adjustable Sill.

Inswing Door Systems

| Description | Size | Actual Unit Size | Rough Opening | Outside Brickmould |
|------------------|-------|---|---|--|
| Single Door Unit | 2'0" | 25 ⁵ / ₁₆ " x 82" | 26 ¹ / ₂ " x 82 ¹ / ₂ " | 28 ⁵ / ₁₆ " x 83 ¹ / ₄ " |
| | 2'4" | 29 ⁵ / ₁₆ " x 82" | 30 ¹ / ₂ " x 82 ¹ / ₂ " | 32 ⁵ / ₁₆ " x 83 ¹ / ₄ " |
| | 2'6" | 31 ⁵ / ₁₆ " x 82" | 32 ¹ / ₂ " x 82 ¹ / ₂ " | 34 ⁵ / ₁₆ " x 83 ¹ / ₄ " |
| | 2'8" | 33 ⁵ / ₁₆ " x 82" | 34 ¹ / ₂ " x 82 ¹ / ₂ " | 36 ⁵ / ₁₆ " x 83 ¹ / ₄ " |
| | 2'10" | 35 ⁵ / ₁₆ " x 82" | 36 ¹ / ₂ " x 82 ¹ / ₂ " | 38 ⁵ / ₁₆ " x 83 ¹ / ₄ " |
| | 3'0" | 37 ⁵ / ₁₆ " x 82" | 38 ¹ / ₂ " x 82 ¹ / ₂ " | 40 ⁵ / ₁₆ " x 83 ¹ / ₄ " |
| | 3'6" | 43 ⁵ / ₁₆ " x 82" | 44 ¹ / ₂ " x 82 ¹ / ₂ " | 46 ⁵ / ₁₆ " x 83 ¹ / ₄ " |
| Double Door Unit | 4'0" | 50 ¹ / ₁₆ " x 82" | 51 ¹ / ₄ " x 82 ¹ / ₂ " | 53 ¹ / ₁₆ " x 83 ¹ / ₄ " |
| | 4'8" | 58 ¹ / ₁₆ " x 82" | 59 ¹ / ₄ " x 82 ¹ / ₂ " | 61 ¹ / ₁₆ " x 83 ¹ / ₄ " |
| | 5'0" | 62 ¹ / ₁₆ " x 82" | 63 ¹ / ₄ " x 82 ¹ / ₂ " | 65 ¹ / ₁₆ " x 83 ¹ / ₄ " |
| | 5'4" | 66 ¹ / ₁₆ " x 82" | 67 ¹ / ₄ " x 82 ¹ / ₂ " | 69 ¹ / ₁₆ " x 83 ¹ / ₄ " |
| | 5'8" | 70 ¹ / ₁₆ " x 82" | 71 ¹ / ₄ " x 82 ¹ / ₂ " | 73 ¹ / ₁₆ " x 83 ¹ / ₄ " |
| | 6'0" | 74 ¹ / ₁₆ " x 82" | 75 ¹ / ₄ " x 82 ¹ / ₂ " | 77 ¹ / ₁₆ " x 83 ¹ / ₄ " |
| Patio Door Unit | 5'0" | 62 ¹ / ₁₆ " x 82" | 63 ¹ / ₄ " x 82 ¹ / ₂ " | 65 ¹ / ₁₆ " x 83 ¹ / ₄ " |
| | 5'4" | 66 ¹ / ₁₆ " x 82" | 67 ¹ / ₄ " x 82 ¹ / ₂ " | 69 ¹ / ₁₆ " x 83 ¹ / ₄ " |
| | 5'8" | 70 ¹ / ₁₆ " x 82" | 71 ¹ / ₄ " x 82 ¹ / ₂ " | 73 ¹ / ₁₆ " x 83 ¹ / ₄ " |
| | 6'0" | 74 ¹ / ₁₆ " x 82" | 75 ¹ / ₄ " x 82 ¹ / ₂ " | 77 ¹ / ₁₆ " x 83 ¹ / ₄ " |

Door & Sidelite(s) with Continuous Sill System - Inswing

| Description | Size | Actual Unit Size | Rough Opening | Outside Brickmould |
|--------------------|------|--|---|--|
| w/(1) 10" Sidelite | 3'0" | 48 ²¹ / ₃₂ " x 82" | 49 ¹ / ₂ " x 82 ¹ / ₂ " | 51 ⁵ / ₃₂ " x 83 ¹ / ₄ " |
| w/(1) 12" Sidelite | 3'0" | 50 ²¹ / ₃₂ " x 82" | 51 ¹ / ₂ " x 82 ¹ / ₂ " | 53 ⁵ / ₃₂ " x 83 ¹ / ₄ " |
| w/(1) 14" Sidelite | 3'0" | 52 ²¹ / ₃₂ " x 82" | 53 ¹ / ₂ " x 82 ¹ / ₂ " | 55 ⁵ / ₃₂ " x 83 ¹ / ₄ " |
| w/(2) 10" Sidelite | 3'0" | 59 ²¹ / ₃₂ " x 82" | 60 ¹ / ₂ " x 82 ¹ / ₂ " | 62 ⁵ / ₃₂ " x 83 ¹ / ₄ " |
| w/(2) 12" Sidelite | 3'0" | 63 ²¹ / ₃₂ " x 82" | 64 ¹ / ₂ " x 82 ¹ / ₂ " | 66 ⁵ / ₃₂ " x 83 ¹ / ₄ " |
| w/(2) 14" Sidelite | 3'0" | 67 ²¹ / ₃₂ " x 82" | 68 ¹ / ₂ " x 82 ¹ / ₂ " | 70 ⁵ / ₃₂ " x 83 ¹ / ₄ " |

Important Additional Information

- For 7' doors, add 4" and for 8' doors add 16" to the actual unit size and rough opening height dimensions.
- 12" Rectangular and elliptical transoms are 13-1/2" in height, add accordingly. For 10" rectangular transoms add 11-1/2" to the unit height.
- Half round transoms are half the size of the actual unit width, add accordingly.
- For units with public access sills, subtract 1" from inswing height.

Outswing Door Systems

| Description | Size | Actual Unit Size | Rough Opening | Outside Brickmould |
|------------------|-------|---|--|---|
| Single Door Unit | 2'0" | 25 ⁵ / ₁₆ " x 81 ¹ / ₁₆ " | 26 ¹ / ₂ " x 81 ⁵ / ₁₆ " | 28 ⁵ / ₁₆ " x 82 ¹ / ₁₆ " |
| | 2'4" | 29 ⁵ / ₁₆ " x 81 ¹ / ₁₆ " | 30 ¹ / ₂ " x 81 ⁵ / ₁₆ " | 32 ⁵ / ₁₆ " x 82 ¹ / ₁₆ " |
| | 2'6" | 31 ⁵ / ₁₆ " x 81 ¹ / ₁₆ " | 32 ¹ / ₂ " x 81 ⁵ / ₁₆ " | 34 ⁵ / ₁₆ " x 82 ¹ / ₁₆ " |
| | 2'8" | 33 ⁵ / ₁₆ " x 81 ¹ / ₁₆ " | 34 ¹ / ₂ " x 81 ⁵ / ₁₆ " | 36 ⁵ / ₁₆ " x 82 ¹ / ₁₆ " |
| | 2'10" | 35 ⁵ / ₁₆ " x 81 ¹ / ₁₆ " | 36 ¹ / ₂ " x 81 ⁵ / ₁₆ " | 38 ⁵ / ₁₆ " x 82 ¹ / ₁₆ " |
| | 3'0" | 37 ⁵ / ₁₆ " x 81 ¹ / ₁₆ " | 38 ¹ / ₂ " x 81 ⁵ / ₁₆ " | 40 ⁵ / ₁₆ " x 82 ¹ / ₁₆ " |
| | 3'6" | 43 ⁵ / ₁₆ " x 81 ¹ / ₁₆ " | 44 ¹ / ₂ " x 81 ⁵ / ₁₆ " | 46 ⁵ / ₁₆ " x 82 ¹ / ₁₆ " |
| Double Door Unit | 4'0" | 50 ¹ / ₁₆ " x 81 ¹ / ₁₆ " | 51 ¹ / ₄ " x 81 ⁵ / ₁₆ " | 53 ¹ / ₁₆ " x 82 ¹ / ₁₆ " |
| | 4'8" | 58 ¹ / ₁₆ " x 81 ¹ / ₁₆ " | 59 ¹ / ₄ " x 81 ⁵ / ₁₆ " | 61 ¹ / ₁₆ " x 82 ¹ / ₁₆ " |
| | 5'0" | 62 ¹ / ₁₆ " x 81 ¹ / ₁₆ " | 63 ¹ / ₄ " x 81 ⁵ / ₁₆ " | 65 ¹ / ₁₆ " x 82 ¹ / ₁₆ " |
| | 5'4" | 66 ¹ / ₁₆ " x 81 ¹ / ₁₆ " | 67 ¹ / ₄ " x 81 ⁵ / ₁₆ " | 69 ¹ / ₁₆ " x 82 ¹ / ₁₆ " |
| | 5'8" | 70 ¹ / ₁₆ " x 81 ¹ / ₁₆ " | 71 ¹ / ₄ " x 81 ⁵ / ₁₆ " | 73 ¹ / ₁₆ " x 82 ¹ / ₁₆ " |
| | 6'0" | 74 ¹ / ₁₆ " x 81 ¹ / ₁₆ " | 75 ¹ / ₄ " x 81 ⁵ / ₁₆ " | 77 ¹ / ₁₆ " x 82 ¹ / ₁₆ " |
| Patio Door Unit | 5'0" | 62 ¹ / ₁₆ " x 81 ¹ / ₁₆ " | 63 ¹ / ₄ " x 81 ⁵ / ₁₆ " | 65 ¹ / ₁₆ " x 82 ¹ / ₁₆ " |
| | 5'4" | 66 ¹ / ₁₆ " x 81 ¹ / ₁₆ " | 67 ¹ / ₄ " x 81 ⁵ / ₁₆ " | 69 ¹ / ₁₆ " x 82 ¹ / ₁₆ " |
| | 5'8" | 70 ¹ / ₁₆ " x 81 ¹ / ₁₆ " | 71 ¹ / ₄ " x 81 ⁵ / ₁₆ " | 73 ¹ / ₁₆ " x 82 ¹ / ₁₆ " |
| | 6'0" | 74 ¹ / ₁₆ " x 81 ¹ / ₁₆ " | 75 ¹ / ₄ " x 81 ⁵ / ₁₆ " | 77 ¹ / ₁₆ " x 82 ¹ / ₁₆ " |

Door & Sidelite(s) with Continuous Sill System - Outswing

| Description | Size | Actual Unit Size | Rough Opening | Outside Brickmould |
|--------------------|------|--|--|---|
| w/(1) 10" Sidelite | 3'0" | 48 ²¹ / ₃₂ " x 81 ¹ / ₁₆ " | 49 ¹ / ₂ " x 81 ⁵ / ₁₆ " | 51 ⁵ / ₃₂ " x 82 ¹ / ₁₆ " |
| w/(1) 12" Sidelite | 3'0" | 50 ²¹ / ₃₂ " x 81 ¹ / ₁₆ " | 51 ¹ / ₂ " x 81 ⁵ / ₁₆ " | 53 ⁵ / ₃₂ " x 82 ¹ / ₁₆ " |
| w/(1) 14" Sidelite | 3'0" | 52 ²¹ / ₃₂ " x 81 ¹ / ₁₆ " | 53 ¹ / ₂ " x 81 ⁵ / ₁₆ " | 55 ⁵ / ₃₂ " x 82 ¹ / ₁₆ " |
| w/(2) 10" Sidelite | 3'0" | 59 ²¹ / ₃₂ " x 81 ¹ / ₁₆ " | 60 ¹ / ₂ " x 81 ⁵ / ₁₆ " | 62 ⁵ / ₃₂ " x 82 ¹ / ₁₆ " |
| w/(2) 12" Sidelite | 3'0" | 63 ²¹ / ₃₂ " x 81 ¹ / ₁₆ " | 64 ¹ / ₂ " x 81 ⁵ / ₁₆ " | 66 ⁵ / ₃₂ " x 82 ¹ / ₁₆ " |
| w/(2) 14" Sidelite | 3'0" | 67 ²¹ / ₃₂ " x 81 ¹ / ₁₆ " | 68 ¹ / ₂ " x 81 ⁵ / ₁₆ " | 70 ⁵ / ₃₂ " x 82 ¹ / ₁₆ " |

Slab Sizes

| Description | Size | Actual Size |
|--------------------------------------|-------|---|
| Fiber-Classic, Smooth-Star and Steel | 2'0" | 24" x 79 ¹ / ₄ " |
| | 2'4" | 28" x 79 ¹ / ₄ " |
| | 2'6" | 30" x 79 ¹ / ₄ " |
| | 2'8" | 32" x 79 ¹ / ₄ " |
| | 2'10" | 34" x 79 ¹ / ₄ " |
| | 3'0" | 36" x 79 ¹ / ₄ " |
| Classic-Craft | 3'0" | 35 ¹⁵ / ₁₆ " x 79 ¹ / ₄ " |

Retro Door Systems

| Description | Size | Actual Size (inswing) | Actual Size (outswing) |
|-------------------|------|---|---|
| Retro Double Door | 4'8" | 58 ⁵ / ₁₆ " x 79 ¹ / ₂ " | 58 ⁵ / ₁₆ " x 78 ⁵ / ₈ " |
| | 5'8" | 70 ⁵ / ₁₆ " x 79 ¹ / ₂ " | 70 ⁵ / ₁₆ " x 78 ⁵ / ₈ " |
| Retro Patio Door | 4'8" | 58 ¹³ / ₁₆ " x 79 ¹ / ₂ " | 58 ¹³ / ₁₆ " x 78 ⁵ / ₈ " |
| | 5'8" | 70 ¹³ / ₁₆ " x 79 ¹ / ₂ " | 70 ¹³ / ₁₆ " x 78 ⁵ / ₈ " |

Lock Preparation:

2-3/8" Backset, 2-1/8" face bore, 2-1/4" edge prep. Standard passage bore is 44" from top of the door to center of bore. Dead Bolt spacing is 5-1/2" center to center

Standard Hinge Prep

| Door Slab | 1st Hinge | 2nd Hinge | 3rd Hinge | 4th Hinge |
|-----------|---------------------------------|----------------------------------|----------------------------------|----------------------------------|
| 6/8 | 8 ⁵ / ₈ " | 37 ⁵ / ₈ " | 66 ¹ / ₈ " | n/a |
| 8/0 | 5 ¹ / ₈ " | 30 ³ / ₄ " | 56 ¹ / ₄ " | 81 ³ / ₄ " |



Above: Smooth-Star, Clear Glass with SDLs, Doors — S2200-2W2H

Note: See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, riders and ENERGY STAR qualified products.

©2019 Therma-Tru Corp. All rights reserved. THERMA-TRU and the Therma-Tru Logo are trademarks of Therma-Tru Corp. Registered trademarks are registered in the U.S. and may be registered internationally. All trademarks are property of their respective owners. Therma-Tru Corp. is an operating company of Fortune Brands Home & Security, Inc. The Best Buy Seal and other licensed materials are registered certification marks and trademarks of Consumers Digest Communications, LLC, used under license. For award information, visit ConsumersDigest.com. ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency. MET19.1945 JUNE 2019

THERMA-TRU®
DOORS

thermatru.com

1-800-THERMA-TRU (843-7628)

8 Mount Moriah Road
Auburn, GA 30011
770-513-3521
fax 770-513-9248
1-800-241-9089
www.BC.com



Boise Cascade