



Specialty Products Catalog

Decking • Porch Flooring • Railing • Lighting • Siding • and more


Trex Transcend Decking & Railing



Grace Ice & Water Shield



Grayne Engineered Composite Shingle



Kleer PVC Trim



SBC White Cedar Shingles



Inspire Roofing



Versetta Stone



Boise Cascade Building Materials Distribution
Westfield, MA 877-462-6473
www.bc.com/distribution

PRODUCTS	PAGE
Trex Decking & Porch Flooring	
Transcend	2
Enhance	3
Select	4
Fasteners	5
Deck Lighting	6
Porch Flooring	6
RainEscape Deck Drainage System	7
Elevations Steel Deck Framing	7
Trex Railing Systems	
Trex Transcend Railing	8
Trex Select Railing	9
Trex Signatue Railing	9
ADA Compliant Hand Rail	10
Trim	
Kleer PVC Trim	11
QuickTrim System	12
MiraTEC Trim	13
Simpson Connectors	13
Dean Columns	14
Versetta Stone	15
Grayne Engineered Composite Shingle	16
James Hardie ColorPlus Siding	17
James Hardie Accessories	18
SBC Eastern White Cedar Shingles	19
Advanced Building Products	20
Mortairvent & R-Vent	
GCP Applied Technologies (Formerly Grace Construction Products)	21
Grace Ice & Water Shield	
Grace Tri-Flex XT	
Grace Select	
Grace Vycor Plus	
Grace Roof Detail Membrane	
Grace Vycor enV-S	22
Inspire Roofing	23
Dow Products	24
Hoover Fire Retardant Treated	25
Engineered Wood Products	26
Key Brands	27

Trex Transcend®

**Outperforms, outresists, outlasts . . . basically
OUTDECKS ALL OTHERS**

- Unparalleled Beauty. Distinctive, high-definition wood grain patterns are engineered with a low sheen, high-traffic technology that makes it last decades longer than anything out there
- Hassle Free. Virtually indestructible shell, that's fade, stain, and scratch resistant, and cleans easily with soap and water
- Earth Friendly. Made of 95% recycled materials, with manufacturing processes that are as green as they get
- 25-Year Limited Fade and Stain Warranty



Available in:

- 1 x 6 - 12', 16' & 20' Square edge
- 1 x 6 - 12', 16' & 20' Grooved for hidden fasteners
- 1 x 8 - 12' Fascia
- 1 x 12 - 12' Fascia
- 2 x 4 - 16' Square Edge (Tropical colors only)
- 2 x 6 - 16' Square Edge (Tropical colors only)

Trex Transcend, Select & Signature Railing
features modular construction offering
unprecedented design flexibility

See pages 8 & 9 for more information



Tropical Colors:



Havana Gold



Spiced Rum



Tiki Torch



Lava Rock



Island Mist

Classic Earth Tones:



Tree House



Fire Pit



Rope Swing



Vintage Lantern



Gravel Path



Recommended Fasteners:

**Trex Hideaway® & Universal Hidden
Fastener System**

**FastenMaster TrapEase 3 Composite Deck
Screws**

**FastenMaster Cortex Hidden Fastening
System**

See page 5 for more information


Trex Enhance®

Low maintenance composite that offers all the charm of real wood with it's high definition grain pattern, but none of the trouble.

- High performance shell is fade, stain and mold resistant
- Cleans easily with just soap and water or a pressure washer
- Soft, splinter-free finish is comfortable underfoot
- Backed by the Trex 25-Year Limited residential fade & stain warranty



Beach Dune



Clam Shell



Saddle



Available in:

- 1 x 6 - 12', 16' & 20' Square Edge
- 1 x 6 - 12', 16' & 20' Grooved for Hidden Fasteners
- 1 x 8 - 12' Fascia
- 1 x 12 - 12' Fascia

Trex Transcend, Select & Signature Railing

features modular construction offering
unprecedented design flexibility

See pages 8 & 9 for more information

Recommended Fasteners:

**Trex Hideaway® & Universal Hidden
Fastener System**

**FastenMaster TrapEase 3 Composite Deck
Screws**

**FastenMaster Cortex Hidden Fastening
System**

See page 5 for more information


Trex Select®

Trex Select decking adds Trex's legendary luxury to your home more affordably than ever. Select decking features the hallmark high-performance shell technology and nature-inspired colors.

- Stands up to both weather and wear, thanks to its Trex-sanctioned shell
- Resists stains and mold better than traditional composites
- Backed by the Trex 25-Year Limited Fade and Stain Warranty



Saddle



Pebble Grey



Winchester Grey



Madeira



Woodland Brown

Available in:

7/8 x 6 - 12', 16' & 20' Square Edge

7/8 x 6 - 12', 16' & 20' Grooved for Hidden Fasteners

1 x 8 - 12' Fascia

1 x 12 - 12' Fascia

2 x 6 - 16' Square Edge

Trex Transcend, Select & Signature Railing

features modular construction offering
unprecedented design flexibility

See pages 8 & 9 for more information

Recommended Fasteners:

**Trex Hideaway® & Universal Hidden
Fastener System**

**FastenMaster TrapEase 3 Composite Deck
Screws**

**FastenMaster Cortex Hidden Fastening
System**

See page 5 for more information

Trex Hideaway & Universal Hidden Fastener System

Fastener System that delivers a fast and easy installation process that allows for a clean, superior, fastener-free deck surface.

- Exclusively for use with Trex® decking
- Quick and easy installation
- Provides a clean, fastener-free appearance across the entire surface



Stainless Steel Connector Clip:
for use between deck boards

Trex Hideaway
HIDDEN FASTENERS



Start Clip:
for use on perimeter boards



Groove Cutter



Universal Fastener:
for use between deck boards

Cortex® Concealed Fastening System

• Fast & Easy

The deck boards are fastened in the same way as with a traditional deck.

• Strong

A through-fastened deck offers the highest level of board-to-joist connection and deck racking strength.

• Cost Effective

The Cortex system is less expensive than virtually any other hidden fastening system and it is so easy to install!

Deck pros will save money and save time installing it.

- Each Cortex screw is ACQ approved and corrosion resistant.

Cortex®
Hidden Fastening System

Colors formulated to match Trex® Transcend® & Select® decking, also available in white to match Klear Trim



TrapEase® 3 Ultimate Composite Deck Screw

TrapEase 3 is the only deck screw guaranteed to create a clean finished look without predrilling in all three types of synthetic decking: composite, PVC, and capstock.

Anti-fade head paint, the new anti-strip Torx® TTAP® drive system, and a lifetime corrosion warranty make TrapEase 3 the Ultimate Composite Deck Screw.

TORX® TTAP® Drive System


Features a stability button which delivers unmatched stick-fit and wobble-free installation that eliminates fastener strip out. Carded bits are now available!

FastenMaster Spotter

Much more than a lid, the Spotter is an installation guide that reduces installation time by consistently placing the fasteners and gapping the deck boards.




TrapEase® 3
Ultimate Composite Deck Screw



Trex® Outdoor Lighting™


See your deck in a different light.

- Coordinates with the Trex Transcend decking color collection
- Energy-Efficient Cree LEDs are rated to over 40,000 hours of life
- Energy-Efficient Cree LEDs are up to 9.1 times more efficient than traditional incandescent fixtures
- Weather-proof and salt air resistant
- Covered by a Trex warranty
- All Trex lighting fixtures are Made in the USA.



Trex LightHub connection system makes set-up a snap

Trex DeckLighting Colors (Bronze comes in a textured finish all others a smooth finish)



Tree House



Gravel Path



Vintage Lantern



Classic White




Fire Pit



Charcoal Black



Rope Swing



Bronze
(Deck rail & riser lights only)

Trex DeckLighting

All Trex DeckLighting has a 5'6" Lighthub lead wire for easy connection to the 6-way splitter

- * 2.5" x 2.5" LED Aluminum Post Cap Light
- * 4" x 4" LED Caps in Flat and Pyramid Styles
- * LED Deck Rail Lights - 4 Pack
(Classic White, Charcoal Black, Bronze)
- * LED Riser Lights - 4 Pack
(Classic White, Charcoal Black, Bronze)
- * LED Recessed Deck Lights
- * LED Wedge Deck Rail Light
(Classic White, Charcoal Black, Bronze)

Trex LandscapeLighting

- * Path Lights, Well Light, Multi-function Light, Spotlights (Black only)

Power and LightHub Accessories

- * Transformer with Timer
(8A 100 Watt & 2.5A 30 Watt)
- * 5-Way Transformer Splitter for Landscape Lights
- * Dimmer - Single Channel With Remote
- * 3-Way & 6-Way Splitter, Wire Extension Cable 5', 10', 20', 40' & 60' & Female to Female Adapter


Forstner Bit - 1"



Trex Transcend®

PORCH FLOORING & RAILING SYSTEM

- No sanding, staining or painting ever
- Mold & Mildew resistant
- Washes clean with soap and water
- Backed by the Trex 25-Year Limited Residential Fade & Stain Warranty
- Builds and cuts like traditional wood, no special tools
- Looks like hardwood flooring with virtually gap-free floor boards



1"x4"-16' Boards



Spiced Rum



Gravel Path


Trex® RainEscape® DECK DRAINAGE SYSTEM

Double your outdoor living space

- Turns unused space into an outdoor room
- Clever trough system whisks water out through its own gutters
- No leaks, no sitting water
- Superior durability
- Fits both 12" & 16" joist spacing
- Industry leading 20 year warranty

Available:

Beam Protect Tape 3-1/8" x 50'
Butyl Caulk
Downspout
Joist Protect Tape 1-5/8" x 50'
Post Flash 4 x 4
Trough 12' & 16' Lengths
Waterproof Tape 4" x 50'



Trex® Elevations® STEEL DECK FRAMING

Low maintenance outdoor living begins with a solid foundation. Trex Elevations helps you get it right the first time.

- No sagging, rotting or warping
- 25 year limited warranty
- Superior flatness & aesthetics
- Eco-friendly recyclable material
- Impermiabile to wood boring insects and chemical free
- Non-combustible fire rating

Available:

Adjustable Beam Block
Beam End Cap
Beams 2" x 8" - 12', 16' & 20'
Joists 1-5/8" x 8" - 12', 16' & 20'
Mid-Span Block
Track (ledger) 1-1/4" x 8" - 12', 16' & 20'
Touch Up Paint

Railing Components
Elevations Fascia Mount Kit
Elevations rail Post Blocking
Joist Mount Post 2.5" x 2.5" - 63'

Turns unused space under your deck into an outdoor living room when paired with the Trex RainEscape Deck Drainage System.



Recommended Simpson Connectors



Galvanized "L" bracket
L70, L70S



Galvanized post bracket
AC4, LCP4, AC6, LPC6

Trex® Transcend® RAILING

Modular construction offers unique design flexibility and an endless mix of choices

An elegant classic look

A strong, sturdy look and feel

No vibrating, squeaking or rattling, like vinyl railings

Quick and easy assembly

A price that delivers an exceptional value




Classic White



Charcoal Black



Tree House



Vintage Lantern



Fire Pit



Gravel Path



Rope Swing



Glass Panel

White Available in:

36" Rail Kits - 6' Kit w/ Square Balusters (67-1/2") - Horizontal & Stair
36" Rail Kits - 8' Kit w/ Square Balusters (91-1/2") - Horizontal & Stair
Glass Panel Accessory Kit 67.5" Panel Infil Kit - Glass Not Included
4" x 4" - 39" & 108" Post Sleeve
4" x 4" - Post Caps - Flat or Pyramid
4" x 4" - Post Skirt
6" x 6" - 39" & 108" Post Sleeve
6" x 6" - Post Caps - Flat or Pyramid
6" x 6" - Post Skirt
Crown Top Rail - 67.5" & 91.5"
Universal Top & Bottom Rail - 67.5" & 91.5"
Accessory Infil Kits - 67.5" & 91.5"
30.375" & 36.375" Square Baluster
30.375" & 36.375" Colonial Baluster

91.5" Horizontal/Stair Railing Baluster Spacer
Adjustable Foot Block
Horizontal/Stair Railing Cut Kits
Bird's Mouth Gasket & Railing Support Bracket Kit

Colors Available in:

Crown Top Rail - 67.5" & 91.5"
Universal Top/Bottom Rail - 67.5" & 91.5"
Glass Panel Accessory Kit 67.5" Panel Infil Kit
- Glass Not Included
4" x 4" - 39" & 108" Post Sleeve
4" x 4" Post Caps - Flat or Pyramid
4" x 4" Post Skirt
Horizontal/Stair Railing Cut Kit
Bird's Mouth Gasket & Railing Support Bracket Kit

30.375" & 36.375" Aluminum Round & Square Balusters. Available in White, Bronze, Black
91.5" Horizontal/Stair Railing Baluster Spacer
Adjustable Foot Block

Accessories (For use with composite sleeves):
Aluminum IRC Surface Post Mounts 36" & 42"
Surface & Concrete Mounting Hardware
Joist Mount Post 63"

TrexSelect®

It's Trex, Simplified

- Never needs painting or staining
- Installs easily and quickly with an external bracket system
- Backed by the Trex 25-Year Limited Residential Warranty



Classic White



Available in:

36" Horizontal & Stair Rail Kits - 6' (67.5")
w/ Square Balusters

36" Horizontal & Stair Rail Kits - 8' (91.5")
w/ Square Balusters - Horizontal/Stair

Mounting Hardware for Cut Rails - Horizontal/Stair
45 Degree Adapter Kit

30" & 36" Round Black Aluminum Balusters

TrexSignature®

ALUMINUM RAILING



Classic White




Charcoal Black



Bronze

Minimalist Style. Maximum Strength.

- Aluminum possesses unparalleled strength with minimal geometry
- Compatible with any decking, balcony or patio out there
- Powder coating allows the aluminum to retain color and resist corrosion
- Offered with an array of bracket options for easy installation



Available:

- 2.5" x 2.5" x 37" Post w. Cap & Skirt Horizontal
- 2.5" x 2.5" x 43" Post w. Cap & Skirt Horizontal
- 2.5" x 2.5" x 53" Post w. Cap & Skirt Horizontal
- 2.5" x 2.5" x 36" Crossover Post w Cap & Skirt - Horizontal
- 2.5" x 2.5" x 42" Crossover Post w Cap & Skirt - Horizontal
- 6' x 36" Rail Kit w Square Balusters - Horizontal/Stair
- 8' x 36" Rail Kit w Square Balusters - Horizontal/Stair
- 6' x 42" Rail Kit w Square Balusters - Horizontal/Stair
- 8' x 42" Rail Kit w Square Balusters - Horizontal/Stair
- 6' x 36" Rail Kit w Round Balusters - Horizontal/Stair
- 8' x 36" Rail Kit w Round Balusters - Horizontal/Stair
- 6' x 42" Rail Kit w Round Balusters - Horizontal/Stair
- 8' x 42" Rail Kit w Round Balusters - Horizontal/Stair
- Fixed Bracket - Horizontal/Stair - 4 Pack

- Swivel Bracket - Horizontal/Stair - 2 Pack Top & Bottom
- Compound Swivel Bracket - Stair - 2 Pack Top & Bottom
- Crossover Bracket Kit - Horizontal - 1 Pack
- Swivel Crossover Bracket Kit - Stair - 1 Pack
- Aluminum Footblock
- Aluminum Joist Mount Post w/ Cap & Skirt 2.5" x 2.5" x 63"
- Signature Fascia Mount Kit
(For use with wood framing)

Aluminum Gates

Fully Prefabricated, available in 36" & 42" heights, the length is adjustable up to 48" wide
Square & Round Balusters
Available in White, Black & Bronze





White



Black
Special Order



Bronze
Special Order

ADA Compliant Handrail

The Trex ADA Compliant Handrail System includes everything you need to make your Trex railing meet ADA requirements without compromising appearance.

All aluminum powder coated
Fade resistant
Adaptable to all Trex rail systems



Available:

96" Straight Rail, 1-3/8" Diameter x 8'
Wall Return 90 Degree
Wall Mount
Inside Corner Mount
180 Degree Candy cane
5 Degree Elbow
31 Degree Elbow
34 Degree Elbow
36 Degree Elbow
90 Degree Elbow
4" Straight Internal Connector w/Collar
Rail End Cap - Each
Aluminum Collar - Each





The Look of Wood. The Luxury of Low Maintenance.

For the real look of wood, without the inherent maintenance, look no further. Here, you'll find the look you want—the style, curb appeal and elegance of wood—from Kleer PVC trim products. Plus, TruEdge technology provides a sealed edge that resists staining from dirt and grime, and easily wipes clean if dirt comes in contact with the trim-boards.



Available in:

Boards

Kleer Packs 1 (3/4") x 3, 4, 5, 6, 8, 10 & 12 16' & 18' lengths
5/4 (15/16") x 3, 4, 5, 6, 8, 10 & 12 18' & 20' lengths

Full Units 1 (3/4") x 3, 4, 5, 6, 8, 10, 12 & 16 all 18' lengths
5/4 (15/16") x 3, 4, 5, 6, 8, 10, 12 & 16 18' & 20' lengths

Call for Sheets, Corners, Mouldings, Wraps & Accessories



Kleer's innovative **TruEDGE® Technology** provides sharper, cleaner edges that resist dust and dirt, and a smooth finish that's easier to clean than wood trim or PVC boards with no sealed edge. Infused with UV inhibitors that prevent yellowing, they are perfect for creating authentic accents around windows, doors and more.



Cortex Fasteners for Kleer PVC Trim

The fastest, easiest way to hide fastener heads when installing Kleer PVC Trim. The finished look of Cortex for Kleer PVC trim is virtually invisible and can be painted if desired. ACQ approved.



QuickTrim System *by Trim Solutions, LLC*

PATENTED HIDDEN FASTENING SYSTEM WITH NAILING FLANGE & STARTER STRIP

Trim Solutions fulfills an industry demand for high-quality, low-maintenance, ready-to-install, exterior PVC trim.

Durability meets style

- Comes Standard with Nailing Flange and Starter Strip
- Optional J-Channel
- Completely Hidden Fasteners
- Hidden Fastening System:
No face nailing, No caulking or painting needed, Fastens with any standard nails, easy & fast



MIRATEC® by JELD-WEN

MiraTEC® Treated Exterior Composite Trim combines the eye-catching beauty of cedar with the long-lasting performance of an engineered product.

- Industry-best 50-year limited warranty
- Moisture, rot and termite resistant; treated with zinc borate
- Won't check, split or crack
- One solid piece, will not delaminate
- More uniformly dense across its thickness; cuts consistently
- Easy to handle, machine, cut and nail
- Factory-primed on four sides with a low VOC primer with mildewcide. Note: 2" primed on 3 sides.
- MiraTEC has a Class C Fire Rating
- Only wood composite trim to earn an Evaluation Report from ICC Evaluation Services (ESR-3043)



Reversible, choose the smooth or textured side for maximum versatility



Now Stocking . . .

MiraTEC® Smooth Select the same unmatched performance with an elevated level of style and refinement.



Available in:

1 x 3, 4, 5, 6, 8, 10, 12, 16 all 16' lengths

5/4 x 3, 4, 5, 6, 8, 10, 12, 16 all 16' lengths



Deck Framing Solutions

Make sure your decks are ready for large gatherings by using the proper hardware. Whether you're repairing a deck or building one, the Simpson Strong-Tie® DTT deck tension tie secures guardrail posts to deck framing. Our new high-strength SDW S deck ledger screw requires 40% fewer screws than lag bolts. You also can save time with our SD structural-connector screws that are designed to perform with our most popular connectors. And secure beams and posts with the LUS joist hanger and ABA post base.

Remember to select connectors and fasteners rated for outdoor use – look for ZMAX® (G185) or stainless steel. For more deck framing solutions, visit our Deck Center at www.strongtie.com/deckcenter or call (800) 999-5099.

DTT



SDWS



SDS



HUS



ABA



SIMPSON

Strong-Tie

®



Lally Lock System

The **ONLY** code compliant concrete-filled column!

- Code Compliant
- Uplift protection
- Patent Pending
- Designed for New Construction and Remodeling
- Fits any 3 1/2" or 4" column
- Save time

**EASY
1 - 2 - 3
INSTALL**

- **No More Cutting**

Our columns are made in 3" increments and the adjustable base set has a 3" adjustment.

- **One Man Install**

Using the beam plate, you can hang the column with the exclusive key hole design.


- **No More Welding**

The cap plate is connected to the column using our embedded fastening unit. The base plate is connected with concrete screws.


1 Choose your column size & length



2 Choose your cap plate



BEAM PLATE




SADDLE PLATE



CAP PLATE


3 Choose your base plate



BASE PLATE



END PLATE



AJUSTABLE BASE SET

The leader in
concrete-filled steel
columns since 1929

Versetta Stone®


The beauty of stone, the simplicity of siding.



No Mortar. No Mason. No Mess.

- Installs just like siding
- Class A Fire Rating
- Backed by a 50-year limited warranty*
- NAHB Green Approved Product
- Minimum of 50% recycled content as validated by UL Environment™
- International Building Code and International Residential Code Compliant

System Features



Flats & Universal Corners



The main component of the Versetta Stone® system, the Flat Panels are 8" x 36" or two square feet and weigh approximately 17 lbs. Each panel is embedded with a 26 gauge, G-90 galvanized nailing flange that allows easy installation. The 3/16" offset and predrilled weep holes in the nail strips are important parts of our moisture management system, allowing moisture to flow between the panel and the wall, eventually exiting the starter strip installed at the bottom of the wall system.

Manufactured using the same process as our Versetta Stone® Flat Panels, the Universal Corner is designed to be used for outside and inside corners as well as end wall terminations. The Versetta Stone® Universal Corner is the perfect component to manage corners and transitions.

Available In:

Ledgestone


8"x36" Flat
Plum Creek, Sterling, Terra Rosa, Graphite, Mission Point
8"x36" Corner
Plum Creek, Sterling, Terra Rosa, Graphite, Mission Point

Tight-Cut

8"x36" Flat
Plum Creek, Sterling, Terra Rosa, Graphite, Mission Point
8"x36" Corner
Plum Creek, Sterling, Terra Rosa, Graphite, Mission Point

Accessories

36" Wainscot Cap Taupe & Charcoal
8"x36" Trim Stone Taupe & Charcoal
10"x8" Light Box Taupe
8"x6" Receptacle Box Taupe
10' Starter Strip
10' Versetta J-Channel



A striking on-house appearance

Season after Season, Year after Year



5" White Cedar Shingle


Durable & Low Maintenance
Limited 50-Year Warranty
6 Natural Cedar Colors




7.5" Red Cedar Shingle



- Color consistency and quality of factory application
- Available in 25 popular colors
- Specially formulated paint to retain color and resist fading
- Baked-on color process for maximum durability, provides a mar resistant coating and assures the finish will resist peeling, chipping and cracking
- 15-Year finish warranty from one reliable manufacturer, 30-Year limited transferrable product warranty
- Install product and walk away



**HardiePlank
Lap Siding**



**HardiePanel
Siding**



**HardieShingle
Siding**



**HardieTrim
Boards**

James Hardie Primed Product:

Primed HardiePlank®

Smooth, Select Cedarmill

Primed HardiePanel®

Smooth, Cedarmill, Sierra 8" (T-111), Stucco

Primed HardieShingle® Half Rounds

Primed HardieSoffit®

Smooth - Solid

ColorPlus Product Line:

HardiePlank®

Smooth, Select Cedarmill

HardiePanel®

Smooth, Cedarmill, Stucco

HardieShingle®

Straight Edge, Staggered Edge, Individual Shingles

HardieTrim®

4/4, 5/4

HardieSoffit®

Solid , Vented

Touch up Paint Kits &
OSI Color Match Caulking

James Hardie® Siding Accessories

	1) <u>CAULKING:</u> • Use where siding products terminate against trim • Manufactured by OSI, recommended by James Hardie
	2) <u>TOUCH-UP KITS:</u> • Touch up pens are for scratches, nicks, etc. Edge coater seals the cut edges of the board and also makes joints/seams less visible. For larger paint quantities contact a retail paint store. • Kit includes 4oz Edge Coater and 2oz Touch-up Pen. Available in all 20 colorplus colors.
 Special Order	3) <u>HARDIEWRAP:</u> • MicroTech™ coating allows vapor to escape but holds out water and air. Engineered for Hardie Prod. • 9'x150' rolls- 11mil thick • Hardie Seam Tape - 1-7/8"x165' rolls (sold separately)
	4) <u>GECKO GAUGE:</u> • Hangs on previous board and also sets exact exposure. Hang Hardie with 1 person! Specifically made for the HZ5 beveled product and is mar-resistant. 48% faster than chalk lines. Also fits any toolbelt. • Sold in pairs of 2 per package. Model # is SA903B.4
	5) <u>NAPCO COIL STOCK:</u> • Aluminum product made specifically to match the Colorplus line. Ideal to help meet all James Hardie flashing requirements such as roof, deck, step, window, door and drip edge. • 24" x 50' rolls. Exact match on 9 colors. Accent color available for remaining colors.
	6) <u>HARDIEBLADES:</u> • Hitachi™ 4 tooth diamond tip Hardie Blades generate less dust than traditional circular saw blades. • Hitachi™ Hardie Blades available in 7.25", 10" and 12" diameters.
	7) <u>BEAR SKIN JOINT FLASHING:</u> • Each sheet is pre-cut with a stick-it adhesive for the fastest application available, quick & easy to apply • 3 Easy Steps, peel Bear Skin from easy to use pad, press firmly over butt joint, cover with siding.
 Special Order	8) <u>EZ SHEAR CUTTING TOOL:</u> • "Guillotine" style cutter that produces a factory style edge, produces NO dust, can be used on scaffolding, needs NO electricity. Blade lasts 10,000 cuts. • Comes with sharpening stones. Adjustable arm for angle cuts sold separately.
 Special Order	9) <u>FRY REGLET PROFILES:</u> • This product is directed toward HardiePanel application. Product is aluminum and comes with a paintable chemical film or a clear anodized finish. 7-10 day lead time. • Available in: J Channel, Inside/Outside Corners, Vert./Horiz. Extrusion, Drip Cap and Backing Strip.
 Special Order	10) <u>TAMLYN PROFILES:</u> • Tamlyn makes paintable coated aluminum products that are specifically designed for the Hardie line. These include H-Mold, T-Mold, Vertical Reveal, J- Mold, Z-Bar, Corners as well as others. • 7-10 day lead time.



Where quality comes naturally!

EASTERN WHITE CEDAR SHINGLES

- Minimum 3-7/16" shingle width: 15% larger than industry standard
- Graded on both faces: Only manufacturer to do this
- R&R precision 1/64" to 10": Truest R&R shingles on the market
- Kiln-dried by dehumidification: Producing shingles that are less brittle and susceptible to cracking
- Exclusive factory-stain (dipping) process: Putting more stain where it counts, below the 5" exposure line



**SBC PEACE OF MIND
WARRANTY PROGRAM
BEST IN THE INDUSTRY**

On Stain

- Solid colors:** 10 years (1 coat)
25 years (2 coats)
- Semi-transparent:** 5 years (1 coat only)
- Natural tone:** 3 years (1 coat only)

On Labor

- Solid colors:** 2 years (1 coat)
5 years (2 coats)
- Semi-transparent:** 1 year (1 coat only)

On Wood

30 years against wood decay



Work Smarter, not Harder


Solid Stock Colors	Extra		Clear		Clear & Better	
	1 coat	2 coats	1 coat	2 coats	1 coat	2 coats
Buzzards Bay Gray	X	X	X	X		
Cape Cod Gray	X	X	X	X		
Concord White		X		X		
Green Tea Leaf					X	X
Montauk Sand					X	X
Monterey Gray	X	X	X	X		
Nantucket Gray					X	X
Pro-Prime	X	X	X	X		
Safari Beige	X	X	X	X		
Sandstone	X	X	X	X		
Sea Shell					X	X
Weathering Agents	Extra		Clear		Clear & Better	
	1 coat		1 coat		1 coat	
Bleaching Oil	X		X			
Enviro Bleach	X		X			
Weathering Stain					X	
Semi-Transparent Oils					Clear & Better	
					1 coat	2 coats
Maximum Cedartone 57503					X	





Deflect, Drain & Dry

Mortairvent® is a rainscreen drainage and ventilation mat designed for use with most exterior siding materials. Mortairvent® creates an airspace between the siding and the weather resistant barrier that allows moisture to drain from wall assembly and promotes drying of the siding and the wall sheathing.




Thickness: .25" (6mm)
Width: 39"
Length: 61.5'
Square FT per roll: 200
Rolls per pallet: 18
Truckload: 468 rolls



Perfect for Cedar, Metal & Tile Roofs

R-Vent® is a 40% recycled ventilation mat used in cedar or metal roof construction. The 90% open mesh creates an airspace/cavity that is perfect for promoting air flow in all directions between the roof material and sheathing.



Thickness: .40" (10mm)
Width: 39"
Length: 61.5'
Square FT per roll: 200
Rolls per pallet: 18
Truckload: 468 rolls

Protect Against Moisture, Air, Water Leaks & Corrosion with



With today's innovative designs, reducing risk requires advanced envelope solutions that maximize building performance. Your building must perform flawlessly under a wide variety of conditions—year after year—while delivering ultimate moisture protection and long-term durability. Count on GCP Applied Technologies for comprehensive solutions to protect your building envelope's integrity—as well as your own.



TRI-FLEX® XT



TRI-FLEX® 15



Available In:

36"x75' 225 SQFT Ice & Water Shield
36"x36' 108 SQFT Ice & Water Shield 1 SQ
36"x66.7' 200 SQFT Ice & Water Shield 2 SQ
36"x66.6' 200 SQFT Ice & Water Shield HT
48"x250' Tri-Flex 15 10 SQ
48"x250' Tri-Flex XT 10 SQ

36"x65' 25 MIL Select Self Adhering Underlayment
4", 6" & 9"x75' Vycor Plus - Packaged
4", 6", 9" & 12"x75' Vycor Pro
40"x120' 400 SQFT Vycor enV-S
34"x70' Ultra
18"x50' Roof Detail Membrane
36"x66.7' Bituthene 4000



Complete Weather Protection

Robust
weatherization
system when
combined with
Vycor® Flashings

Roll Size	40 in. x 135 ft.
Roll Coverage	450 SF
UV Exposure	90 days

WHY VYCOR® enV-S™?



VYCOR® enV-S™ is fully-adhered....

**Forms continuous barrier against water and air leakage,
sealing all the critical entry points—**

Differentiate yourself by offering clients premium protection against water damage, and helping them lower their utility bills

Installation does not require mechanical fasteners or taping of seam—

Provides peace of mind during installation; no worrying about leaks caused by improperly installed “details”

Strong adhesion to substrate allows the sheet to withstand weather conditions during the construction period—

Avoid costly reworks due to tears & blow-offs which are typical for housewraps

Professional, aesthetically-appealing appearance on the house during the exposure period—

Quality products for quality builders

www.graceresidential.com

INSPIRE[®] ROOFING PRODUCTS



Aledora Slate

Aledora's defined crisp edges with multiple colors integrated into every tile show variations that naturally mimic slates hues and shadow variances. Each tile is uniquely beautiful, so no two roofs are identical. Aledora's light weight makes for easy installation and can be installed on roof slopes 3:12 and greater. Aledora S-Series is 18" long and 12" wide (1/2" thick) with a max exposure of 8". Each 12" tile weight about 1.25 lbs. Aledora V-Series is made up of four different widths of 6", 8", 10", and 12" tiles.

Stocking Sku's:

8" Exposure Slate Field Tile Charcoal Black
8" Exposure Slate Field Tile Mist Grey
Slate Hip & Ridge Charcoal Black
Slate Hip & Ridge Mist Grey
Slate Starter Charcoal Grey
Slate Starter Mist Grey

Classic Slate

Classic Slate will not crack, break or delaminate, standing the test of time better than natural slate. Classic Slate's product formulation and manufacturing processes will provide durability, performance, and longevity for many years to come. By providing a lightweight and easily installed product, you will save money with lower installation and product costs in comparison to natural slate. Inspire synthetic slate is 17.5" long and 12" wide (1/4" thick) and has an max exposure of 7.5".

Stocking Sku's:

7.5" Exposure Slate Field Tile Charcoal Black
7.5" Exposure Slate Field Tile Mist Grey
7.5" Exposure Slate Field Tile Steel Grey
Class C Hip & Ridge Black
Class C Hip & Ridge Mist Grey
Class C Hip & Ridge Steel Grey

Traditional

801 Charcoal black
803 Mist Grey
804 Steel Grey

806 Brandywine

815 Sage
809 Red Rock
814 Olive

Mix

791 Brunswick
790 Coachman
789 Concord

788 Nottingham

Other colors available
by special order.



MORE UNDER ONE ROOF.

For more than six decades, homeowners and building professionals have trusted STYROFOAM™ Brand Extruded Polystyrene Foam Insulation products from Dow to add performance and value to their projects. Today, Dow offers a wide range of integrated building systems all designed to help manage issues that can compromise indoor comfort, energy efficiency and your bottom line. Choose Dow for optimum energy efficiency, sustainability, and air and moisture management for the entire building envelope.



www.insulateyourhome.com

Continuous Insulation

Attic

Penetrations

Windows & Doors

Water-Resistive Barrier

Below Grade

ENERGY EFFICIENCY FOR EVERY HOME.

®™ Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow



Stocking a variety of Styrofoam Extruded Polystyrene, Thermax Polyisocyanurate, Tuff-R Polyisocyanurate, and Froth-Pak Foam insulation. Call for product availability.

PYRO-GUARD®

INTERIOR FIRE RETARDANT LUMBER AND PLYWOOD

SUPERIOR TO PAINT OR COATINGS

TERMITE AND DECAY RESISTANT

STRONGEST FRTW WARRANTY

COMPETITIVE PRICING



HOOVER
TREATED WOOD PRODUCTS, INC.

WWW.FRTW.COM 1.800.531.5558



Available in: **Interior Fire Retardant Treated**

Dimension: 2 x 4 - 2 x 8 8' - 12' & 16'

2 x 10 & 2 x 12 12' & 16'

Plywood: CDX 1/2", 5/8" & 3/4"

SE UL 1/2" & 3/4"

UL T&G 3/4"

AC 1/2" & 3/4"

Available in: **Exterior Fire Retardant Treated**

Dimension: 2 x 4 & 2 x 6 16'

Plywood: CDX 3/4", 5/8", 1/2"

Available in: **CCA Treated**

Plywood: CDX 1/2", 5/8" & 3/4"

SE UL 1/2", 5/8" & 3/4"



Boise Cascade Engineered Wood Products

Boise Cascade BCI & ALLJOIST I-Joists

BCI 6000 Series	2-5/16" x 9-1/2"
BCI 60 Series	2-5/16" x 11-7/8" & 14"
BCI 90 Series	3-1/2" x 11-7/8", 14" & 16"
AJS 20 Series	2-1/2" x 9-1/2", 11-7/8", 14" & 16"
AJS 25 Series	3-1/2" x 9-1/2", 11-7/8", 14" & 16"

Boise Cascade VERSA-LAM Beams

1-3/4" x 5-1/2", 7-1/4", 9-1/2",
11-7/8", 14", 16", 18", 20", 24"

Boise Cascade Wide VERSA-LAM Beams

3-1/2" x 9-1/2", 11-7/8", 14"
5-1/4" x 9-1/2", 11-7/8", 14"
7" x 11-7/8"

Boise Cascade VERSA-LAM Columns

3-1/2" x 3-1/2", 5-1/4", 7"
5-1/4" x 5-1/4", 7"
7" x 7"

Boise Cascade VERSA-STUD

DF LVL VERSA-STUD 1-1/2" x 3-1/2" & 5-1/2"

Rim Board



APA Rated OSB Rim

1-1/8" x 9-1/2" x 12'
1-1/8" x 11-7/8" x 12'
1-1/8" x 14" x 12'
1-1/8" x 16" x 12'



Treated Anthony Power Preserved Glulam Beams & Columns

Treated Beams	3-1/2" x 9-1/4", 11-1/4" 5-1/4" x 9-1/4", 11-1/4", 14", 16"
Treated Columns	5-1/4" x 5-1/2"



Boise Cascade is a Full Line Simpson Dealer



SDWD and SDW Structural Wood Screws



Call Boise Cascade -Westfield
877-462-6473
for a full listing of Simpson
Connectors & Hangers

Key Specialty Brands



33 Fowler Street Extension
Westfield, MA 01085
877-462-6473
www.bc.com/distribution

Rev.4 4-2017